

SAORSTÁT ÉIREANN

ROINN RIALTAIS AITIÚLA AGUS SLÁINTE PUIBLÍ.

(Department of Local Government and Public Health.)

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

FOR THE YEAR

1932.

DUBLIN:

PUBLISHED BY THE STATIONERY OFFICE

To be purchased through the
GOVERNMENT PUBLICATIONS SALE OFFICE, 5 NASSAU STREET, DUBLIN, C.2.
or through any bookseller.

1933.

Price Two Shillings.

(P. No. 1108.)

CONTENTS.

PART I.

REPORT:—

	Page
INTRODUCTORY REMARKS	vii
GENERAL SUMMARY	vii-viii
ISSUE OF AUTHORITY FOR REGISTRATION	viii

MOVEMENT OF POPULATION:—

Estimated population, Natural Increase, Emigration and Immigration	ix
--	----

MARRIAGES:

Numbers, modes of celebration and rates, 1922-32	x
Civil condition of persons married	x
Marriage-rates for counties, county boroughs and provinces, in 1910-12, 1925-7 and 1932	xi
Marriage-rates in Northern Ireland, England and Wales, and Scotland	xi
Marriage-rates in Saorstát Éireann by quarters	xi
Minors	xii
Re-marriages	xii
Number of licences issued	xii
Number of buildings registered for the solemnisation of Protestant Marriages	xii
Number of licensers	xii

BIRTHS:

Numbers and rates	xiii
Birth-rates in Northern Ireland, England and Wales, and Scotland	xiii
Illegitimate Births	xiii
Registration of Births under Legitimacy Act (1931)	xiv
Proportion of Male to Female Births	xiv
Births by quarters	xiv
Multiple Births	xiv

REPORT—Continued.

DEATHS :	Page
Numbers and rates	xv
Standardisation of rates	xv
Uncorrected, corrected and standardised rates in Administrative Areas ...	xvi
Crude and standardised rates during the last six Census periods ...	xvii
Deaths by quarters	xviii
Deaths in Institutions	xviii
Uncertified Deaths	xviii
Inquests	xviii
Causes of Death :—	
General observations	xix
The relative frequency of deaths from the principal causes by ages ...	xx
Epidemic Diseases	xxi
Influenza	xxiii
Tuberculosis	xxiii
Cancer	xxvii
Other General Diseases	xxxix
Circulatory, Respiratory Diseases, etc.	xxxix-xxxi
Childbirth	xxxii
Violence	xxxiv
Ages at Death	xxxiv
Infant Mortality	xxxv
METEOROLOGY	xxxviii-xxxix

DIAGRAMS.

No. 1.	Marriage, Birth and Death Rates, 1901-32. Emigration and Immigration, 1924-32	vi
No. 2.	Death-rates from Diphtheria in Saorstát Éireann, Northern Ireland, England and Wales, and Scotland, 1901-32	xxii
No. 3.	Death-rates from Tuberculosis in Saorstát Éireann, Northern Ireland, England and Wales, and Scotland, 1901-32	xxiv
No. 4.	Death-rates from Tuberculosis by Age-periods, Males and Females, 1912-14, and 1932	xxvi
No. 5.	Death-rates from Cancer in Saorstát Éireann, Northern Ireland, England and Wales, and Scotland, 1901-32	xxx
No. 6.	Infant Mortality in Saorstát Éireann, Northern Ireland, England and Wales, and Scotland, 1901-32	xxxvi

PART II.—TABLES.

TABLE No.	1.	Estimated Populations, 1801-1932	2
"	2.	Ages of the Population, by sexes, Censuses 1851-1926—numbers and proportions per cent.	3-5
"	3.	Numbers of Marriages, Births and Deaths, and Natural Increase, 1864-1932	6
"	4.	Annual Marriage, Birth and Death-Rates, Infant Mortality and Natural Increase, 1864-1932	7
"	5.	Marriages, Births, and Deaths, by Quarters, 1922-32	8
"	6.	Deaths (Numbers and rates) by Causes, 1864-1910	9

PART II.—TABLES—*Continued.*

TABLE NO.		Page
6A.	Numbers of Deaths by Causes, 1911-30	10-11
7.	Death-rates by Causes, 1911-30	12-13
7A.	Deaths (numbers and rates) by Causes, 1931, 1932 and 1922-31, Saorstát Éireann and Northern Ireland	14
8.	Deaths (numbers and rates) by sexes and ages, 1864-1932 ...	15-17
9.	Infant Mortality, by Causes, 1922-32	18
10.	„ by Causes, Ages and Sexes, 1932	19-20
11.	„ by Causes in certain urban areas and aggregate rural areas, 1932	21
12.	„ by Age-periods, in certain urban areas and aggregate rural areas, 1932	22
13.	„ Illegitimate Infants, by Causes and Ages, 1932 ...	23
14.	„ Illegitimate Infants, by Administrative Areas, 1932	24
15.	Marriage, Birth and Death-rates—Administrative Areas, 1932 ...	25
16.	Birth-rates and Death-rates in Urban and Rural areas, by Counties, etc., 1932	26-28
17.	Birth-rates and Death-rates in aggregate Urban and Rural areas, 1901-1932	29
18.	Death-rates, by Sexes, at different Age-periods in aggregate Urban Districts and aggregate Rural Districts, 1928-32 ...	30

PART III.—ABSTRACTS, 1932.

ABSTRACT I.	Marriages, Births (distinguishing Illegitimate Births), and Deaths registered in Administrative Areas	32-39
II.	Marriages registered in Administrative Areas	40-41
III.	Total Births and Deaths by sexes, and Ages at Death, by Adminis- trative Areas	42-44
IV.	Causes of Death, (Detailed International List), by sexes and ages ...	46-67
V.	Causes of Death (Short List), by Sexes, Ages and Place of Occurrence in Saorstát Éireann in each Administrative Area (as under) :—	68-139


	Page		Page		Page
Saorstát Éireann	68-9	Dublin	74-5	Meath	88-9
		Dublin City	76-7	Monaghan	138-9
Leinster	70-1	Galway	122-3	Offaly	90-1
Munster	98-9	Kerry	106-7	Roscommon	128-9
Connaught	120-1	Kildare	78-9	Sligo	130-1
Ulster (part of)	132-3	Kilkenny	80-1	Tipperary N.R.	112-3
		Leitrim	124-5	Tipperary S.R.	114-5
Carlow	72-3	Laoighis	82-3	Waterford	116-7
Cavan	134-5	Limerick	108-9	Waterford Co.	
Clare	100-1	Limerick Co. Boro'	110-1	Boro'	118-9
Cork	102-3	Longford	84-5	Westmeath	92-3
Cork Co. Boro'	104-5	Louth	86-7	Wexford	94-5
Donegal	136-7	Mayo	126-7	Wicklow	96-7

ABSTRACT VI.	Causes of Death by Administrative Counties, distinguishing Urban and Rural districts, arranged by Provinces	140-177
--------------	---	---------

Index to Superintendent Registrars' Districts	...	178
APPENDIX I.	Alterations in Registrar's Districts	179
APPENDIX II.	Numbers of Searches at the General Register Office during the years 1864-1932, with the amounts of Fees received ...	180

SAORSTAT EIREANN.

DIAGRAM No 1 MARRIAGE, BIRTH, and DEATH RATES, 1901 to 1932.
 EMIGRATION and IMMIGRATION, 1924 to 1932



REPORT OF THE REGISTRAR-GENERAL FOR THE YEAR 1932.

TO THE MINISTER FOR LOCAL GOVERNMENT AND PUBLIC HEALTH.

The numerical results of the registration of Marriages, Births and Deaths during the year 1932 are presented in this Report, together with particulars of Emigration, Immigration, and Meteorology. The arrangement of the Report is similar to that for 1928 and subsequent years; that is, it is divided into three sections: I. Text, calling attention to the more important and significant statistical facts in connection with population, marriages, births and deaths during the year; II. Tables, showing the principal figures in comparison with periods since the commencement of registration; III. Abstracts, giving the actual numbers registered during 1932, for Saorstát Éireann as a whole, and (corrected for transferred births and deaths in institutions) for the different administrative areas.

E. P. McCARRON,

Registrar-General.

Meadhon Fhómhair, 1933.

GENERAL SUMMARY.

The *increase* in the population, which commenced in 1931, continued in 1932. The total number of persons in the country in the middle of the latter year was estimated to be 2,974,000. This is 17,000 more than the number in 1931.

Marriages and births have again *decreased*, and a slight *increase* has taken place in the number of deaths registered.

The number of marriages registered was 13,029; this is 104 less than the number in the preceding year, and 1,018 less than the average (14,047) for the ten years 1922-31. The rates per 1,000 of population were, 4·38 in 1932; 4·44 in 1931; and 4·72 in 1922-31. These rates are low as compared with other countries. In Northern Ireland the rate for 1932 was 5·51; in England and Wales, 7·6; and in Scotland, 6·79.

Births have again declined, so that the number in 1932 replaces that in 1931 as the lowest ever recorded: the number was 56,240. The average annual number during 1922-31 was 60,013. In terms of the population, the birth-rate in 1932 was 18·91 per 1,000; in 1931 it was 19·30; and during 1922-31 it averaged 20·17. Between the periods 1911-15 and 1928-32 there has been a fall of 13·0 per cent. The birth-rate in Northern Ireland in 1932 was 19·89, in England and Wales 15·27, and in Scotland 18·64.

Statistics of fertility will be found in the reports for the years 1928, 1929, and 1930.

The number of illegitimate births registered was 1,819. This is equal to 3·23 per cent. of the total births, as compared with a percentage of 3·37 in 1931, and 2·90 for 1922-31. In Northern Ireland the percentage in 1932 was 5·1, in England and Wales 4·4, and in Scotland 7·1.

The number of deaths registered during the year was 42,984. This is 37 more than in 1931; but in proportion to the population it represents a decrease, the rate being 14·45, as compared with 14·52 in the previous year.

In Northern Ireland the death-rate in 1932 was 14·11, in England and Wales 12·04, and in Scotland 13·53.

The principal causes in 1932 occupy substantially the same relative positions as in previous years. Of definite diseases, heart disease is found in the first place, followed in order by tuberculosis, cancer, pneumonia, bronchitis, and cerebral hæmorrhage, each of which caused more than 5 per cent. of the total deaths,

A decrease has taken place in deaths from tuberculosis, and the mortality from this disease is now lower than ever before. The numbers of deaths for 1922-31, 1931, and 1932, were 4,265, 3,902 and 3,676 respectively. The average rate for 1922-31 was 1·43, for 1931 it was 1·32, and for the year under review, 1·24. The rate for respiratory forms of the disease has fallen below one in a thousand for the first time, being 0·96.

Deaths from cancer have again increased, but the number is still slightly below the maximum reached in 1930. The number in that year was 3,329, in 1931 it was 3,294, and in 1932 it was 3,312. The rates were 1·13, 1·11 and 1·11 in the respective years.

Deaths from diseases and accidents of pregnancy and childbirth numbered 256. This number is equivalent to a rate of 4·55 per 1,000 births, as against an average of 4·75 in the ten years 1922-31. The rate for these deaths for all urban districts was 4·20 per 1,000 births, and for all rural districts, 4·76, in comparison with 4·00 and 4·49 respectively, in 1931.

The deaths of 4,060 infants under one year of age were registered during the year. This number is 125 more than the number in 1931, and has raised the rate per 1,000 births to 72 as compared with 69 in that year. The corresponding rate for the preceding ten years was 70. The increase took place in both urban and rural districts, but was proportionately greater in the former, thus accentuating the disparity that marks the mortality in the two classes of area. The urban and rural rates were 95 and 59, respectively, in 1932; and 88 and 58 in 1931.

Among legitimate infants the mortality was 67 per 1,000 births, and among the illegitimate it was 240. For Northern Ireland the legitimate infant death-rate was 79, and the illegitimate, 161; and for England and Wales the corresponding rates were 63 and 112 respectively.

The number of deaths attributed to violence was 977. These comprise 110 suicidal, 16 homicidal, and 851 accidental deaths. The numbers in 1931 were 108, 29, and 807 respectively, as well as one execution. A slight increase has taken place in deaths caused by road traffic and by railway vehicles: the former numbered 181, as against 178 in 1931, and the latter 17, as compared with 10 in 1931.

Issue of Authority for Registration.—Births and deaths which have not been registered within one year of their occurrence can only be registered on the authority of the Registrar-General. During 1932, authority was issued for the registration of 498 such births and 111 deaths.

TABLE A.—Showing for each of the years 1922-32 the estimated Population* ; the numbers of MARRIAGES, BIRTHS and DEATHS registered, with the rates per 1,000 of the estimated Population represented thereby; and the averages for the ten years 1922-31; also particulars relating to Northern Ireland for the year 1932.

YEARS.	Estimated Population* in the middle of each year.	Numbers Registered.			Rate per 1,000 of Estimated Population.		
		Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.
1922	3,022,000	15,141	58,849	44,547	5·01	19·47	14·74
1923	3,014,000	15,632	61,690	42,217	5·19	20·47	14·01
1924	3,005,000	14,822	63,402	45,180	4·93	21·10	15·03
1925	2,985,000	13,820	62,069	43,650	4·63	20·79	14·62
1926	2,969,000	13,570	61,176	41,740	4·57	20·60	14·06
1927	2,957,000	13,418	60,054	43,677	4·54	20·31	14·77
1928	2,949,000	13,716	59,176	41,792	4·65	20·07	14·17
1929	2,946,000	13,593	58,280	42,991	4·61	19·78	14·59
1930	2,946,000	13,631	58,353	41,702	4·63	19·81	14·16
1931	2,957,000	13,133	57,086	42,947	4·44	19·30	14·52
Yearly Average, 1922-1931 ...	2,975,000	14,047	60,013	43,044	4·72	20·17	14·47
1932	2,974,000	13,029	56,240	42,984	4·38	18·91	14·45

NORTHERN IRELAND, 1932.

1932	1,262,000	8,959	25,107	17,812	5·51	19·89	14·11
-------------	-----------	-------	--------	--------	------	-------	-------

* See page 2.

MOVEMENT OF POPULATION.

The population of Saorstát Éireann is estimated to have been 2,974,000 persons in the *middle* of 1932, males numbering 1,514,000 and females 1,460,000. These figures are calculated on the basis of the Census of 1926, by adding the number of births and immigrants in each successive year and deducting the number of deaths and emigrants. The total figure represents a net increase of 17,000 persons over the number in 1931. There is thus a continuance of the upward movement which commenced last year. The cause is the same in both years: emigration has declined to such an extent that the excess of births over deaths is allowed to have its natural effect; at the same time immigration has increased and now exceeds the loss by emigration.

In Table 1, page 2, will be found the estimated populations, by sexes, for years from 1801 to 1932.

TABLE B.—Showing the average annual excess of births over deaths (natural increase), the net migration, and the actual variations in the population in the years 1864-71 and in the intercensal periods between 1871 and 1926, with the average annual rates per 1,000 of the mean population; also similar particulars for the years 1927-1932.

Intercensal Period, &c.	Average Annual Excess of Births over Deaths (Natural Increase)		Average Annual Net Migration Outwards (—); Inwards (+)		Average Annual variation in Population	
	Number	Per 1,000 of Mean Population	Number	Per 1,000 of Mean Population	Number	Per 1,000 of Mean Population
1864-71	39,603	9.5	—74,881	—17.9	—35,278	— 8.4
1871-81	31,855	8.1	—50,172	—12.7	—18,317	— 4.6
1881-91	19,600	5.4	—59,733	—16.3	—40,133	—10.9
1891-1901	14,954	4.5	—39,641	—11.9	—24,687	— 7.4
1901-11	17,940	5.6	—26,154	— 8.2	— 8,214	— 2.6
1911-26	15,820	5.1	—26,946	— 8.8	—11,126	— 3.7
Year 1927	16,377	5.5	—25,225	— 8.5	— 8,848	— 3.0
„ 1928	17,384	5.9	—21,910	— 7.4	— 4,526	— 1.5
„ 1929	15,289	5.2	—18,145	— 6.2	— 2,856	— 1.0
„ 1930	16,651	5.7	—12,907	— 4.4	+ 3,744	+ 1.3
„ 1931	14,139	4.8	+ 2,545	+ 0.8	+16,684	+ 5.6
„ 1932	13,256	4.5	+ 4,173	+ 1.4	+17,429	+ 5.9

Emigration and Immigration—The returns furnished by the Department of Industry and Commerce show that the numbers of emigrants and immigrants to and from places out of Europe and not within the Mediterranean Sea during the year 1932 were 871 and 5,044, respectively, including 315 to and 3,861 from the United States—the corresponding figures for Canada being 86 and 392; for Australia 178 and 251; for New Zealand 20 and 106; for the Union of South Africa 72 and 94; and for other countries 128 and 252, respectively. In every instance the immigrants into Saorstát Éireann outnumber the emigrants.

The following Table gives particulars of emigrants and their destinations in 1932 as compared with the eight years preceding:—

TABLE C.—Number of EMIGRANTS and IMMIGRANTS (of Saorstát Éireann and alien nationality) to and from places out of Europe and not within the Mediterranean Sea, together with the destinations of Emigrants during each of the years 1924-32.

YEAR	Number of Emigrants by Destinations								Number of Immigrants.
	United States	Canada	Australia	New Zealand	Union of South Africa	India	Other Countries	Total all Destinations	
1924	12,234	5,241	1,138	192	160	112	234	19,311	3,392
1925	26,546	1,861	1,076	290	170	136	223	30,302	2,791
1926	26,367	1,994	1,268	236	166	109	219	30,359	1,983
1927	23,947	1,815	1,036	132	106	87	186	27,309	2,084
1928	21,775	1,598	808	114	155	115	235	24,800	2,890
1929	18,119	1,760	497	92	74	125	215	20,882	2,737
1930	14,295	1,047	398	124	58	92	188	16,202	3,295
1931	890	145	164	42	65	111	140	1,557	4,102
Average 1924-31	18,022	1,933	798	153	119	111	205	21,340	2,909
1932	315	86	178	20	72	72	128	871	5,044

MARRIAGES.

Thirteen thousand and twenty-nine marriages were registered during the year 1932; this number affords the smallest marriage-rate that has been recorded during the present century, viz., 4.38 per 1,000 of the estimated population. Lower rates were, however, recorded in earlier years, notably in the period between 1880 and 1894, when they never rose above 4.35 and fell as low as 3.57. The average for the ten years 1922-31 was 4.72; for 1931 the rate was 4.44.

Marriages of Catholics numbered 12,177 (equal to 93.5 per cent. of the total), and those of persons belonging to other denominations, 852. As compared with the numbers in 1931, a decrease of 51 has occurred in Catholic marriages and of 53 in others. The total number of the latter marriages comprise 584 celebrated according to the rites and ceremonies of the Protestant Episcopal Church; 121 in Presbyterian Meeting-houses; 65 in "Registered Buildings" belonging to various other religious denominations; 71 by civil contract in the Registrars' offices; 3 according to the usages of the Society of Friends; and 8 according to the Jewish rites: the first two numbers are lower than in 1931, but the remaining numbers show an increase.

According to the Census of 1926, Catholics represented 92.6 per cent. of the population. Protestant Episcopalians 5.5 per cent., Presbyterians 1.1, Methodists 0.4, and all other denominations 0.4.

The marriages of Catholics in 1932 are equivalent to a rate of 4.42 per 1,000 of the estimated Catholic population, or 0.33 under the average rate for the preceding ten years, and the rate for other marriages was 3.87 per 1,000 of all persons other than Catholics in the population, or 0.46 below the average, as shown in the following table. These rates, however, must be accepted with some reservation, as the estimate of the population by religions is based on the respective proportions existing in 1926.

TABLE D.—MARRIAGES registered in 1932, and in each of the previous ten years, according to the MODES OF CELEBRATION; with the rate per 1,000 of the population represented by Catholic and all other marriages.

YEARS	Marriages registered other than Catholic							Catholic Marriages	Total Marriages Registered	Rate per 1,000 of estimated corresponding Population represented by		
	Protestant Episcopal	Presbyterian	In Registered Buildings	In the Registrars' Offices	Society of Friends	Jews	Total			Catholic Marriages	All other Marriages	Total Marriages
1922 ..	856	154	78	127	—	11	1,226	13,915	15,141	5.02	4.95	5.01
1923 ...	752	154	53	83	5	9	1,056	14,576	15,632	5.26	4.38	5.19
1924 ...	709	143	54	65	1	15	987	13,835	14,822	4.99	4.21	4.93
1925 ...	671	112	70	54	2	14	923	12,897	13,820	4.68	4.07	4.63
1926 ...	672	144	48	87	1	18	970	12,600	13,570	4.58	4.41	4.57
1927 ...	612	163	52	73	5	12	917	12,501	13,418	4.56	4.19	4.54
1928 ...	653	122	61	85	1	12	934	12,782	13,716	4.68	4.28	4.65
1929 ...	660	116	60	74	1	12	923	12,670	13,593	4.64	4.23	4.61
1930 ...	667	131	66	83	3	11	961	12,670	13,631	4.64	4.41	4.63
1931 ...	652	126	56	65	—	6	905	12,228	13,133	4.47	4.14	4.44
Yearly Average 1922-31	690	137	60	80	2	12	980	13,067	14,047	4.75	4.33	4.72
1932 ...	584	121	65	71	3	8	852	12,177	13,029	4.42	3.87	4.38

In the Abstract of Marriages, pages 40-1, particulars are given of the condition of the persons married. From these it is found that marriages between bachelors and spinsters comprised 92.4 per cent. of the total marriages; those of widowers and spinsters, 4.8 per cent.; bachelors and widows, 1.9 per cent.; and those of widowers and widows, 0.9 per cent. Combining the appropriate groups it is seen that of the men married 5.7 per cent. were widowers, and of the women 2.8 per cent. were widows, or in 76 instances in every 1,000 marriages, one or both of the contracting parties had been in the married state before. (See Table F.).

In the following Table, the county, county borough and provincial rates per 1,000 of the population are given for 1932 in comparison with the annual averages in 1910-12 and 1925-7,

TABLE E.—MARRIAGE-RATES (per 1,000 of the population) for counties, county boroughs and provinces, 1910-12, 1925-7, and 1932.

Counties, &c.	Marriages per 1,000 of Population			Counties, &c.	Marriages per 1,000 of Population		
	Annual Average 1910-12	Annual Average 1925-7	Year 1932		Annual Average 1910-12	Annual Average 1925-7	Year 1932
SAORSTÁT ÉIREANN ...	4.95	4.58	4.38	Kerry ...	4.43	4.18	3.76
Carlow ...	4.91	4.30	4.32	Limerick ...	3.30	3.61	3.66
Dublin ...	5.62	5.43	5.70	Limerick Co. Boro' ...	8.62	9.36	7.78
City of Dublin ...	7.51	7.57	6.65	Tipperary N.R. ...	5.22	4.53	4.49
Kildare ...	4.26	3.91	4.27	Tipperary S.R. ...	4.73	3.80	4.03
Kilkenny ...	4.90	3.92	3.59	Waterford ...	4.48	4.11	3.87
Laoighis ...	4.16	3.35	3.01	Waterford Co. Boro' ...	5.26	4.89	5.40
Longford ...	4.43	4.39	3.56	Munster ...	4.84	4.41	4.26
Louth ...	4.93	3.99	4.22	Galway ...	3.76	3.65	3.34
Meath ...	4.81	3.48	3.76	Leitrim ...	4.59	4.37	3.56
Offaly ...	4.96	4.28	4.13	Mayo ...	3.91	3.78	3.22
Westmeath ...	4.83	4.01	4.29	Roscommon ...	4.47	3.97	3.67
Wexford ...	4.74	4.36	4.01	Sligo ...	4.47	4.34	3.33
Wicklow ...	4.55	3.97	4.17	Connaught ...	4.10	3.90	3.37
Leinster ...	5.57	5.22	5.11	Cavan ...	5.06	4.27	4.10
Clare ...	3.75	3.55	3.00	Donegal ...	4.14	3.68	3.67
Cork ...	4.34	3.53	3.46	Monaghan ...	4.87	3.94	3.92
Cork Co. Borough ...	7.99	8.21	8.66	Ulster (pt. of)...	4.55	3.90	3.84

The chief characteristic disclosed by this table is the disparity between the rates for the county boroughs (and Co. Dublin, which is largely urban) and those for the counties, especially the counties on the western seaboard, the rates in the former areas being greatly in excess. Thus, in 1932, the rate for Cork county borough was 8.66; followed by Limerick county borough (7.78), City of Dublin (6.65), Dublin county (5.70), and Waterford county borough (5.40), while the lowest rates are found in Clare (3.00), Laoighis (3.01), Mayo (3.22), Sligo (3.33), and Galway (3.34).

Among the provinces the highest rate is found in Leinster, *viz.*, 5.11 per 1,000, followed by Munster 4.26, Ulster (part of) 3.84, and Connaught 3.37.

The similarity of the relative positions in the different areas during the other periods will also be observed. It is necessary, however, to remark that no correction for area of residence is made in the case of marriages, so that the figures given do not necessarily relate to the exact populations of the respective areas; marriages, like births and deaths, must be registered in the area in which they take place. That the figures, however, provide a fair basis for comparison is indicated by the fact that the birth-rates in the same areas show similar variations.

The marriage-rate for Northern Ireland in 1932 was 5.5, for England and Wales 7.6, and for Scotland 6.8.

The marriage-rates by quarters for the years 1922-32, distinguishing Catholic marriages and other marriages, are given in Table 5. The marriage-rate for the first quarter of 1932 was 4.3 per 1,000 of the population, for the second 4.2, for the third 4.7, and for the fourth 4.3.

These figures give reason to suppose that the tendency, referred to in the Report for last year, for Catholic marriages to become most numerous in the third quarter, is becoming a permanent feature. Hitherto, with the exception of the year 1929, Catholic marriage-rates have always been highest in the first quarter, while for all other marriages the third quarter was most favoured by the parties, with the least preference for the first quarter. In 1929, for the first time, the rate for the third quarter was higher than that for the first; in 1931 the rates for the two quarters were approximately the same; and in the year under review the third quarter is again highest.

Particulars relating to marriages of persons not of full age, and re-marriages, are given in the following table (F), for each of the years 1922-32.

TABLE F.—Showing as regards Marriages in Saorstát Éireann, during the years 1922-32, the proportion of PERSONS NOT OF FULL AGE, and of RE-MARRIAGES.

YEAR	Total Marriages	Persons not of Full Age		Re-Marriages	
		of 100 Men Married	of 100 Women Married	Widowers of 100 Men Married	Widows of 100 Women Married
1922	15,141	1.56	6.22	6.91	4.34
1923	15,632	1.25	5.09	6.82	3.65
1924	14,822	1.27	4.63	6.29	3.61
1925	13,820	1.05	5.45	6.85	3.79
1926	13,570	1.50	6.53	6.33	3.21
1927	13,418	1.39	7.05	6.33	3.26
1928	13,716	1.58	7.38	6.37	3.40
1929	13,593	1.49	7.09	6.53	2.98
1930	13,631	1.91	7.41	6.68	3.23
1931	13,133	1.52	7.33	6.31	3.02
1932	13,029	1.73	7.71	5.73	2.87

The Schedules to the Acts 7 and 8 Vic., cap. 81, and 26 and 27 Vic., cap. 90, indicate that the law does not require that the ages of the contracting parties should be entered in the Register Book or Certificate. All that is necessary is that each party should be described as "of full age" or "minor," as the case may be, so that a complete record of the ages of the persons married is not available.

The proportion of husbands who married under age was highest in the province of Leinster, viz., 2.5 per cent., in Munster it was 1.1, in Connaught 0.5, and in Ulster (part of) 1.6, while the percentage of wives who were minors was for Leinster 9.3, for Munster 6.0, for Connaught 5.2, and for Ulster (part of) 7.5, the proportions for Saorstát Éireann as a whole being 1.7 for husbands and 7.7 for wives.

In Northern Ireland, the proportion per cent. of males married in 1932 who were under age was 3.2, and of females 13.3.

The number of Licences issued by the Registrars during the year 1932 for Marriages in Registered Buildings and in the Registrars' Offices in Saorstát Éireann, was 130. On 31st December, 1932, the number of such Registrars of Marriages authorized to grant Licences for Marriages under 7 and 8 Vic., cap. 81, was 101.

Marriage Licences issued by Licensing Ministers of the Protestant Episcopal Church amounted to 502. The number of Licensing Ministers on the 31st December was 145.

The number of Licences for Marriage issued by the Licensing Ministers of the Presbyterian bodies in Saorstát Éireann during the year 1932 was 120 (117 by the General Assembly and 3 by the Synod of Munster). The number of Licensing Ministers on the 31st December, 1932, was 48, of whom 46 were of the General Assembly and 2 of the United Presbytery or Synod of Munster.

The law does not require this office to keep a register of the churches and chapels of the Catholic Church in which marriages may be solemnised. In the case of the other religious denominations the records in this office show that 1,064 churches and chapels of the Protestant Episcopal Church were, on 31st December, 1932, licensed for the solemnisation of marriages, and that 149 Presbyterian Meeting-houses (147 General Assembly and 2 United Presbytery or Synod of Munster), and 170 Separate Buildings belonging to various other religious denominations were registered for the solemnisation of marriages. The several religious bodies to whom the 170 Separate Buildings belonged are shown in the following list:—

Denominations	No. of Places of Worship	Denominations	No. of Places of Worship
Methodists	130	Salvation Army	2
Reformed Presbyterians	5	Seceders	2
Baptists	8	"The Catholic Apostolic Church"	1
Independents or Congregationalists	6	Welsh Presbyterians	1
Christian Brethren	10	"Undenominational"	4
Moravians or United Brethren	1		
		TOTAL	170

BIRTHS.

The number of births registered in 1932 was 56,240. The rate was 18·91 per 1,000 of the population. This number replaces that of 1931 as the lowest ever recorded; it is 846 below the births in that year, and 3,773 below the average for 1922-31.

The birth-rate has declined almost since the beginning of registration (1864). The fall was most rapid between the periods 1871-80 and 1881-90, the average rate during the first-named period being 26·31, and during 1881-90, 22·88. Between 1891 and 1915 the variations in the birth-rate were slight, but since 1916 a more noticeable decline has occurred. The average rate during 1921-30 was 20·21.

A decline has also occurred in most European and other countries for which statistics are available. In this country, however, the birth-rate has been always low, and the fall is not so marked proportionately as it is elsewhere.

The birth-rate in Northern Ireland in 1932 was 19·89; in England and Wales it was 15·27; and in Scotland it was 18·64.

Abstract I. presents the numbers of births in different parts of Saorstát Éireann, both as registered and as corrected by transfers to the area of the parents' residence of births that occurred in Institutions outside such area.

The birth-rates calculated on the latter numbers are given for provinces, counties, county boroughs and urban and rural areas in Tables 15 and 16. For the province of Leinster the rate was 20·97, for Munster 18·44, for Connaught 16·90, and for Ulster (part of) 16·36, as compared with 21·11, 18·72, 17·42 and 16·81, respectively, in 1931.

The highest birth-rates, as is usual, are found in the county boroughs, the rate for Limerick county borough being 26·24, for Waterford county borough 26·08, for the City of Dublin 25·04, and for Cork county borough 23·19, followed by 21·01 for Co. Kildare, which is the highest rate for administrative counties. The lowest rates were 14·51 for Leitrim, 15·30 for Roscommon, 16·01 for Waterford, 16·11 for Sligo, and 16·12 for Cavan.

A comparison of the rates for the county boroughs and urban districts in the aggregate and for the combined rural districts with the rates in the preceding year, show that the fall in 1932 occurred in the rural districts. The urban rate shows a slight increase, being 23·34 as against 23·21 in 1931, while the corresponding rural rates were 17·02 and 17·64 respectively.

The birth-rate for Belfast county borough in 1932 was 21·51, for Londonderry 26·11, for London 14·28, for Liverpool 21·12, for Edinburgh 15·54, and for Glasgow 20·58.

Information in respect of fertility is given in the Annual Reports for 1928, 1929, and 1930.

Illegitimate Births.—Illegitimate births numbered 1,819, and constituted 3·2 per cent. of the total births registered, and are equivalent to a rate of 0·61 per 1,000 of the population. All these figures represent a decrease since 1931, when the number was 1,925, the percentage 3·4, and the rate 0·65.

The accuracy of these figures, however, is open to some doubt. When the deaths of illegitimate infants are co-related to the corresponding births the proportion of the former is so high as to suggest that a considerable deficiency exists in births registered as illegitimate. A test search in the records for the births of illegitimate infants whose deaths were registered within one year failed to reveal more than 54 per cent. of the births. It is inferred that many births that are really illegitimate are registered as legitimate.

The ratio per cent. of total births in Northern Ireland in 1932 was 5·1, in England and Wales 4·4, and in Scotland 7·1.

The percentages, by provinces, are shown in the following statement for the years 1925-32 :—

	Illegitimate Births—per cent. of Total Births.							
	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.
Saorstát Éireann	2·68	2·81	2·93	3·02	3·18	3·19	3·37	3·23
Leinster ...	3·25	3·36	3·47	3·47	3·64	3·85	3·96	3·73
Munster ...	2·69	2·90	2·79	3·17	3·37	3·13	3·39	3·26
Connaught ...	1·13	1·30	1·41	1·66	1·56	1·46	1·68	1·35
Ulster (part of) ...	3·02	2·77	3·86	3·02	3·45	3·61	3·71	4·30

Table 15 supplies the information as regards illegitimacy in 1932 by provinces, counties, and county boroughs. The five counties with the highest rates were Wexford (5·76 per cent. of total births), Kildare (5·25), Kilkenny (5·12), Laoighis (5·06), and Meath (5·01), and the lowest five were Mayo (0·82), Roscommon (1·41), Galway (1·48), Leitrim (1·73), and Cork county borough (1·81).

Legitimacy Act (1931).—During 1932, authority was issued by the Registrar-General, under the Legitimacy Act of 1931, for the re-registration of 15 births.

Proportion of Males to Females.—The births in 1932 comprise 28,842 boys and 27,398 girls. These numbers are in the proportion of 1,053 males to every 1,000 females, a ratio which is one less than the average (1,054) for 1922-31. In England and Wales in 1932, the proportion of males born alive to 1,000 females was 1,050, which was 5 above the average for the ten preceding years, and in Scotland the proportion was 1,049, which was one above the average for the ten years.

Table 4 shows the proportions for Saorstát Éireann by periods covering the years 1864-1932.

The male children born in wedlock in 1932 numbered 27,904, and the female 26,517, or 1,052 of the former to every 1,000 of the latter, and of the illegitimate children 938 were males and 881 females, or 1,065 boys to every 1,000 girls.

The following statement shows the total number of infants, by sexes, whose births were registered during each quarter of 1932 :—

	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
Males 	6,913	7,542	7,671	6,716	28,842
Females 	6,672	7,262	7,129	6,335	27,398
TOTAL 	13,585	14,804	14,800	13,051	56,240

Of the total births, 50·5 per cent. were registered in the first six months (182 days) and 49·5 per cent. in the second six months (184 days).

Multiple Births.—The number of infants born alive in multiple births was 1,333, consisting of 659 pairs of twins and 5 sets of triplets. The twins were 2·34 per cent. of the total number of infants whose births were registered, and the triplets 0·03. In 1931 these percentages were 2·65 and 0·03, respectively.

The number of mothers of living children during the year was 55,571. Of these, 54,907 or 98·80 per cent., gave birth to single infants, 659, or 1·19 per cent., to twins, and 5, or 0·01 per cent., to triplets.

The infants born in wedlock (54,421) comprised 53,112 single infants, 1,294 twins and 15 triplets, these groups bearing the proportions of 97·59 per cent., 2·38 per cent., and 0·03 per cent. to the total number of legitimate births, respectively.

Illegitimate infants included 1,795 single and 24 twin infants, or 98·68 per cent. and 1·32 per cent., respectively, of the 1,819 illegitimate infants registered.

Of the total infants born alive, in cases of multiple births, 696 were males, and 637 females.

It should be borne in mind that the figures given above relate to live births, as still births are not registered in this country, and that, therefore, the birth of one living child and one still born or one living child and two still born is counted as a single birth, and the birth of two living children and one still born is counted as a twin birth.

DEATHS.

A fall was recorded in the death-rate in 1932 as compared with 1931, the rates in the respective years being 14·45 and 14·52 of the estimated population. The average rate for the ten years 1922-31 was 14·47. In actual numbers there was a slight increase, but this is to be attributed to the increase of population: the number registered in 1932 was 42,984, as against 42,947 in the previous year.

The deaths of males numbered 21,801 and the deaths of females 21,183, or 14·40 and 14·51 per 1,000 of the respective populations.

For Northern Ireland the crude death rate per 1,000 in 1932 was 14·11; for England and Wales 12·04, and for Scotland 13·53.

The total number of deaths registered in each county, county borough and superintendent registrar's district is given in Abstract I., as well as the number corrected by *transfers*, i.e., the transfer to each area of deaths of residents of that area which occurred elsewhere in Saorstát Éireann, and, necessarily, the exclusion from each area of deaths of persons belonging to other areas. In Tables 15 and 16, rates based on the latter numbers are given for provincial, county, urban and rural areas.

Rates based on the deaths so corrected represent the frequency of death in the population of the particular area, but a strictly just comparison between the mortalities of different areas cannot be made by such means. Sex and age have a vital influence on mortality, and the age and sex constitution of the population varies in different localities. To institute a true comparison, it is necessary to reduce the mortality experienced in different areas to a common basis which will provide a uniform age and sex constitution of population. This can be done by applying the death-rates of males and females in age-groups in the given areas to some standard population adopted for the purpose. Such a process is known as the *standardisation of death-rates*; it has been employed in these Reports for the last three years, and a detailed description and example appeared in the Annual Report for 1930. For distinguishing purposes, ordinary rates calculated directly on the population are known as *crude* rates.

The standard population used is that of Saorstát Éireann at the Census of 1926. The use of this standard obviates the necessity for calculating additional rates for individual causes in Saorstát Éireann, as the crude rate in a population that is used as the standard must necessarily be the same as the standardised rate: it precludes, however, comparison with the standardised rates of other countries, which are based on other standards.

The double effect of these adjustments is shown in Table (G) on the next page. Rates calculated on the registered numbers in each county and county borough are arranged beside the corrected rates and the standardised rates, and the differences shown in cols. 4 and 5. The greatest differences arising from correction occur in the county boroughs and adjacent counties, corresponding, as it is to be expected, with the location of the larger institutions: the rate for the City of Dublin is lowered from 17·44 to 15·63, and for the county borough of Waterford from 21·77 to 18·39; in these places the institutions are mostly within the city boundaries, and consequently large numbers of patients are received into the cities from outside localities; while, conversely, the rate for Cork county borough is raised from 14·59 to 15·76, and for Limerick county borough from 12·29 to 15·39, important institutions in these cases being situated outside the city areas.

The value of this adjustment is obvious, as it corrects the effect of displacement due to the presence of public institutions in certain localities. The adjustment made in standardisation, however, is equally important. It is based on figures already corrected for institutions, but relates to the disturbance caused by variations in the constitution of different local populations; these, as already explained, are reduced to a basis of common comparability. The important effect of this second adjustment is again seen in the rates for the county boroughs, which are all raised. This increase arises from the fact that the city populations have a constitution more favourable (a greater proportion of young persons, and more females than males) to a low rate than the country as a whole, and also shows that the cities have, comparatively, a heavier mortality.

At a date now so distant from the Census, however, it is necessary to accept standardised rates with some reservation. The essential basis of standardisation is age distribution, and the age distribution in Saorstát Éireann has probably undergone some change by the recent unusual variations in population. It may be assumed that the proportion of young persons has increased, and this would mean that the standardised rates given are higher than should properly be the case.

TABLE G.—Showing the effect on the Death-rates in 1932, in Counties, County Boroughs and Provinces, of correction for Transfers and of Standardisation.

COUNTIES, ETC.	Death-rates in 1932 per 1,000 population.				
	Un-corrected. (Crude)	Corrected for Transfers. (Crude)	Standard- ised Rates.	Effect of Correction (col 2 on col. 1).	Effect of Standard- isation (col. 3 on col. 2).
	(1).	(2).	(3).	(4).	(5).
Carlow	16.01	16.07	15.84	+ 0.06	— 0.23
Dublin	13.60	14.46	16.49	+ 0.86	+ 2.03
City of Dublin	17.44	15.63	18.64	— 1.81	+ 3.01
Kildare	12.80	14.27	15.62	+ 1.47	+ 1.35
Kilkenny	15.20	15.55	15.58	+ 0.35	+ 0.03
Laoighis	14.57	14.84	14.10	+ 0.27	— 0.74
Longford	12.12	12.82	11.30	+ 0.70	— 1.52
Louth	15.09	15.99	16.45	+ 0.90	+ 0.46
Meath	14.66	15.25	15.35	+ 0.59	+ 0.10
Offaly	11.79	13.16	12.87	+ 1.37	— 0.29
Westmeath	15.65	15.59	15.50	— 0.06	— 0.09
Wexford	16.24	16.48	16.22	+ 0.24	— 0.26
Wicklow	13.96	15.77	15.74	+ 1.81	— 0.03
Province of Leinster... ..	15.63	15.44	16.54	— 0.19	+ 1.10
Clare	12.65	13.17	11.65	+ 0.52	— 1.52
Cork	14.30	13.89	14.04	— 0.41	+ 0.15
Cork County Borough	14.59	15.76	18.91	+ 1.17	+ 3.15
Kerry	12.68	12.96	12.97	+ 0.28	+ 0.01
Limerick	14.86	13.69	13.79	— 1.17	+ 0.10
Limerick County Borough	12.29	15.39	19.04	+ 3.10	+ 3.65
Tipperary N.R.	15.36	15.12	14.90	— 0.24	— 0.22
Tipperary S.R.	14.51	14.64	14.73	+ 0.13	+ 0.09
Waterford	13.14	14.77	14.24	+ 1.63	— 0.53
Waterford County Borough	21.77	18.39	20.29	— 3.38	+ 1.90
Province of Munster... ..	14.12	14.18	14.44	+ 0.06	+ 0.26
Galway	14.13	13.88	12.94	— 0.25	— 0.94
Leitrim	13.22	14.13	11.96	+ 0.91	— 2.17
Mayo	11.56	11.79	10.73	+ 0.23	— 1.06
Roscommon	12.09	12.84	11.05	+ 0.75	— 1.79
Sligo	13.90	13.97	12.34	+ 0.07	— 1.63
Province of Connaught	12.90	13.11	11.77	+ 0.21	— 1.34
Cavan	13.86	14.78	13.25	+ 0.92	— 1.53
Donegal	13.62	13.62	12.07	0.00	— 1.55
Monaghan	15.02	14.60	13.07	— 0.42	— 1.53
Province of Ulster (part of)	13.99	14.15	12.62	+ 0.16	— 1.53
Saorstát Éireann	14.45	14.45	14.45	—	—

The rate for Waterford county borough was increased from 18.39 to 20.29 per 1,000, which is the highest standardised rate for county and county borough areas. Limerick comes next with a standardised rate of 19.04, to which it was raised from 15.39, followed by Cork (18.91) increased from 15.76, and Dublin, with a rate of 18.64, to which it was raised from 15.63.

At the same time the rates for rural areas are lowered by standardisation. This is particularly apparent in the table for the counties of Connaught. Leitrim is reduced by 2.17 per 1,000, or from 14.13 to 11.96, and Roscommon by 1.79, or from 12.84 to 11.05.

Further standardised rates are given in Table 16.

The rates above considered refer to total populations. Standardised rates for the sexes separately are calculated in the same way, except that for them the total standard population alone at each age-group is used for each sex, and not the standard male and female populations separately.

The crude mortality* in the City of Dublin for males in 1932 was 16·08 per 1,000 of the male population, and for females 15·23 per 1,000 of the number of females in the population. The standardised rates were 19·79 per 1,000 for males, and 17·47 per 1,000 for females.

In Cork county borough the crude rates* for males and females were 16·93 and 14·70, and the standardised rates 21·31 and 16·67, respectively.

In Limerick county borough the crude rates* for males and females were 15·75 and 15·05 and the standardised rates 20·51 and 17·66.

In Waterford county borough the crude rate* for males was 18·57 and for females 18·23 and the standardised rates 20·75 and 19·84.

Taking the county boroughs and urban districts in the aggregate, the results show that the crude death-rate* for both sexes was 15·30 per 1,000 of the population, the rate for males being 15·62 and for females 15·02, while for rural areas the rate for persons was 14·09, for males 14·01 and for females 14·18.

As the result of standardisation the rates for urban districts in the aggregate appear to be considerably higher and the rates for the sexes to show a wider divergence, being 18·68 for males and 16·74 for females; but the rates for the aggregate of the rural areas are lowered, and the female rate becomes less than the male rate, being 13·04 as against 13·46.

Thus the true mortality among the males in the population of urban areas is 5·22 per 1,000, or 38·8 per cent., above that prevailing in rural areas, and among females it was 3·70 per 1,000, or 28·4 per cent. higher, whereas if the comparison were based on the crude rates alone, the mortality for males in urban areas would show an excess over rural of not more than 11·5 per cent., and for females of 5·9 per cent.

An example of the modifications, made by standardisation, of the death-rates at different times in Saorstát Éireann area is afforded by the following statement, which shows the average annual death-rates, by sexes, in 1925-7, as compared with the crude rates in the triennial periods centring in each of the five preceding censuses.

	AVERAGE ANNUAL DEATH-RATES—AS RECORDED (CRUDE) AND STANDARDISED—PER 1,000 OF POPULATION.										
	1870-2		1880-2		1890-2		1900-2		1910-2		1925-7
	Crude	Standardised	Crude	Standardised	Crude	Standardised	Crude	Standardised	Crude	Standardised	Death-rate
Persons	16·85	19·03	17·77	20·44	17·91	20·99	17·75	20·36	16·35	15·91	14·48
Males	17·33	19·44	18·10	20·75	17·83	21·06	17·85	20·38	16·32	16·35	14·33
Females	16·39	18·57	17·45	20·11	17·99	20·90	17·65	20·31	16·37	15·49	14·63

This statement shows that the decrease which has taken place in the death-rate in recent years is much greater than appears in the ordinary way from a comparison of crude rates. Thus the decrease between 1870-2 and 1925-7 appears to be 2·37 per 1,000 when measured by crude rates, but by standardisation the true difference is shown to be 4·55 per 1,000.

Similar differences are shown for the other periods except 1910-2; for that period the death-rate is reduced by standardisation; this is due to the large percentage of aged persons that appeared in the Census of 1911.

* Corrected for transfers.

The following statement shows, by sexes, the number of deaths of persons registered during each quarter of the year 1932.

—	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total.
Males	6,506	5,735	4,576	4,984	21,801
Females	6,687	5,532	4,319	4,645	21,183
TOTAL	13,193	11,267	8,895	9,629	42,984

Of the total deaths 24,460, or 56·9 per cent. were recorded during the first six months, and 18,524, or 43·1 per cent., in the second six months.

The deaths registered in the first quarter of the year were equal to a rate of 17·7 per 1,000 of the population; in the second, 15·1; in the third, 11·9; and in the fourth, 12·9. Compared with the quarterly rates of the previous year, the third quarter is the only one to show an increase.

DEATHS IN INSTITUTIONS.

Abstract V. gives particulars relating to deaths by certain causes in institutions, for the country as a whole, and for each province, county and county borough. Deaths in general and special hospitals numbered 4,188, in mental hospitals, 1,186, and in county homes and hospitals, etc., 6,798; leaving 30,812 that occurred elsewhere, chiefly at the homes of deceased.

These figures are in the respective proportions of 9·7, 2·8, 15·8, and 71·7 per cent. of the total number of deaths.

These ratios, when compared with the figures for earlier years, indicate an increasing tendency to take advantage of hospital and institution treatment. In 1922 the percentages of deaths in the three classes of institution were 7·5, 2·4 and 13·2, respectively, 76·9 per cent. dying at their own homes; in 1911 the percentages were 5·5, 2·1, and 14·9; and in 1901, 4·3, 1·8, and 14·1; so that since 1901 the proportion of deaths in general and special hospitals has increased by 126 per cent., of deaths in mental hospitals by 56 per cent., and of deaths in county homes and hospitals, etc., by 12 per cent.

UNCERTIFIED CAUSES.

The percentage of deaths that were registered without a certificate from a medical practitioner or the coroner was 19·5. The number was 8,369. This is the first time the percentage has fallen below 20. It was 20·5 in 1931, and averaged 24·6 during 1922-31.

The greater part of uncertified deaths are registered in rural districts: the percentage for these districts in 1932 being 27·2; whereas in urban districts it was only 2·7.

INQUESTS.

The number of deaths registered on certificates issued by coroners as the result of inquests or post-mortem examinations during the year 1932 was 1,229, or one inquest for every 35 deaths registered.

CAUSES OF DEATH.

The causes of the deaths which were registered in Saorstát Éireann during 1932 are given by sexes and ages in Abstract IV, according to the Detailed International List. In Abstract V causes are given for provinces, counties, and county boroughs, and in Abstract VI for urban and rural districts, according to the Short List (see the Annual Report for 1931, p. xxi.).

Among the principal causes, deaths from the following diseases were more numerous in 1932 than in the preceding year:—typhoid fever, by 14; scarlet fever, by 18; whooping-cough, by 155; diphtheria, by 66; influenza, by 183; cancer, by 18; cerebral hæmorrhage, etc., by 72; heart disease, by 112; bronchitis, by 22; diarrhœa and enteritis (under 2 years), by 48; puerperal sepsis, by 12; congenital debility, etc., by 12; and violence, by 32. The following diseases show a decrease in number:—typhus is less by 3 in 1932 as compared with 1931; measles, by 122; dysentery, by one; encephalitis lethargica, by 4; cerebro-spinal fever, by 2; tuberculosis, by 226; pneumonia, by 7; nephritis, by 52; other puerperal causes, by 2; and senility, by 525.

The periodicity of diseases, however, limits the significance of variations between the figures of one year and those of another. The relative progress or decline of disease in a given year is more truly indicated by the mean level of mortality over a series of years. When the deaths in 1932 are compared in this way with the average numbers in 1922-31 it is found that several diseases, instead of showing an increase, show a decrease, and *vice versa*: thus, typhoid fever has *decreased* by 19; whooping-cough, by 63; bronchitis, by 92; etc.; whereas pneumonia has *increased* by 176 and nephritis by 66. On the other hand, the variations in some diseases are accentuated, those of a chronic degenerative character, such as cancer, cerebral hæmorrhage, heart disease, showing greater increases, and those that have been influenced by effective public health measures and improved conditions of life, such as tuberculosis, showing further decreases.

Table H shows the relative frequency of death from the principal causes among the population as a whole and among different age-groups of the population. From this table it is evident that senile decay claims the largest part of the general mortality, accounting for 154 in every 1,000 deaths; it is followed in order by heart disease (143), tuberculosis, all forms (85), cancer (77), pneumonia (63), bronchitis (61), and cerebral hæmorrhage, etc. (58). These seven causes thus account for 64 per cent. of the total mortality.

Among infants under one year, congenital debility, malformation, premature birth, diseases of early infancy, diarrhœa and enteritis, and pneumonia are the most fatal conditions and diseases, causing more than 67 per cent. of infant deaths.

Pneumonia is most fatal between the ages of one and five years, after which it declines, but again rises at 25 and falls again as old age approaches. Bronchitis, on the other hand, is more frequent at the higher ages than at the earlier, being especially low during middle age.

Epidemic diseases assume their greatest importance between the ages of one and 15, and at the age when they decline tuberculosis of the respiratory system becomes the most frequent disease. Other forms of tuberculosis are most numerous between the ages of 5 and 25. Tuberculosis retains the first place till the age of 45, and from that age till 75, cancer and heart disease exact the heaviest toll of life. Senility accounts for more than half the deaths after 75 years of age, and heart disease, bronchitis and cerebral hæmorrhage account for more than half of the remainder. Influenza appears to be the only disease that is unaffected by age; it causes between 3 and 4 per cent. of the deaths at all age periods.

TABLE H.

TABLE H.—Showing the relative frequency of Deaths at certain Age-periods from the principal Causes in 1932.

No.	CAUSES OF DEATH	PROPORTION PER 1,000 DEATHS AT EACH AGE-PERIOD												
		All Ages	Under 1	1-5	5-	10-	15-	20-	25-	35-	45-	55	65-	75-
—	ALL CAUSES	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
1	Typhoid fever (including paratyphoid).	2	.	.	7	12	11	4	7	4	5	1	1	
2	Typhus	1	1	.	.	.	
3	Measles	6	14	80	31	12	9	1	3	1	.	.	.	
4	Scarlet fever	2	1	21	34	16	3	3	3	2	.	.	.	
5	Whooping-cough . . .	7	36	74	14	4	.	1	
6	Diphtheria	9	3	85	197	65	21	4	2	2	1	1	.	
7	Dysentery	1	
8	Influenza	39	16	34	25	30	35	29	31	35	35	48	58	
9	Encephalitis lethargica .	.	.	2	1	2	5	2	2	3	1	1	.	
10	Cerebro-spinal fever .	.	1	1	4	10	3	2	
11	Tuberculosis of respiratory system.	66	1	15	31	136	380	465	364	230	94	32	9	
12	Other tuberculous diseases	19	12	57	100	156	113	92	52	37	16	8	2	
13	Cancer	77	.	3	4	10	9	10	24	78	167	164	99	
14	Diabetes mellitus . . .	6	.	1	1	8	10	10	6	8	9	8	7	
15	Cerebral hæmorrhage, etc. (No. 82).	58	.	1	4	6	7	5	11	37	66	94	93	
16	Heart disease	143	.	5	38	63	61	52	73	115	174	219	221	
17	Other circulatory diseases	14	1	1	.	2	.	1	2	8	9	21	21	
18	Bronchitis	61	55	56	16	4	10	12	11	25	49	70	93	
19	Pneumonia (all forms) .	63	117	209	85	77	45	41	67	76	59	61	49	
20	Other respiratory diseases	18	8	14	22	4	14	21	21	22	25	26	20	
21	Gastric and duodenal ulcer	8	.	.	.	2	10	10	18	24	18	14	5	
22	Diarrhoea and enteritis (under 2 years).	14	129	31	
23	Appendicitis	5	.	9	31	47	31	15	10	9	6	5	2	
24	Cirrhosis of the liver .	2	.	1	.	.	1	.	1	1	4	4	2	
25	Other diseases of liver, etc.	4	1	2	3	4	1	1	7	7	7	7	5	
26	Other digestive diseases .	25	33	47	73	39	16	15	22	30	30	24	24	
27	Acute and chronic nephritis	28	4	5	20	12	17	13	25	39	50	45	37	
28	Puerperal sepsis	2	8	23	10	.	.	.	
29	Other puerperal causes .	4	5	14	43	30	1	.	.	
30	Congenital debility, etc. (Nos. 157-161).	41	428	10	8	10	2	4	1	
31	Senility	151	154	
32	Suicide	3	2	5	5	9	9	4	1	
33	Other violence	20	12	56	73	67	50	41	42	32	23	14	12	
34	Other defined causes .	82	126	142	171	194	117	107	113	115	114	87	57	
35	Causes ill-defined or unknown.	18	2	38	7	8	12	8	5	10	28	42	28	

The statement below (extracted from Table 7A) shows the numbers of deaths from some of the principal causes in the year 1932, compared with 1931 and the averages for the ten years 1922-31:—

CAUSES	Number of Deaths registered			CAUSES	Number of Deaths registered		
	Years.		Average 10 years 1922-31		Years.		Average 10 years 1922-31
	1932	1931			1932	1931	
Typhoid Fever	82	68	101	Heart Disease	6,136	6,024	5,141
Typhus	8	11	10	Bronchitis	2,616	2,594	2,708
Measles	250	372	276	Pneumonia	2,691	2,698	2,515
Scarlet Fever	92	74	75	Diarrhœa and Enteritis			
Whooping-cough	294	139	357	under two years of age	581	533	557
Diphtheria	383	317	268	Nephritis	1,223	1,275	1,157
Dysentery	3	4	8	Puerperal Sepsis	78	66	96
Influenza	1,655	1,472	1,303	Other Puerperal causes	178	180	189
Encephalitis Lethargica ...	32	36	40	Congenital debility, mal-			
Cerebro-Spinal Fever ...	17	19	17	formation, premature			
Tuberculous Diseases ...	3,676	3,902	4,265	birth, etc.,	1,776	1,764	1,783
Cancer	3,312	3,294	3,002	Senility	6,628	7,151	8,146
Cerebral hæmorrhage, throm-				Violence	977	945	996
bosis, hemiplegia, etc. ...	2,503	2,431	2,132				

The rates per 1,000 of the population represented by the deaths from the principal epidemic diseases* in the aggregate are shown in Table 15, which gives the information by provinces, counties and county boroughs; the rates in the county boroughs are the highest, that for Waterford county borough being 2·29; Limerick county borough, 1·24; Dublin City, 1·14; and Cork county borough, 1·04. The highest county rate is 0·69, for Kilkenny. The five lowest rates are those for the counties of Clare (0·16), Roscommon (0·22), Cavan (0·23), Wexford (0·29), and Longford and Mayo (0·30).

Table 16 shows that the mortality rate from this group of causes for all urban areas (county boroughs and urban districts) was 1·04 per 1,000 of the population, being three times the rate for rural districts—0·37 per 1,000.

Typhoid Fever.—There were 81 deaths from typhoid fever and one from paratyphoid fever, the total including 52 males and 30 females. This is 14 more than in 1931, but 19 below the average for the ten years 1922-31. The increase over the number in 1931 occurred chiefly in urban districts, for which 23 deaths were registered, the number in rural districts being 59, as compared with 13 and 55 the previous year. This urban increase makes the rates per 100,000 of the population for urban and rural districts almost the same, viz., 2·6 and 2·8 respectively, but the rural rate is still slightly higher, so that the characteristic of this disease in having a heavier rural than urban mortality is maintained.

Typhus.—A decrease in deaths from typhus took place, the number, 8, being 3 below the number in 1931, and 2 below the average. Five of the 8 deaths were those of males and 3 of females.

Small-Pox.—No death from small-pox has occurred since 1907, when one was registered.

Measles.—A considerable decrease occurred in deaths from measles. The total number was 250 (112 males and 138 females). This is 122 below the number in 1931, and 26 below the average for the ten years 1922-31. Two hundred and three of the deaths were those of children under 5 years of age, including 135 under 2 years. The urban mortality was twice the rural, viz., 13·4 per 100,000 as compared with 6·3.

Scarlet Fever.—Deaths from scarlet fever numbered 92. This is 18 above the number in 1931, and 17 above the average for the preceding ten years. Of the 92 deaths, 50 were those of males and 42 of females.

Whooping-cough.—The number of deaths from whooping-cough is more than twice the number in 1931, that is, 294, as compared with 139. The latter number, however, was exceptionally small, and the mortality in 1932 is still below the average for 1922-31, viz., 357. All, except 13, of the 294 deaths were those of children under 5 years of age, 146 being those of infants under one year of age. The total number comprised 144 males and 150 females.

The death-rate for urban areas was nearly four times that for rural areas, the two rates being 20·4 and 5·4, respectively.

Diphtheria.—Deaths from this disease numbered 383, which affords a rate of 12·9 per 100,000 of the estimated population, as compared with 317 in 1931 and an average of 268 for the ten years 1922-31. Of the 383 deaths, 183 were those of males and 200 of females, and 313 were of children under 10 years of age, or nearly 82 per cent. of the total at all ages.

* Typhoid fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

The rate for urban areas is twice that for rural areas, the former being 19·8 and the latter 9·9 per 100,000 of the population. In 1931 the rates were 15·9 and 8·5, respectively.

Numbers by ages and sexes for counties and county boroughs and for urban and rural areas are shown in Abstracts IV to VI. When compared by the rates which these numbers yield in the different counties and county boroughs, it is found that the highest rate occurred in Limerick county borough, viz., 56 per 100,000, followed by Carlow (32), Galway (23), Cork county borough (22), Louth (21), and the City of Dublin (20). The lowest rates were in Wexford (3), Waterford (4), Leitrim (4), Sligo (4), and Wicklow (5).

The following statement gives the death-rates from this cause for aggregates of urban and rural districts for each year from 1901.


STATEMENT showing Death-rates from Diphtheria, per 100,000 of the estimated populations, in Urban and Rural Districts of Saorstát Éireann during the years 1901 to 1932.*

YEAR		Urban Districts	Rural Districts	YEAR		Urban Districts	Rural Districts
1901	...	9·6	5·0	1917	...	6·8	5·8
1902	...	12·0	7·2	1918	...	6·3	4·4
1903	...	9·5	7·2	1919	...	9·1	4·8
1904	...	5·9	6·5	1920	...	18·6	5·3
1905	...	7·1	6·2	1921	...	21·3	12·5
1906	...	8·2	7·2	1922	...	15·7	12·3
1907	...	9·9	4·4	1923	...	10·4	9·1
1908	...	10·3	6·1	1924	...	8·8	5·1
1909	...	11·2	8·0	1925	...	7·7	4·3
1910	...	10·7	6·3	1926	...	12·0	4·5
1911	...	17·0	5·3	1927	...	13·8	4·7
1912	...	15·9	5·0	1928	...	12·1	5·8
1913	...	13·1	3·8	1929	...	16·5	7·7
1914	...	12·7	4·3	1930	...	22·7	9·0
1915	...	11·8	6·0	1931	...	15·9	8·5
1916	...	8·0	6·0	1932	...	19·8	9·9

* See Note (†) to Table 17.

In the following Diagram the trend of the mortality from this disease is shown during the present century, represented by the rates per 100,000 of the population of Saorstát Éireann, Northern Ireland, England and Wales, and Scotland.

DIAGRAM NO.2. DEATHS FROM DIPHTHERIA, 1901 TO 1932.



Dysentery.—Three deaths were caused by dysentery, as compared with 4 in 1931, and an average of 8 for the preceding ten years.

Diarrhœa and Enteritis (children under 2 years).—The number of deaths of children attributed to these causes in 1932 was 581; this is 48 more than the number in 1931 and 24 above the average (557) for 1922-31, and is equal to a rate of 10·3 per 1,000 births registered.

The urban excess of mortality is specially marked under this heading, being 18·4 per 1,000 births as compared with 5·6 for rural areas: the rates for 1931 were 15·1 and 6·1.

Influenza.—Deaths from influenza have risen for the second year in succession. The total number was 1,655, which is 183 above the number in 1931, and 352 more than the average in 1922-31. As usual, the greater part of the deaths from this disease were registered in the first quarter of the year, viz., 52 per cent., followed by 31 per cent. in the second quarter, 8 per cent. in the third, and 9 per cent. in the fourth. The rate per 1,000 of the population represented by the number for the year was 0·56.

Of the 1,655 deaths, 766 were those of males and 889 of females.

The increase in 1932 occurred in rural districts, thus emphasising the excess rural mortality that marks influenza: the number of such deaths was 1,334, as compared with 1,123 in 1931; the respective rates being 0·64 and 0·54 of the rural population. There was a slight decrease in the deaths that appertained to urban areas, the number being 321, and the corresponding figure in 1931, 349, affording rates of 0·36 and 0·40, respectively.

In 498 instances the deaths attributed to influenza were described as associated with pulmonary complications, the remaining deaths (1,157) being returned as from influenza without qualification, or as complicated with maladies other than pulmonary.

Erysipelas.—There were 34 deaths (18 of males and 16 of females) from erysipelas, as compared with 33 in 1931.

Encephalitis Lethargica.—A further decrease is recorded for deaths from encephalitis lethargica. The number registered was 32, which is 4 less than in 1931, and 8 less than the average during 1922-31; it is also less than the number in any year since 1923. Fifteen of the 32 deaths were of males and 17 of females.

Cerebro-spinal Fever.—This disease caused 17 deaths (12 of males and 5 of females). The number is 2 below the deaths in 1931, but the same as the average for the 10 years 1922-31.

Tetanus.—The number of deaths from tetanus was 11, those of males being 6 and of females 5. In 1931 the numbers were 20, 15 and 5, respectively.

TUBERCULOSIS.

Deaths from tuberculosis in 1932 were the fewest ever recorded. The total number was 3,676, which is 226 less than the number in 1931, and 589 less than the average for 1922-31. The mortality from this disease is still, however, comparatively high, the rate per 1,000 of population being 1·24, as compared with 0·84 in both England and Wales and Scotland. The corresponding rate in Northern Ireland was 1·12.

Table J, below, shows the mortality from this disease during the last eleven years. It will be seen that the rate in 1932 is 0·08 below that for 1931 and 0·19 below the average, and that between 1922 and 1931 the numerical decrease was 15·4 per cent. Throughout the period shown, the death-rate for females has been in excess of that for males: in 1932 the rate for males was 1·21 and the rate for females 1·26 per 1,000 of the respective populations. This is the reverse of the order in Great Britain. In England and Wales the rates for males in 1932 was 0·97 per 1,000 and for females 0·71; and in Scotland 0·91 and 0·77 respectively.

TABLE J.—Showing, by sexes, the mortality from tuberculosis in Saorstát Éireann during each of the years 1922-32.

YÉAR.	MALES.		FEMALES.		TOTAL.		Annual Increase.		Annual Decrease.	
	Number of Deaths.	Rate per 1,000 of the Male population.	Number of Deaths.	Rate per 1,000 of the Female population.	Number of Deaths.	Rate per 1,000 of the population.	Number	Per cent.	Number	Per cent.
1922 ...	2,316	1·51	2,298	1·54	4,614	1·53	—	—	210	4·4
1923 ...	2,222	1·46	2,246	1·51	4,468	1·48	—	—	146	3·2
1924 ...	2,264	1·49	2,318	1·56	4,582	1·52	114	2·6	—	—
1925 ...	2,307	1·53	2,366	1·61	4,673	1·57	91	2·0	—	—
1926 ...	2,167	1·41	2,195	1·50	4,362	1·47	—	—	311	6·7
1927 ...	2,138	1·43	2,163	1·48	4,301	1·45	—	—	61	1·4
1928 ...	2,004	1·34	2,043	1·41	4,047	1·37	—	—	254	5·9
1929 ...	1,910	1·28	1,965	1·36	3,875	1·32	—	—	172	4·3
1930 ...	1,922	1·28	1,903	1·31	3,825	1·30	—	—	50	1·3
1931 ...	1,893	1·26	2,009	1·38	3,902	1·32	77	2·0	—	—
Average, 1922-1931,	2,114	1·40	2,151	1·47	4,265	1·43	—	—	712*	15·4*
1932 ...	1,834	1·21	1,842	1·26	3,676	1·24	—	—	226	5·8


* Decrease in 1931 as compared with 1922.

The decrease in 1932 occurred in urban districts, for which 1,374 deaths were registered, as compared with 1,603 the previous year; an increase of 3 deaths took place in rural districts, the number in 1932 being 2,302 and in 1931, 2,299. In both classes of area the rate has decreased: the rate for urban districts was 1·55 and for rural districts 1·10. The corresponding rates for 1931 were 1·81 and 1·11.

Deaths from pulmonary tuberculosis numbered 2,858, as against 3,051 in 1931; and the respective numbers for these two years from other forms of tuberculosis were 818 and 851. The deaths in 1932 were distributed under the different forms of tuberculosis by which such deaths are classified, as follows: tuberculosis of the central nervous system, 269 (135 males and 134 females); tuberculosis of the intestines and peritoneum, 205 (93 males and 112 females); tuberculosis of the vertebral column, 67 (33 males and 34 females); tuberculosis of the bones and joints, 67 (35 males and 32 females); tuberculosis of other organs and parts, 54 (25 males and 29 females); and disseminated tuberculosis, 156 (83 males and 73 females).

Diagram No. 3 shows the average rates of mortality from tuberculosis in Ireland, England and Wales, and Scotland by five-year periods between 1901 and 1930, and the rates by single years from 1911 to 1932. The almost continuous decline in the disease is evident. The curve for Saorstát Éireann follows the variations of that for Scotland, whereas the curve for Northern Ireland is very similar to that for England and Wales.

DIAGRAM NO. 3. DEATHS FROM TUBERCULOSIS, 1901 to 1932.




The mortality from tuberculous disease at different age periods and among each sex during 1932, 1931, 1930 and the period 1912-14, is shown in the following Table K, and in Diagram No. 4. The great reduction at all age periods and for each sex is apparent. The decrease in 1932 as compared with 1912-14 was 40·7 per cent. for all persons, 43·2 per cent. for males and 38·5 for females. As in preceding years, the greatest decrease has occurred at ages under 15, the rate under 5 years being 65·6 per cent. less than in 1912-14; at 5-10 years 57·5 per cent. less, and at 10-15, 54·2 per cent. less. At the age-period, however, where the most deaths occur, the least decrease is apparent, viz., at 20-25 years, the rate being 23·7 per cent. less than in 1912-14. The rates at the age-periods up to 45 years are high compared with those for the neighbouring countries.

TABLE K.—Death-rates from Tuberculosis by sexes and ages per 1,000 of the population at same age, in Saorstát Éireann, during the period 1912-14, and during the years 1930, 1931, and 1932.

PERIODS	DEATH-RATES PER 1,000 OF THE POPULATION AT SAME AGE.											
	All Ages	Under 5 yrs.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 & up,
MALES.												
1912-14...	2·13	1·92	0·76	0·77	1·87	3·06	3·55	3·28	2·50	1·94	0·89	0·32
1930 ...	1·28	0·91	0·42	0·38	1·25	2·22	2·28	1·74	1·53	1·24	0·53	0·18
1931 ...	1·26	0·90	0·30	0·42	1·18	2·31	2·14	1·80	1·40	1·29	0·61	0·18
1932 ...	1·21	0·73	0·36	0·36	1·15	2·31	1·99	1·89	1·28	1·13	0·75	0·23
FEMALES.												
1912-14...	2·05	1·80	0·84	1·37	2·77	3·26	3·36	2·80	1·96	1·33	0·54	0·21
1930 ...	1·31	0·69	0·35	0·71	1·96	2·35	2·34	1·62	1·40	0·98	0·46	0·19
1931 ...	1·38	0·76	0·38	0·77	1·92	2·72	2·58	1·70	1·33	1·00	0·42	0·10
1932 ...	1·26	0·55	0·31	0·62	1·92	2·52	2·29	1·58	1·10	1·04	0·52	0·21
PERSONS.												
1912-14...	2·09	1·86	0·80	1·07	2·31	3·16	3·45	3·05	2·23	1·63	0·71	0·26
1930 ...	1·30	0·80	0·39	0·54	1·60	2·28	2·31	1·68	1·47	1·12	0·49	0·18
1931 ...	1·32	0·83	0·34	0·59	1·54	2·51	2·36	1·75	1·37	1·15	0·51	0·14
1932 ...	1·24	0·64	0·34	0·49	1·53	2·41	2·14	1·71	1·26	1·09	0·63	0·22

DIAGRAM NO. 4. AGE-MORTALITY FROM TUBERCULOSIS.



Abstracts V. and VI. give the details regarding deaths from tuberculosis, for provinces, counties, county boroughs, and urban and rural districts, while Tables 15 and 16 supply the rates per 1,000 of the population for these areas.

It will be seen from Table 15 that the highest tuberculosis mortality for county or county borough areas related to the following:—Cork county borough (1.83), City of Dublin (1.69), Wexford (1.64), Kildare (1.53), and Laoighis (1.47); the counties having the lowest rates being Roscommon (0.80), Leitrim (0.84), Longford (0.85), Sligo (0.90), and Limerick county borough (0.91).

Syphilis, &c.—Eighteen deaths (8 of males and 10 of females) were ascribed to syphilis, this being 15 less than the number in 1931, but only 2 less than the number in 1930. Six of the deaths (one male and 5 females) were those of infants under one year of age.

Four deaths (one male and 3 females) were ascribed to gonococcal infection.

There were 15 deaths (13 of males and 2 of females) from general paralysis of the insane; 9 deaths (all of males) from locomotor ataxy, and 34 deaths (of males 18, and of females 16) from aneurysm.

Purulent Infection, Septicæmia.—Under this heading 108 deaths were returned (71 being those of males, and 37 of females), as against 104 in the preceding year.

Other Infectious or Parasitic Diseases.—The remaining deaths included in the group of infectious and parasitic diseases comprise 9 (4 males and 5 females) from acute poliomyelitis, 2 (one male and one female) from anthrax, 2 (males) from malaria, 6 (3 males and 3 females) from diseases due to helminths, 4 (2 males and 2 females) from mycoses, one (male) from German measles, 4 (one male and 3 females) from mumps, and 3 (2 males and one female) from varicella.

CANCER.

Deaths from cancer numbered 3,312. This is 18 above the number in 1931, but 17 below the number in 1930. The rate per 1,000 of the population was 1·11 in both 1932 and 1931, and 1·13 in 1930. The total number of deaths of males was 1,770, and of females, 1,542; the former number is equal to a rate of 1·17 per 1,000 of the male population, and the latter to a rate of 1·06 per 1,000 of the female population. In 1931 the respective rates were the same.

Deaths from cancer in urban districts, where 1,097 deaths were registered, afford a rate of 1·24, and in rural districts, where 2,215 deaths were registered, a rate of 1·06. In 1931 the respective rates were 1·20 and 1·08.

In Northern Ireland the rate for both sexes was 1·24, for males 1·13, and for females 1·35. In England and Wales the respective rates were 1·51, 1·50 and 1·52, and in Scotland 1·53, 1·45 and 1·60.

The trend of cancer mortality in these areas from the year 1901, based on rates unadjusted for the differences in the age and sex constitution of their populations, is given in the diagram on page xxx.

Of the 3,312 deaths comprised under the description of cancer, 2,002 were returned as from carcinoma, 138 as from sarcoma, and 1,172 as from cancer, or malignant disease without specification.

Table (L.), pp.xxviii-ix, shows the deaths from cancer by sexes, ages, and parts affected.

Tumours.—Deaths from tumours are classified under two headings: (1) those caused by tumours definitely described as non-malignant (No. 54 in the International List), and (2) those caused by tumours whose nature was not determined, or not specified in the certificate of the cause of death, (No. 55). The deaths in 1932 in the first group numbered 75, and those in the second, 81.

The 75 non-malignant tumours comprise 14 cerebral (4 of males and 10 of females); 10 of the ovary; 20 of the uterus; 11 of the bladder (9 males and 2 females); 3 (2 males and one female) of the neck; 2 (one male and one female) of the intestines; and one each of the following sites:—abdomen, buttock, eye, iliac fossa, ileum, kidney, lumbar vertebrae, pancreas, pelvis, and prostate; and 5 of unstated site.

The 81 tumours of undetermined nature include 36 (18 of males and 18 of females) of the brain, 3 of the ovary, 3 of the uterus, 35 (14 males and 21 females) of other sites, and 4 of unstated site. The 35 other sites comprise 5 of the abdomen, 4 of intestine, 3 of breast, 2 of kidney, 2 of liver, 2 of pelvis, 2 of pituitary gland, 2 of spine, and one of each of the following:—bladder, duodenum, jaw, lung, mediastinum, neck, œsophagus, pancreas, rectum, stomach, thorax, throat and tonsil.

Rheumatism.—There were 109 deaths (56 of males and 53 of females) from rheumatic fever, 196 deaths (88 of males and 108 of females) from chronic rheumatism, and 119 (42 males and 77 females) from rheumatic arthritis and osteo-arthritis.

TABLE L.—Showing the deaths from CANCER* registered

International List Nos.	Parts Affected.	MALES.													Total.
		AGES AT DEATH.													
		Under 20	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and upwards	
45	Jaw ..	3	.	.	.	1	2	3	11	8	16	6	14	10	74
	Lip	1	1	1	6	6	8	11	9	43
	Mouth	1	5	6	8	8	9	2	39
	Nose ..	1	1	1	3
	Tongue	2	.	3	3	17	15	21	12	17	9	99
	Tonsil	2	2	3	4	1	5	2	19
	Pharynx	2	2	2	.	1	.	7
46	Liver, Gall Bladder	1	1	3	8	10	17	24	27	27	11	129
	Esophagus	1	.	.	5	9	16	17	15	8	5	2	78
	Peritoneum	2	1	3
	Rectum	2	.	2	4	5	15	19	26	24	25	23	145
	Mesentery	1	.	1	.	.	2
	Intestine ..	.	1	1	1	4	5	12	18	33	48	41	39	23	226
	Pancreas	1	.	.	2	.	1	3	.	7	5	19
47	Stomach	1	6	8	9	27	48	55	89	90	72	36	441
	Larynx, Trachea	1	5	6	4	8	2	5	.	31
	Lung ..	.	1	1	1	1	1	2	2	6	4	1	2	1	23
48	Mediastinum	1	.	.	1	.	1	1	3	1	1	.	9
	Uterus
	49	Ovary
Vagina
Vulva
50	Breast	2	1	.	1	4	
51	Bladder (Male)	1	5	1	2	4	2	15
	Kidney (Male) ..	1	.	.	1	.	1	.	.	1	3	1	.	2	19
	Penis	1	2	.	2	3	8
	Prostate	1	.	1	1	13	9	9	14	48
	Scrotum	1	.	.	.	1
	Testicle ..	1	.	.	.	1	.	1	.	1	4
52	Ear	1	1	.	1	4	2	3	12
	Face	4	2	7	9	4	4	9	39
	Other Skin	1	1
53	Abdomen	1	.	.	2	.	1	2	2	4	.	3	15
	Bladder (Fem.)
	Eye ..	1	1	.	1	.	2	5
	Groin	1	.	1	1	.	.	3
	Kidney (Fem.)
	Neck	1	.	4	11	10	12	10	9	9	66
	Pelvis	1	.	.	.	1	2	1	1	6
	Spine	1	.	.	1	.	.	1	1	.	4
	Spleen
	Thorax	1	.	1	.	2
	Throat	1	1	.	3	12	8	11	12	8	3	59
	Thyroid	1	1	.	1	1	2
	Arm, Leg ..	3	1	1	.	2	1	2	1	3	1	3	10	6	34
	Axilla	1	.	.	.	1
	Brain	1	1
	Parotid	1	.	.	.	1	2	.	.	.	2	6
	Rib, Sternum	1	1
	Shoulder	1	1	.	2
	Other and Undefined ..	2	.	1	.	1	1	3	6	2	3	3	5	4	31
TOTAL ..		12	3	10	16	24	44	98	194	239	342	288	300	200	1,770
Deaths from Cancer per 100,000 living of the same age ..		2.0	2.4	9.3	17.2	27.3	50.9	112.1	225.5	354.5	634.2	556.6	796.2	502.5	116.9


*Including Carcinoma, Sarcoma

during the year 1932, by Sexes, Ages, and parts affected.

FEMALES.														Total Males and Fe- males
AGES AT DEATH														
Un- der 20	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and up- wards	TOTAL	
.	1	.	.	.	1	1	2	.	1	3	3	2	14	88
.	1	1	.	.	5	7	50
.	1	1	1	.	1	.	3	42
.	1	.	1	1	1	.	.	1	5	8
.	1	1	.	2	5	1	10	109
.	1	1	.	.	2	21
.	.	.	1	.	.	.	2	.	1	.	.	.	4	11
.	1	1	1	3	4	13	20	26	28	22	21	17	157	286
.	.	.	.	1	2	1	7	5	8	4	3	4	33	111
.	1	1	.	3	2	1	10	13
.	.	.	2	1	8	4	9	4	12	18	10	7	75	220
.	2	2
1	.	.	2	3	8	14	16	23	34	35	35	35	206	432
.	1	.	1	.	2	.	3	4	6	6	2	3	28	47
1	.	.	2	3	11	23	43	48	58	56	51	30	326	767
.	.	.	.	2	1	3	5	.	1	.	4	.	16	47
1	1	.	.	.	5	2	3	.	2	1	.	.	15	38
2	2	2	.	2	8	17
.	1	.	4	2	9	15	21	23	16	20	13	14	138	138
1	.	.	2	1	4	1	4	6	6	3	2	1	31	31
.	1	.	1	1	2	2	.	2	4	4
.	1	1	1	1	.	.	7	7
.	.	.	3	10	12	22	38	38	35	25	29	26	238	242
.	15
.	10
.	8
.	48
.	1
.	4
.	1	.	2	2	2	1	1	3	6	18
.	8	17	9	41	80
.	2	2	3
.	.	.	.	1	1	1	2	3	1	1	4	2	16	31
1	1	.	2	2	1	2	8	8
.	1	.	.	.	1	2	7
2	1	2	5
.	1	2	1	1	1	.	1	8	8
.	.	.	2	1	1	1	4	4	3	4	5	2	27	93
.	1	1	1	.	.	.	1	7
.	1	1	1	.	.	1	4	8
.	1	1	1
.	1	4	4	.	3	2	.	2	16	2
.	2	2	2	.	2	8	75
1	4	5	3	6	8	27	10
.	1	1	61
.	.	.	.	1	1	.	1	2	1	.	.	.	2	2
.	6	7
.	1	.	1	1	1	.	2	8
.	2	3
1	1	2	4
.	1	.	1	.	1	3	3	4	1	1	3	5	23	54
11	7	1	22	39	77	112	199	219	238	227	220	188	1,542	3,312
1.9	6.1	0.9	24.3	34.9	93.1	137.3	239.2	359.7	464.0	458.2	493.0	387.8	105.6	111.4

and Cancer, Malignant Disease.

DIAGRAM NO. 5. DEATHS from CANCER, 1901 to 1932.



Diabetes.—The number of deaths from diabetes was 239. Statistics of mortality from this disease in the Saorstát Éireann area are available from 1911 onwards. In the interval since that date the number of deaths has remained almost constantly at the same level, with a slight excess in the earlier half of the period. The average rate during 1911-20 was 7.9 per 100,000 of population, and during 1921-30 it was 7.6. There has been a tendency to rise, however, in the later years of the latter decade. The rates in 1927 and the four succeeding years were as follows—7.8, 7.9, 7.8, 8.0, and 8.2. The rate in 1932 was 8.0.

The rate in Northern Ireland in 1932 was 11, in England and Wales 15, and in Scotland 14.

The mortality of males from this disease in Saorstát Éireann is greater than that of females, the respective numbers being 129 and 110, and the rates 8.5 and 7.5 per 100,000. In Great Britain the reverse order prevails; in England and Wales the male rate was 13 and the female 18, and in Scotland 10 and 17 respectively.

Other General Diseases.—The remaining deaths in the group of general diseases include 2 (one male and one female) from scurvy, 26 (17 males and 9 females) from rickets, one (a male) from osteomalacia, 13 (one male and 12 females) from simple goitre, 27 (5 males and 22 females) from exophthalmic goitre, 14 (4 males and 10 females) from myxœdema, cretinism, 4 (2 males and 2 females) from tetany, one (a male) from other diseases of the thyroid and parathyroid glands, 5 (one male and 4 females) from diseases of the thymus, 28 (9 of males and 19 of females) from diseases of the adrenals, 4 (one male and 3 females) from toxæmia, 2 (one male and one female) from acidosis, 2 (females) from amyloid degeneration, 2 (males) from lardaceous disease, 2 (males) from hæmolytic jaundice, one (male) from acholuric jaundice, one (male) from auto-intoxication, one (female) from cyclic vomiting, and one (female) from diabetes insipidus.

Anæmia.—Deaths from pernicious anæmia numbered 233, consisting of 104 deaths of males and 129 of females. The total number is 37 above that of 1931 and 36 above the average for the five years 1927-31.

The number of deaths from other anæmias was 107, those of males being 38 and those of females 69. The average total number for the five years preceding was 78, males 32 and females 46.

Other Diseases of the Blood and Blood-forming Organs.—There were 32 deaths from purpura (13 males and 19 females); 13 (10 males and 3 females) from hæmophilia; 36 (23 males and 13 females) from leukæmia; 31 (16 males and 15 females) from aleukæmia (lymphadenoma, Hodgkin's disease); 3 (males) from Banti's disease; 3 (2 males and one female) from other diseases of the spleen; and one (male) from polycythæmia vera rubra.

Alcoholism.—Fifteen deaths were ascribed to alcoholism, all being of males. Cirrhosis of the liver caused 77 deaths, 48 being those of males and 29 of females. All except 4 males and one female were aged 30 years and upwards.

Meningitis and Encephalitis.—There were 303 deaths from meningitis (deaths of males numbering 172, and of females 131), as compared with 256, 138, and 118, respectively, in 1931.

The number of deaths described as from encephalitis (not returned as encephalitis lethargica) was 24, and as from cerebral abscess 11, as against 34 for these two diseases combined in 1931.

Cerebral Hæmorrhage, Hemiplegia, etc.—An increase has again occurred in the deaths combined under this heading (No. 82 in the International List); they numbered 2,503, (including 1,078 deaths of males and 1,425 of females), as compared with 2,431 in 1931, and an average of 2,132 during 1922-31. Cerebral hæmorrhage caused 1,505 deaths (664 males and 841 females); cerebral thrombosis and embolism, 208 deaths (79 males and 129 females); cerebral softening, 29 deaths (16 males and 13 females); hemiplegia, 455 deaths (172 males and 283 females); and other paralyses of unstated origin, 306 deaths (147 males and 159 females).

Epilepsy.—There were 170 deaths (of males 101, and of females 69) from epilepsy. This number is one more than in the preceding year.

Convulsions (under 5 years of age).—The number of deaths ascribed to convulsions of children under 5 years of age was 436 (of males 256, and of females 180); of these 368, or 84·4 per cent., were those of infants under one year of age, constituting 9·1 per cent. of all deaths of infants during the year.

Heart Disease.—Apart from senility, which is to be distinguished from disease in its proper sense, heart disease is the most frequent cause of death. It contributed 14·3 per cent. to the mortality from all causes in 1932, and 2·06 per 1,000 to the general death-rate. The deaths registered from this cause have been increasing; the number in 1932 was 6,136, which is 112 above that for 1931, and 995 above the average (5,141) for the ten years 1922-31.

Of the 6,136 deaths, 28 were ascribed to pericarditis, 107 to acute endocarditis, 1,560 to chronic endocarditis and valvular disease, 17 to acute myocarditis, 100 to fatty degeneration, 978 to chronic myocarditis and myocardial degeneration, 1,171 to unspecified myocardial disease, 207 to disease of the coronary arteries, and angina pectoris, and in 1,968 instances the particular form of heart disease was unstated, or was other than those enumerated above.

Other Circulatory Diseases.—There were 599 deaths from the causes included in this group, 310 being those of males and 289 of females. This number is 59 above that in 1931, and 145 above the average for the preceding 10 years.

Of the diseases which comprise the group, arterio-sclerosis is the most conspicuous, causing 317 deaths; followed by gangrene, 124 deaths; idiopathic abnormalities of blood pressure, 60 deaths; diseases of the veins, 35 deaths; aneurysm (referred to above), 34 deaths; other diseases of the arteries, 16 deaths; of the lymphatic system, 7 deaths; and other diseases of the circulatory system, 6 deaths.

Bronchitis.—Bronchitis caused 2,616 of the deaths registered (of males, 1,255, and of females, 1,361, or 6.1 per cent.). The death-rate was 0.88 per 1,000 of the population. The total number is 22 above the number for 1931, but 92 below the average for the ten years 1922-31.

Pneumonia.—Deaths from pneumonia (all forms) amounted to 2,691, and afford a rate of 0.90 per 1,000 of the population; they comprise 1,193 from broncho-pneumonia, 346 from lobar pneumonia, and 1,152 from pneumonia (not otherwise defined): 1,487 of the total deaths were of males, and 1,204 of females.

The average number during the ten years 1922-31 was 2,515, and during 1931 the number was 2,698.

Pleurisy; Empyema.—The number of deaths classed to empyema regarding which an originating cause could not be ascertained, was 27; the males numbering 22, and the females 5; and the deaths registered from other pleurisy were 112, 60 being deaths of males, and 52 of females.

There were also 8 other deaths returned as having been caused by empyema, but as the result of special enquiries, sufficient information was obtained to enable them to be classified to other causes, namely, 5 to pneumonia, 2 to bronchitis, and one to tuberculosis.

Ulcer of the Stomach and Duodenum.—To this cause 328 deaths were attributed, 244 being those of males and 84 of females. The total number is 6 below the number in 1931, but 41 above the average (287) for the ten years 1922-31.

Appendicitis.—There were 221 deaths from appendicitis (of males 118, and of females 103). This number is 38 above the number in 1931 and 47 above the average (174) for the ten years preceding.

Cirrhosis of the Liver.—Deaths from this cause numbered 77 (males 48 and females 29), and are 15 less than the average for the ten years 1922-31.

Acute and Chronic Nephritis.—The number of deaths from acute nephritis (including nephritis not characterised as acute or chronic of persons under 10 years of age) was 193 (111 of males and 82 of females), from chronic nephritis 596 (340 of males and 256 of females), and from nephritis not described as either acute or chronic of persons over 10 years, 434 (252 males and 182 females), constituting a sum of 1,223 deaths, which is 52 below the number for 1931, and 66 above the average for the ten years 1922-31.

PREGNANCY AND CHILDBIRTH.

The deaths of women during pregnancy and childbirth are classified under three headings, namely (1) septic conditions, (2) intrinsic accidents and diseases of pregnancy and childbirth, and (3) diseases or causes associated with pregnancy and childbirth. To the first group 78 deaths were attributed in the year 1932, to the second, 178, and to the third, 24; so that altogether the deaths of childbearing women numbered 280. This number, which is 8 above that for the year 1931, represents a rate of 4.98 per 1,000 of the total births registered, as

compared with 4.76 in the year 1931, and an average rate of 5.21 for the decade 1922-31.

Table N shows that the deaths actually classed to childbirth were 10 more than in 1931, puerperal septic diseases having increased by 12, and diseases and accidents of pregnancy and childbirth having decreased by 2. In associated causes (where the deaths have been attributed to the complicating diseases) there was also a decrease of 2.

Tables 15 and 16 give the rates per 1,000 births for deaths from puerperal conditions and from accidents of pregnancy and childbirth, by provinces, counties and county boroughs and groups of urban and rural areas.

TABLE M.—Showing the number of deaths of women in 1932 definitely returned as either caused by or associated with PREGNANCY or CHILDBEARING.*

CAUSES OF DEATH	ALL AGES	AGES						
		15—	20—	25—	30—	35—	40—	45 yrs. and up
TOTAL	280	4	24	56	88	70	33	5
Influenza	5	.	.	1	2	2	.	.
Pulmonary Tuberculosis	2	.	.	.	1	1	.	.
Cancer	1	1	.
Heart Disease	8	.	.	1	1	3	2	1
Arterio-Sclerosis	1	1	.
Bronchitis	1	.	.	.	1	.	.	.
Pneumonia	4	.	1	.	2	.	1	.
Appendicitis	1	1	.	.
Chronic Nephritis	1	.	.	1
Abortion with Septic Conditions	4	3	1	.
Abortion without Septic Conditions	5	.	1	3	.	1	.	.
Ectopic Gestation	4	.	.	1	3	.	.	.
Other Accidents of Pregnancy	2	.	.	.	1	1	.	.
Puerperal Hæmorrhage (a) Placenta prævia	19	.	.	1	6	7	5	.
" " " (b) Other	49	.	5	8	13	16	7	.
Puerperal Sepsis	74	.	8	19	27	13	6	1
Puerperal Albuminuria; Convulsions	39	2	3	6	11	9	7	1
Other toxæmias of Pregnancy	15	1	2	3	7	2	.	.
Phlegmasia Alba Dolens; Thrombosis	5	.	1	2	2	.	.	.
Puerperal Embolism	13	.	.	3	5	2	2	1
Other Accidents of Childbirth	20	1	2	6	4	6	.	1
Other or not stated Puerperal Conditions	7	.	1	1	2	3	.	.

* These deaths are included in the general tables of Causes of Deaths.

TABLE N.—Showing the number of deaths of women directly attributable to, or associated with, PREGNANCY or CHILDBIRTH, during each of the years 1922-32, and also the rate per 1,000 births registered during each of those years, with the average rate for the ten years 1922-31.

YEARS.	Deaths from Puerperal Septic Diseases.		Deaths from Accidents of Pregnancy and Childbirth.		Total Deaths from Puerperal Septic Diseases and Accidents of Pregnancy and Childbirth.		Deaths from causes associated with Pregnancy or Childbirth (not included in foregoing).		Total Deaths caused by or associated with Pregnancy and Childbirth.	
	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.
1922	118	2.01	215	3.65	333	5.66	37	0.63	370	6.29
1923	117	1.90	180	2.92	297	4.82	31	0.50	328	5.32
1924	102	1.61	201	3.17	303	4.78	27	0.43	330	5.21
1925	105	1.69	186	3.00	291	4.69	21	0.34	312	5.03
1926	115	1.88	184	3.01	299	4.89	50	0.49	329	5.38
1927	77	1.28	194	3.23	271	4.51	20	0.33	291	4.84
1928	103	1.74	189	3.19	292	4.93	26	0.44	318	5.37
1929	80	1.37	159	2.78	239	4.10	44	0.75	283	4.85
1930	81	1.39	197	3.38	278	4.77	46	0.77	294	5.04
1931	66	1.16	180	3.15	246	4.31	26	0.45	272	4.76
Average, 1922-31	96	1.60	189	3.15	285	4.75	28	0.46	313	5.21
1932	78	1.39	178	3.16	256	4.55	24	0.43	280	4.98

VIOLENCE.

The number of deaths assigned to the group of violent or external causes (Group xvii., Abstract IV) during 1932 was 977. This is higher than in any year since 1923 : it is 76 above the average for the five years 1927-31, and 32 above the number in 1931.

Deaths by suicide numbered 110, and by homicide, 16 (the term "*homicide*" is used to include infanticide), leaving 851 classed to other deaths by violence, the great majority of which were definitely stated to be accidental. Suicides are 2 above the number in 1931, and deaths by homicide are 13 less ; the decrease is almost entirely due to a decline in infanticide.

Ninety of the suicidal cases were males and 20, females ; in 16 cases poisoning was the means resorted to to cause death, carbon monoxide being used in 3 instances, strychnine in 3, coal gas in 2, Jeyes fluid in 2, and an unnamed gas in one, and the following substances in the remaining 5 deaths : copper sulphate, copper sulphite, laudanum, lysol, potassium cyanide. In 38 instances the persons hanged themselves, in 25 suicide was committed by drowning, in 5 by firearms, in 23 by cutting or piercing instruments, in one case by jumping from a height, in one by lying on a railway track, and in one instance the means was not stated.

The 16 deaths by homicide comprise 10 of males and 6 of females : 2 of the males and 3 of the females were infants under one year of age.

There were 12 accidental deaths from poisons and poisonous gases ; two of the deaths were due to a mixture of carbon monoxide and carbon dioxide, 2 to coal gas, 2 to strychnine, and one to ptomaine poisoning ; the remaining deaths were occasioned by the accidental administration of Jeyes fluid, lysol, "phenacetin or medinal tablets," spirits of turpentine, and sulphuric acid respectively. Two other deaths were caused by carbolic acid, but whether they were the result of accident or otherwise was not stated.

Burns and scalds caused 164 deaths (69 males and 95 females), of which 81 were those of children under 5 years of age.

Deaths from accidental drowning numbered 138 (119 of males and 19 of females).

Nineteen deaths were caused by accidental injury from firearms, (18 of males and one female).

An increase of 10 took place in deaths caused by vehicles. The total number was 198 (159 of males and 39 of females). Deaths from motor-driven vehicles increased to 138, the number the previous year having been 126 ; and deaths from railway vehicles increased to 17, having been 10 in 1931. On the other hand, a decrease occurred in deaths due to horse-drawn vehicles, the numbers in the respective years being 27 and 32 ; and in deaths attributed to bicycles, the two numbers being 13 and 17. One death was also caused in 1932 by a steam lorry, and 2 by tramcars.

The 138 deaths attributed to motor vehicles include 73 described as caused by "motors" or motor cars, 26 by motor lorries or vans, 25 by buses, and 14 by motor-cycles.

AGES AT DEATH.

The deaths of 5,888 children under 5 years of age were registered during 1932. This number is 13·7 per cent. of the deaths at all ages. During this age-period the proportion of deaths of males exceeds that of females, the ratio for males being 14·8 per cent. of the male mortality at all ages, and the ratio for females, 12·5 per cent. of the total number of deaths of females.

The deaths of persons aged 65 years and upwards numbered 19,758 and constituted 46·0 per cent. of the total number of deaths, and include 9,736 deaths of males, or 44·7 per cent. of the total deaths of males, and 10,022 of females, or 47·3 per cent. of all the deaths of females.

Deaths at 70 years of age or over numbered 15,528, or 36·1 per cent. of the total deaths.

There were 216 deaths of persons aged 95 years or upwards (96 being males and 120 females), and those that were stated to have reached 100 years and upwards were 37 (14 males and 23 females). One man and two women were stated to have reached 110 years, and in one authentic instance the great age of 111 years and 11 months was attained.

The ages in detail of the persons whose deaths were registered in the year are given in Abstract III.

The following statement shows the variations in the death-rates at different age-periods between 1931 and 1932:—

DEATH-RATES FOR EACH AGE-PERIOD PER 1,000 OF THE POPULATION AT THE SAME AGE.

AGE-PERIODS.	PERSONS.			MALES.			FEMALES.		
	1932.	1931.	Increase or Decrease in 1932.	1932.	1931.	Increase or Decrease in 1932.	1932.	1931.	Increase or Decrease in 1932.
Under 5 years ..	20·45	20·36	+0·09	22·03	21·93	+0·10	18·81	18·72	+0·09
5— ..	2·57	2·27	+0·30	2·52	2·47	+0·05	2·63	2·07	+0·56
10— ..	1·67	1·77	—0·10	1·49	1·59	—0·10	1·86	1·95	—0·09
15— ..	3·10	3·01	+0·09	2·81	2·82	—0·01	3·40	3·20	+0·20
20— ..	4·32	4·33	—0·01	4·36	4·18	+0·18	4·28	4·48	—0·20
25— ..	4·47	4·76	—0·29	4·24	4·48	—0·24	4·70	5·04	—0·34
30— ..	5·93	5·36	+0·57	5·50	4·63	+0·87	6·37	6·10	+0·27
35— ..	6·10	6·21	—0·11	5·89	5·70	+0·19	6·31	6·72	—0·41
40— ..	6·92	7·23	—0·31	6·84	6·95	—0·11	7·01	7·52	—0·51
45— ..	8·72	8·95	—0·23	8·72	8·72	0·00	8·71	9·19	—0·48
50— ..	13·09	13·93	—0·84	12·65	14·32	—1·67	13·60	13·50	+0·10
55— ..	20·85	19·94	+0·91	20·84	20·01	+0·83	20·87	19·86	+1·01
60— ..	34·83	34·40	+0·43	36·22	35·39	+0·83	33·38	33·36	+0·02
65— ..	41·77	40·99	+0·78	43·93	41·86	+2·07	39·50	40·09	—0·59
70— ..	75·31	74·56	+0·75	82·56	81·99	+0·57	69·18	68·28	+0·90
75— ..	93·31	96·50	—3·19	98·10	103·66	—5·56	89·35	90·60	—1·25
85— ..	161·22	171·38	—10·16	159·90	169·72	—9·82	162·28	172·72	—10·44
95 and upwards	261·82	303·66	—41·84	267·41	296·92	—29·51	257·51	308·86	—51·35
All Ages ..	14·45	14·52	—0·07	14·40	14·45	—0·05	14·51	14·60	—0·09

In Table 8 are given the numbers of deaths by sexes and ages, and the average annual rates per 1,000 of the population at the same ages, during 1864-70, the decennial periods from 1871 to 1930, and each year from 1922 to 1932.

INFANT MORTALITY.


The deaths of 4,060 infants under one year of age were registered during 1932. The equivalent rate was 72 per 1,000 births, as compared with 69 per 1,000 in 1931, and an average of 70 for the ten years 1922-31.

Two thousand two hundred and ninety of the infants were males, and 1,770 females; the males were equal to a rate of 79 per 1,000 births of males, and the females to a rate of 65 per 1,000 births of females. The corresponding rates for 1931 were 76 and 62 respectively.

The infant mortality in Northern Ireland in 1932 was 83 per 1,000 births; in England and Wales, 65; and in Scotland, 86.

The following Diagram (No. 6) shows for each of these countries the infant mortality since 1901, as compared with Saorstát Éireann.

DIAGRAM NO. 6. INFANT MORTALITY, 1901 to 1932



The most frequent causes of infant mortality in 1932 were congenital debility (16·46), diarrhoea and enteritis (9·33), premature birth (8·53), pneumonia (8·44), convulsions (6·54), bronchitis (3·96), congenital malformations (3·40), and whooping-cough (2·60); which in the aggregate were equivalent to 59·26 per 1,000 births, or 82 per cent. of the total infant mortality. (Table 10).

The greatest proportion of infant deaths occur during the first month of life. In 1932 the deaths at this age were 35·9 per cent. of all infant deaths. Between one and two months the percentage was 12·7; between 2 and 3 months, 9·0; at 3 and under 6 months, it was 21·2, and from 6 to 12 months old, it was 21·2.

Urban and Rural Infant Mortality.

The increase in infant mortality which was recorded in 1932 occurred in urban areas, where the number of deaths of infants was 1,977 as compared with 1,809 in 1931, the respective rates being 95 and 88. In rural areas there was a decrease in number, 2,083 infant deaths having been registered as against 2,126 the previous year: the fall in births, however, results in a slightly higher rate in 1932, viz. 59, the rate in 1931 having been 58.

The infant mortality for Belfast in 1932 was 109 per 1,000 births; for Londonderry, 97; for London, 67; for Liverpool, 91; for Edinburgh, 73; and for Glasgow, 112.

Table 11 shows the high rate of infant mortality which prevails in urban districts as compared with rural districts, more especially for urban areas of 10,000 inhabitants and upwards (Twelve Principal Towns); in this group the aggregate rate is 99 per 1,000 births.

The rates for the individual towns are as follows, ranging from the highest to the lowest :—
Galway, 136; Waterford, 132; Sligo, 124; Wexford, 113; Dublin, 100; Limerick, 92; Tralee, 91; Cork, 87; Dun Laoghaire, 83; Drogheda, 83; Kilkenny, 83; and Dundalk, 79.

Deaths of infants in urban districts of less than 10,000 inhabitants were equivalent to a rate of 79 per 1,000 births.

The following statement gives the infant mortality for each sex for urban and rural areas :—

Statement showing the INFANT MORTALITY per 1,000 Births, by sexes, and at different periods of life in 1932, in relation to urban and rural areas.

AGES.	SAORSTAT EIREANN											
	Urban Areas 10,000 pop. & upwards			Urban Areas under 10,000 pop.			All Urban Areas.			All Rural Districts.		
	M. & F.	M.	F.	M. & F.	M.	F.	M. & F.	M.	F.	M. & F.	M.	F.
Under one Month	30·68	35·59	25·60	25·70	25·44	25·96	29·67	33·54	25·67	23·77	25·66	21·75
1-2 Months ..	12·47	14·76	10·09	10·47	14·13	6·73	12·06	14·63	9·41	7·44	9·12	5·64
2-3 " ..	8·83	10·24	7·39	8·32	6·59	10·10	8·73	9·50	7·94	5·18	6·39	3·90
3-6 " ..	23·84	25·35	22·28	18·56	17·43	19·71	22·77	23·76	21·75	10·98	10·97	10·99
6-12 " ..	23·66	25·59	21·66	16·18	20·72	11·54	22·14	24·61	19·60	11·29	11·95	10·59
Under one year ..	99·48	111·53	87·02	79·23	84·31	74·04	95·37	106·04	84·37	58·66	64·09	52·87

This table shows the very large proportion of infants who die before completing their first month of life. Thirty-one per cent. of the infants who died in urban areas, and 41 per cent. of those in rural districts, were under one month old. This age period is sub-divided in Table 12, and it will be seen from it that, of the total mortality rate for urban areas, 7·67 per 1,000 births, or 8·0 per cent., and for rural areas 6·53 per 1,000 births, or 11·1 per cent., were deaths of infants under one day old. The mortality of males is higher than that of females throughout in every age except under one month, 2-3, and 3-6 months for urban areas under 10,000 population. In every instance the mortality that is experienced in urban areas exceeds that in the rural, except for males under one month in urban areas under 10,000 population.

DEATHS OF ILLEGITIMATE INFANTS.

The number of deaths of illegitimate infants under one year of age registered during the year 1932 was 436, consisting of 242 deaths of males and 194 of females.

Table 13 shows the number of such deaths by causes and at different periods of life under one year of age. Rates for each cause by age-periods are not given, as no inference of value could be drawn from figures based on such small numbers.

Table 14 presents the deaths of the illegitimate infants by counties and county boroughs, corrected for transfers, that is, arranged according to the county of residence of the mothers. It will be observed that the great proportion of such deaths take place in institutions. Thus, of 25 deaths for Dublin county 20 took place in institutions, and of the 111 city deaths, the number in institutions was 98, so that only 13 of the 136 deaths for Dublin county and city did not occur in institutions.

METEOROLOGY.

The following table and observations taken at 40 Fitzwilliam Square, Dublin, have been kindly furnished by Sir John W. Moore, M.A., M.D., D.P.H., Dublin; D.Sc., Oxon., F.R.C.P.I., F.R.Met.Soc.

OBSERVATIONS, 1932.

1932. Month.	Temperature.				Rainfall.		Atmospheric Pressure.	Prevalent Winds.
	Mean Daily Max.	Mean Daily Min.	Mean Temper- ature.	Ground.	Amount.	No. of days.	Mean Pressure.	
	°F.	°F.	°F.	°F.	Inches.		Inches.	
January ..	51.4	42.1	46.8	37.6	2.150	14	30.009	W., W.S.W.
February ..	45.9	38.3	42.1	35.0	0.187	7	30.555	W., W.N.W.
March ..	49.2	37.9	43.6	35.8	1.235	14	29.932	W., S.
April ..	51.7	39.5	45.6	34.9	2.430	21	29.752	W., W.N.W., N.E.
May ..	57.0	46.4	51.7	42.3	3.301	25	29.870	W., N.
June ..	66.3	52.9	59.6	48.2	0.361	5	30.068	E., E.N.E.
July ..	66.7	55.6	61.2	52.0	4.267	27	29.856	W., W.N.W.
August ..	66.8	56.5	61.7	52.5	1.472	11	30.082	W., E.N.E.
September ..	61.0	53.0	57.0	45.8	2.224	16	29.890	W., W.N.W.
October ..	54.0	43.0	48.5	38.2	2.364	22	29.693	W., W.S.W., N.W.
November ..	51.2	42.0	46.6	37.4	1.157	11	30.020	W., E., S.
December ..	49.6	42.0	45.8	37.7	3.873	20	29.929	W., S.
Extremes and Means ..	55.9	45.8	50.9	41.5	25.021	193	29.971	W.

THE WEATHER OF 1932.

The year 1932 was normal from a weather standpoint, and presented no unusual or outstanding features.

The mean atmospheric pressure was 29.971 inches. In February it was exceptionally high, its mean value being 30.555 inches. October, on the other hand, had a mean of only 29.693 inches.

The mean temperature of the year was 50.9°. The monthly mean temperature ranged from 42.1° in February to 61.7° in August and 61.2° in July. March was colder than any one of the winter months, properly speaking. Its mean temperature was 43.6°, compared with 46.8° in January, 46.6° in November, and 45.8° in December.

The rainfall was 25.021 inches on the 193 days. These values were about the average. June was the driest month, with a rainfall of only 0.361 inch on only 5 rain-days. July, on the other hand, had 4.267 inches on as many as 27 rain-days out of 31—only 4 days in that “summer” month were rainless.

As usual, westerly winds were by far the most prevalent and the strongest of all, except in June, the fine dry month, when easterly winds took their place.

Particulars regarding meteorological observations taken at the Ordnance Survey Office, Phoenix Park, and at Roche's Point, Co. Cork, are published in the Quarterly Returns of Marriages, Births and Deaths. The following abstract of observations at Phoenix Park during the year is reproduced by permission of the Director of Ordnance Survey.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS FOR THE YEAR 1932, AT THE ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN.

Latitude 53° 21' 48".25 North. Longitude 6° 20' 59.15" West. Height above M.S.L. 155.3 Feet.

1932	BAROMETER							TEMPERATURE, °F.						
	Corrected for Altitude and reduced to 32° Fah.							Self-Registering Thermometers.						
	MEAN				Highest in Month	Lowest in Month	Range	High- est in Month	Low- est in Month	Range	MEAN			
	9.0 a.m.	9.0 p.m.	Mean	Range							Of all High- est	Of all Low- est	Temp.	Range
January ..	30.016	30.005	30.010	.011	30.919	28.864	2.055	57.0	26.5	30.5	50.6	38.3	44.5	12.3
February ..	30.559	30.543	30.551	.016	30.896	30.253	0.643	50.8	23.8	27.0	45.7	33.6	39.7	12.1
March ..	29.944	29.928	29.936	.016	30.326	29.109	1.217	58.4	20.4	38.0	49.2	32.9	41.1	16.3
April ..	29.765	29.734	29.750	.031	30.477	29.146	1.331	59.3	25.9	33.4	51.7	35.5	43.6	16.2
May ..	29.874	29.868	29.871	.006	30.201	29.603	0.598	65.5	31.0	34.5	56.8	42.2	49.5	14.6
June ..	30.076	30.068	30.072	.008	30.351	29.169	1.182	74.2	33.3	40.9	66.3	47.2	56.7	19.1
July ..	29.848	29.856	29.852	.008	30.242	29.251	0.991	78.5	42.0	36.5	67.3	53.1	60.2	14.2
August ..	30.089	30.083	30.086	.006	30.405	29.690	0.715	74.4	42.2	32.2	66.6	52.7	59.7	13.9
September ..	29.898	29.894	29.896	.004	30.483	29.337	1.146	71.6	30.6	41.6	61.3	46.6	53.9	14.7
October ..	29.703	29.688	29.696	.015	30.239	29.051	1.188	59.0	30.8	28.2	54.6	39.2	46.9	15.4
November ..	30.018	30.022	30.020	.004	30.508	29.386	1.122	59.8	28.8	31.0	50.7	38.6	44.7	12.1
December ..	29.939	29.924	29.932	.015	30.680	29.345	1.335	58.2	28.8	29.4	49.2	39.2	44.2	10.0
TOTAL ..	359.729	359.613	359.672	.110	365.727	352.204	13.523	766.7	363.5	403.2	670.0	499.1	584.7	179.9
MEAN ..	29.977	29.968	29.973	.012	30.477	29.350	1.127	63.9	30.3	33.6	55.8	41.6	48.7	14.2

1932	TEMPERATURE, °F.					RAIN			SUNSHINE Hours and Tenths	CLOUD		WIND										
	Hygrometer					Number of Days Rain or Snow fell	Total Amount for Month	Greatest Amount that fell in 24 hours		Monthly Total	Daily Mean	Number of Days it blew in certain directions at 9.0 a.m.										
	9.0 A.M. MEAN											N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm		
	Dry Bulb	Wet Bulb	Dew Point	Baro- Force of Vapour	Humi- didity																	
January ..	43.7	42.2	40	8.7	87	14	m.m. 67.5	m.m. 13.7	57.3	217	7	0	0	0	0	3	5	16	0	7		
February ..	39.2	37.1	34	6.8	82	4	6.4	2.8	52.3	261	9	4	1	9	0	0	0	5	1	9		
March ..	42.3	40.3	38	7.7	82	13	45.9	8.1	94.8	248	8	6	2	1	0	4	5	10	1	2		
April ..	45.7	42.5	38	7.9	75	20	70.2	14.2	165.3	217	7	3	3	4	1	0	0	18	0	1		
May ..	50.7	48.0	45	10.4	81	23	100.9	16.6	122.6	248	8	5	5	1	0	1	3	5	3	8		
June ..	59.8	55.1	51	13.4	78	6	12.1	5.0	208.8	210	7	2	0	11	0	2	7	4	3	1		
July ..	60.1	56.8	54	14.4	80	26	129.9	44.4	136.8	253	8	6	0	0	0	2	9	12	2	0		
August ..	60.6	58.3	57	15.7	87	14	40.2	11.7	110.3	246	8	1	3	9	2	2	7	6	0	1		
September ..	54.3	52.6	51	13.2	89	18	73.4	18.7	99.5	179	6	0	1	0	2	2	12	7	4	2		
October ..	47.3	45.5	43	9.6	87	22	70.0	14.8	121.4	157	5	0	0	0	1	8	10	8	3	1		
November ..	44.4	42.8	41	8.8	87	12	35.0	9.3	60.3	189	6	3	3	5	0	5	5	5	3	1		
December ..	41.1	41.2	39	8.3	83	13	100.5	27.2	48.2	215	7	2	1	2	3	3	2	2	0	2		
TOTAL ..	592.2	563.1	531	124.3	998	191	751.8	186.5	1278.3	2,638	86	32	19	19	9	32	72	98	20	35		
MEAN ..	49.4	46.9	44	10.4	83	16	62.7	15.5	106.5	220	7.2	-	-	-	-	-	-	-	-	-		

The highest Barometer during the Year was 30.919 on January 26th, at 9 p.m. Wind—Calm.

The lowest " " 28.864 on January 10th, at 9 a.m. Wind—S.W.

The highest Temperature " 78.5 on July 9th.

The lowest " " 20.4 on March 17th.

Rain or Snow fell on 191 days during the year.

The greatest Rainfall in 24 hours was 44.4 mms. on 13th July, with Wind N.N.E.

The prevailing Wind was W. on 98 days.

Calm 36 days.

PART II.

Tables.

TABLE 1.—SAORSTÁT ÉIREANN: ESTIMATED POPULATIONS, middle of years 1801 to 1932, in thousands.

Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.
1801	4,154	2,085	2,069	1873	3,989	1,955	2,034	1903	3,185	1,599	1,586
1811	4,746	2,363	2,383	1874	3,966	1,944	2,022	1904	3,175	1,597	1,578
1821	5,421	2,676	2,745	1875	3,951	1,940	2,011	1905	3,165	1,594	1,571
1831	6,194	3,033	3,161	1876	3,949	1,942	2,007	1906	3,160	1,593	1,567
1841	6,545	3,235	3,310	1877	3,956	1,947	2,009	1907	3,151	1,589	1,562
				1878	3,952	1,948	2,004	1908	3,145	1,588	1,557
				1879	3,939	1,944	1,995	1909	3,142	1,589	1,553
				1880	3,891	1,920	1,971	1910	3,139	1,588	1,551
1851	5,079	2,486	2,593	1881	3,847	1,901	1,946	1911	3,132	1,586	1,546
1852	4,927	2,413	2,514	1882	3,808	1,882	1,926	1912	3,120	1,581	1,539
1853	4,807	2,358	2,449	1883	3,745	1,853	1,892	1913	3,103	1,572	1,531
1854	4,704	2,311	2,393	1884	3,703	1,834	1,869	1914	3,092	1,568	1,524
1855	4,688	2,281	2,357	1885	3,671	1,820	1,851	1915	3,068	1,546	1,522
1856	4,594	2,261	2,333	1886	3,642	1,808	1,834	1916	3,068	1,549	1,519
1857	4,540	2,234	2,306	1887	3,600	1,788	1,812	1917	3,065	1,551	1,514
1858	4,506	2,217	2,289	1888	3,554	1,766	1,788	1918	3,066	1,553	1,513
1859	4,471	2,199	2,272	1889	3,516	1,748	1,768	1919	3,102	1,598	1,504
1860	4,428	2,179	2,249	1890	3,482	1,733	1,749	1920	3,103	1,598	1,505
1861	4,393	2,161	2,229	1891	3,449	1,718	1,731	1921	3,096	1,599	1,497
1862	4,377	2,153	2,219	1892	3,408	1,697	1,711	1922	3,022	1,529	1,493
1863	4,328	2,134	2,194	1893	3,382	1,684	1,698	1923	3,014	1,526	1,488
1864	4,263	2,103	2,160	1894	3,362	1,675	1,687	1924	3,005	1,521	1,484
1865	4,223	2,084	2,139	1895	3,333	1,662	1,671	1925	2,985	1,512	1,473
1866	4,163	2,051	2,112	1896	3,314	1,653	1,661	1926	2,969	1,505	1,464
1867	4,130	2,033	2,097	1897	3,298	1,646	1,652	1927	2,957	1,499	1,458
1868	4,109	2,022	2,087	1898	3,283	1,640	1,643	1928	2,949	1,496	1,453
1869	4,090	2,012	2,078	1899	3,265	1,631	1,634	1929	2,946	1,496	1,450
1870	4,062	1,996	2,066	1900	3,234	1,616	1,618	1930	2,946	1,497	1,449
1871	4,042	1,986	2,056	1901	3,213	1,607	1,606	1931	2,957	1,505	1,452
1872	4,023	1,975	2,048	1902	3,200	1,603	1,597	1932	2,974	1,514	1,460

NOTE.—The above populations, from 1801 to 1910, are derived from the estimated populations of Ireland, already published in previous Annual Reports, by applying to those populations the proportion borne by the Saorstát Éireann area, as disclosed at each Census. The variations between the proportions at each successive Census were distributed regularly over the intercensal periods.

The populations of Ireland were obtained as follows:—

From 1801 to 1831 by adopting the rates of increase of the male and female population between 1821 and 1831, as shown by the Irish Census Reports of 1831—the first complete Census of Ireland having been taken in 1821

1832—1841.—By adopting the rate of increase between the population of 1831 and 1841, according to the Irish Census Report of 1841.

1842—1846.—By taking the English average birth-rate of 1 in 31, and death-rate of 1 in 45, and deducting the annual emigration from Ireland according to the returns received from the Emigration Commissioners in England.

1847—1851.—The English birth-rate, as above, was used, deducting the number of deaths and the number of emigrants in each year, as given in the Irish Census Reports of 1851. An allowance, proportioned to the number of recorded deaths and the number of emigrants being made in each year for the excess of the number thus arrived at for 1851 over the actual population according to the Census of that year.

1852—1871.—The English birth and death rates, as above, were used, deducting the number of emigrants, according to the returns obtained by the Registrar-General for Ireland, and allowing for excess over Census numbers for 1861 and 1871 as explained for the last period.

1872—1910.—By adding the births registered in each year to the estimated population for the previous year, deducting the deaths and the number of emigrants, and adjusting the results for the years 1872-81, 1882-91, 1892-1901, and 1902-1911, to allow for the discrepancy between the numbers thus arrived at for 1881, 1891, 1901 and 1911, respectively, and the population as shown by the Census in each of these years.

From 1911 to date, the populations were estimated by adding to the population of the area at the Census of 1911 the births registered, and deducting the deaths registered and the emigrants enumerated each year. (From 1922 the *net number* of emigrants has been employed in the estimates, the number of immigrants having become available through the Department of Industry and Commerce). Adjustments were made during 1915-1921 to cover the movements of British military; and at the Census of 1926, the estimates were revised according to the difference disclosed between the estimate for that year (calculated to the Census date) and the population at the Census, by a distribution of the difference in arithmetical progression over the preceding fifteen years.

TABLE 2.—AGES OF THE POPULATION IN SAORSTÁT ÉIREANN AREA, according to the Census Returns from 1851 to 1926.

CENSUS YEARS.	AGES.													Total Population	
	Under 1 Year.	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95		95 and upwards
	PERSONS.														
1851	100,400	391,870	633,567	710,458	640,632	497,364	660,193	568,883	434,215	299,518	121,132	42,403	6,669	1,580	5,111,550
1861	103,031	419,697	456,185	452,394	516,197	471,414	568,917	458,312	422,322	330,301	135,456	54,561	8,735	1,451	4,402,111
1871	99,807	388,138	476,611	474,552	392,142	340,114	543,674	402,845	361,783	329,440	167,510	60,419	10,843	1,881	4,053,187
1881	78,620	353,148	471,705	465,016	419,663	355,534	464,939	403,149	326,300	279,226	161,105	68,905	9,097	1,694	3,870,420
1891	64,943	277,768	379,942	414,919	412,433	325,110	430,250	353,009	336,015	247,835	142,235	67,493	12,658	1,624	3,468,694
1901	60,229	251,519	325,078	336,293	349,036	323,983	465,833	342,310	298,276	260,048	139,690	57,682	16,379	1,517	3,221,823
1911	59,057	248,108	310,163	303,149	303,443	269,058	454,276	380,399	270,189	202,898	235,538	82,580	10,767	1,063	3,139,688
1926	55,391	222,322	284,633	265,533	286,187	240,231	398,701	344,844	331,611	230,359	193,458	73,364	14,034	824	2,971,952
PROPORTION PER CENT.															
1851	1.96	7.67	12.40	13.91	12.54	9.74	12.92	11.14	8.50	5.86	2.37	0.83	0.13	0.03	100
1861	2.34	9.54	10.37	10.28	11.74	10.72	12.93	10.42	9.60	7.51	3.08	1.24	0.20	0.03	100
1871	2.46	9.59	11.77	11.72	9.68	8.40	13.42	9.95	8.93	8.13	4.14	1.49	0.27	0.05	100
1881	2.03	9.13	12.19	12.02	10.85	9.19	12.02	10.68	8.44	7.22	4.17	1.78	0.24	0.04	100
1891	1.87	8.01	10.96	11.97	11.92	9.38	12.41	10.18	9.69	7.15	4.10	1.95	0.36	0.05	100
1901	1.87	7.80	10.09	10.44	10.83	10.06	14.47	10.62	9.26	8.07	4.33	1.79	0.32	0.05	100
1911	1.88	7.90	9.88	9.66	9.67	8.57	14.47	12.12	8.89	6.46	7.70	2.63	0.34	0.03	100
1926	1.86	7.82	9.58	9.94	9.63	8.08	13.42	11.60	11.16	7.77	6.17	2.47	0.47	0.03	100

*At the Census of 1851, the ages of 2,646 persons (1,499 males and 1,147 females) were unspecified. In 1861 the numbers unspecified were 3,138 (2,029 males and 1,109 females); in 1871, 3,128 (1,872 males and 1,256 females); in 1881, 1,909 (1,093 males and 816 females); in 1891, 1,460 (696 males and 764 females).

TABLE 2 (contd.).—AGES OF THE POPULATION IN SAORSTÁT ÉIREANN AREA, according to the Census Returns from 1851 to 1926.

CENSUS YEARS.	AGES.													Total Population.*	
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95		95 and upwards
MALES.															
1851	51,165	198,917	321,938	362,086	319,085	240,776	312,850	265,981	205,950	134,815	57,334	18,581	2,900	533	2,494,470
1861	52,440	212,831	231,280	232,089	255,048	234,222	282,061	213,537	202,367	157,384	64,124	25,119	3,946	565	2,169,042
1871	50,087	197,278	241,103	242,985	192,183	163,194	260,919	195,496	170,455	159,104	83,619	28,257	5,140	776	1,992,468
1881	39,992	178,762	238,604	237,986	207,114	177,872	223,272	197,182	158,874	131,719	80,396	34,635	4,283	654	1,912,438
1891	33,109	140,973	192,978	211,364	209,297	169,659	210,857	166,702	161,679	121,960	69,006	33,266	6,347	708	1,728,601
1901	30,647	127,411	164,732	171,577	174,937	163,595	234,185	168,571	141,924	126,709	71,527	28,529	5,134	607	1,610,085
1911	29,899	125,988	157,597	154,182	155,523	141,288	228,733	198,371	142,879	160,110	109,146	40,172	5,171	450	1,589,509
1926	28,084	118,089	144,764	150,814	146,047	124,518	199,148	173,399	172,658	120,792	88,984	33,008	6,227	357	1,506,889
PROPORTION PER CENT.															
1851	2.05	7.98	12.91	14.52	12.80	9.66	12.55	10.67	8.26	5.41	2.30	0.75	0.12	0.02	100
1861	2.42	9.82	10.67	10.71	11.77	10.81	13.02	9.85	9.34	7.26	2.96	1.16	0.18	0.03	100
1871	2.52	9.91	12.11	12.21	9.65	8.20	13.11	9.82	8.56	7.99	4.20	1.42	0.26	0.04	100
1881	2.09	9.35	12.49	12.45	10.84	9.31	11.68	10.32	8.31	6.89	4.21	1.81	0.22	0.03	100
1891	1.92	8.16	11.17	12.23	12.11	9.82	12.20	9.65	9.36	7.06	3.99	1.92	0.37	0.04	100
1901	1.90	7.91	10.23	10.66	10.87	10.16	14.54	10.47	8.82	7.87	4.44	1.77	0.32	0.04	100
1911	1.88	7.93	9.91	9.70	9.78	8.89	14.89	12.48	8.99	6.30	6.87	2.53	0.32	0.03	100
1926	1.86	7.84	9.60	10.01	9.69	8.26	13.22	11.51	11.46	8.02	5.91	2.19	0.41	0.02	100

* See note (*) on page 3.

TABLE 2 (contd.).—AGES OF THE POPULATION IN SAORSTÁT ÉIREANN AREA, according to the Census Returns from 1851 to 1926.

CENSUS YEARS	AGES.														Total Population*
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
FEMALES.															
1851	49,235	192,953	311,629	348,372	321,547	256,588	347,343	362,902	228,265	164,703	63,818	23,822	3,769	987	2,617,080
1861	50,591	206,866	224,905	220,305	261,149	237,192	286,856	244,775	219,955	172,917	71,332	29,442	4,789	886	2,233,069
1871	49,720	191,160	235,508	231,567	199,959	176,920	282,755	207,349	191,328	170,326	83,891	32,162	5,703	1,105	2,060,719
1881	38,638	174,386	233,101	227,030	212,549	177,662	241,667	215,967	167,426	147,507	80,709	34,270	4,814	1,040	1,957,582
1891	31,834	136,795	186,964	203,555	204,126	155,451	219,393	186,307	174,336	125,875	73,229	31,227	6,311	916	1,740,093
1901	29,582	124,108	160,346	164,716	174,099	160,388	231,648	173,739	156,352	133,339	68,163	29,103	5,245	910	1,611,738
1911	29,158	122,120	152,566	148,967	147,920	127,779	225,543	182,928	136,310	102,788	126,392	42,408	5,596	613	1,550,179
1926	27,307	114,233	139,869	144,719	140,140	115,713	199,553	171,445	158,953	110,067	94,474	40,356	7,807	467	1,465,103
PROPORTION PER CENT.															
1851	1.88	7.38	11.91	13.32	12.29	9.81	13.28	11.58	8.72	6.30	2.44	0.91	0.14	0.04	100
1861	2.27	9.27	10.08	9.87	11.70	10.63	12.85	10.97	9.85	7.75	3.19	1.32	0.21	0.04	100
1871	2.41	9.28	11.44	11.25	9.71	8.59	13.73	10.07	9.29	8.27	4.07	1.56	0.28	0.05	100
1881	1.97	8.91	11.91	11.60	10.86	9.08	12.35	11.04	8.56	7.54	4.13	1.75	0.25	0.05	100
1891	1.83	7.87	10.75	11.70	11.74	8.94	12.61	10.71	10.62	7.24	4.21	1.97	0.36	0.05	100
1901	1.83	7.70	9.95	10.22	10.80	9.95	11.37	10.78	9.70	8.27	4.23	1.81	0.35	0.06	100
1911	1.88	7.88	9.84	9.61	9.54	8.24	14.55	11.74	8.79	6.63	8.16	2.74	0.36	0.04	100
1926	1.86	7.80	9.55	9.88	9.57	7.90	13.62	11.76	10.85	7.51	6.45	2.75	0.33	0.03	100

* See note (*) on page 3.

TABLE 3.—SAORSTÁT ÉIREANN: NUMBER OF MARRIAGES, BIRTHS, DEATHS, and the NATURAL INCREASE (excess of Births over Deaths), 1864-1932.

PERIOD.	Mar- riages.	BIRTHS.						DEATHS.			Natural Increase.		
		TOTAL (including Illegitimate.			Legiti- mate.	Illegitimate.		Total.	Males.	Females.			
		Total	Males.	Females.		Total.	Males.					Females.	
Average, 1864-70	...	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
" 1871-80	...	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
" 1881-90	...	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,333	31,987	19,542
" 1891-1900	...	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
" 1901-10	...	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
" 1911-20	...	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
" 1921-30	...	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
1922	...	15,141	58,849	30,344	28,505	57,329	1,520	814	706	44,547	22,748	21,799	14,302
1923	...	15,632	61,690	31,808	29,882	60,066	1,624	848	776	42,217	21,561	20,656	19,473
1924	...	14,822	63,402	32,713	30,689	61,725	1,677	848	829	45,180	22,821	22,359	18,222
1925	...	13,820	62,069	31,818	30,251	60,407	1,662	871	791	43,650	22,118	21,532	18,419
1926	...	13,570	61,176	31,382	29,794	59,460	1,716	849	867	41,740	20,844	20,896	19,436
1927	...	13,418	60,054	30,606	29,448	58,296	1,758	892	866	43,677	21,812	21,865	16,377
1928	...	13,716	59,176	30,327	28,849	57,388	1,788	922	866	41,792	20,933	20,859	17,384
1929	...	13,593	58,280	29,583	28,697	56,427	1,853	948	905	42,991	21,547	21,444	15,289
1930	...	13,631	58,353	29,913	28,440	56,490	1,863	940	923	41,702	21,075	20,627	16,651
1931	...	13,133	57,086	29,409	27,677	55,161	1,925	971	954	42,947	21,754	21,193	14,139
Average, 1922-31	...	14,047	60,013	30,790	29,223	58,275	1,738	890	848	43,044	21,721	21,323	16,969
1932	...	13,029	56,240	28,842	27,398	54,421	1,819	938	881	42,984	21,801	21,183	13,256

PERIOD.	MARRIAGES.		BIRTHS.				DEATHS.		Natural Increase per 1,000 of Population.
	Rate per 1,000 Population.	Per 1,000 Population.	Legitimate per 1,000 Population.	Illegitimate.		Births of Males per 1,000 Births of Females.	Rate per 1,000 Population.	Infant Mortality per 1,000 Births.	
				Per 1,000 Population.	Per 100 Total Births.				
1864-70	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871-80	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881-90	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891-1900	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901-10	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911-20	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921-30	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1922	5.01	19.47	18.97	0.50	2.58	1,065	14.74	68.89	4.73
1923	5.19	20.47	19.93	0.54	2.63	1,064	14.01	66.43	6.46
1924	4.93	21.10	20.54	0.56	2.65	1,066	15.03	71.65	6.07
1925	4.63	20.79	20.23	0.56	2.68	1,052	14.62	67.92	6.17
1926	4.57	20.60	20.02	0.58	2.81	1,053	14.06	74.41	6.54
1927	4.54	20.31	19.72	0.59	2.93	1,039	14.77	70.84	5.54
1928	4.65	20.07	19.46	0.61	3.02	1,051	14.17	67.87	5.90
1929	4.61	19.78	19.15	0.63	3.18	1,031	14.59	70.38	5.19
1930	4.63	19.81	19.18	0.63	3.19	1,052	14.16	67.95	5.65
1931	4.44	19.30	18.65	0.65	3.37	1,063	14.52	68.93	4.78
1922-31	4.72	20.17	19.58	0.59	2.90	1,054	14.47	69.53	5.70
1932	4.38	18.91	18.30	0.61	3.23	1,053	14.45	72.19	4.46

TABLE 5.—Showing by Quarterly Periods the number of MARRIAGES, BIRTHS AND DEATHS registered in SAORSTÁT ÉIREANN during each of the years 1922-32; with the average annual rates for the ten years 1922-31 and for 1932 per 1,000 of the population represented thereby.

YEAR	Marriages.										Births.				Deaths.									
	Catholic.					All Other.					Total.				Quarter ending the last day of									
	Quarter ending the last day of					Quarter ending the last day of					Quarter ending the last day of				Quarter ending the last day of									
	Total.					Total.					Total.				Total.									
	Mar.	June.	Sept.	Dec.	Total.	Mar.	June.	Sept.	Dec.	Total.	Mar.	June.	Sept.	Dec.	Total.	Mar.	June.	Sept.	Dec.	Total.				
1922	...	4,450	3,413	3,047	3,005	13,915	331	331	324	240	1,226	4,781	3,744	3,371	3,245	15,141	14,456	13,802	58,849	13,676	12,517	8,713	9,641	44,547
1923	...	3,942	3,894	3,670	3,070	14,576	193	278	336	249	1,056	4,135	4,172	4,006	3,319	15,632	15,458	14,767	61,690	11,840	11,363	8,734	10,280	42,217
1924	...	4,234	3,155	3,446	3,000	13,835	191	259	313	224	987	4,425	3,414	3,759	3,224	14,822	16,432	14,414	63,402	14,534	11,938	8,933	9,775	45,180
1925	...	3,919	3,030	3,181	2,767	12,897	192	269	278	184	923	4,111	3,299	3,459	2,951	13,820	16,057	14,341	62,069	12,998	11,733	9,073	9,846	43,650
1926	...	3,589	3,015	3,188	2,808	12,600	177	275	309	209	970	3,766	3,290	3,497	3,017	13,570	15,600	14,524	61,176	11,548	10,898	8,746	10,548	41,740
1927	...	3,642	2,847	3,156	2,856	12,501	171	228	295	223	917	3,813	3,075	3,451	3,079	13,418	15,302	14,026	60,054	13,410	11,816	8,651	9,800	43,677
1928	...	3,572	2,995	3,245	2,970	12,782	176	256	312	190	934	3,748	3,251	3,557	3,160	13,716	14,868	13,875	59,176	12,578	11,062	8,564	9,591	41,792
1929	...	3,177	3,106	3,427	2,960	12,670	165	277	293	188	923	3,342	3,383	3,720	3,148	13,593	14,993	13,791	58,280	13,900	10,895	8,524	9,612	42,991
1930	...	3,760	2,843	3,191	2,876	12,670	204	234	298	225	961	3,964	3,077	3,489	3,101	13,631	14,862	13,705	58,353	12,666	10,751	8,435	9,850	41,702
1931	...	3,348	2,875	3,269	2,736	12,228	170	253	310	172	905	3,518	3,128	3,579	2,908	13,133	14,410	13,230	57,086	13,686	11,293	8,364	9,604	42,947
Average for ten years, 1922-1931		3,763	3,117	3,282	2,995	13,067	197	266	307	210	980	3,960	3,383	3,589	3,115	14,047	15,244	14,017	60,013	13,089	11,427	8,673	9,855	13,044
1932	...	3,009	2,930	3,220	3,018	12,177	152	230	289	181	852	3,161	3,160	3,509	3,199	13,029	14,800	13,051	56,240	13,193	11,267	8,895	9,629	42,984
Equivalent Annual Rate per 1,000 living:—																								
Average, 1922-1931		5.5	4.5	4.8	4.2	4.8	3.5	4.7	5.4	3.7	4.3	5.3	4.5	4.8	4.2	4.7	20.5	18.9	20.2	17.6	15.4	11.7	13.3	14.5
1932	...	4.4	4.3	4.7	4.4	4.4	2.8	4.2	5.3	3.3	3.9	4.3	4.2	4.7	4.3	4.4	19.9	17.5	18.9	17.7	15.1	11.9	12.9	14.5

TABLE 6.—DEATHS FROM VARIOUS CAUSES, 1864–1910.

(Note.— Figures for individual years from 1864 to 1910 are given in the Annual Report for 1928).

CAUSES OF DEATH.	ANNUAL AVERAGE NUMBER OF DEATHS.					ANNUAL AVERAGE RATES PER 100,000 OF POPULATION.				
	1864-70	1871-80	1881-90	1891-1900	1901-10	1864-70	1871-80	1881-90	1891-1900	1901-10
ALL CAUSES ...	67,323	71,611	64,220	58,994	53,577	1622.7	1806.4	1756.2	1770.1	1691.4
Typhoid fever ...	2,973	660*	514	492	263	71.5	16.7*	14.1	14.7	8.3
Typhus ...		575*	462	166	60		14.5*	12.5	5.0	1.9
Simple continued fever.		1,067*	393	110	26		26.9*	10.6	3.3	0.8
Small-pox ...	150	628	7	21	5	3.5	15.8	0.2	0.6	0.2
Measles ...	702	882	654	515	348	17.0	22.2	17.9	15.5	11.0
Scarlet fever ...	2,001	1,640	720	291	110	48.1	41.3	19.5	8.7	3.5
Whooping-cough...	1,257	1,366	1,037	821	661	30.3	34.5	28.4	24.7	20.9
Diphtheria ...	196	214	206	177	228	4.7	5.4	5.6	5.3	7.2
Influenza ...	127	69	155	1,537	963	3.0	1.7	4.4	46.3	30.4
Simple cholera ...	455	56	28	70	775	10.9	1.4	0.8	2.1	24.4
Dysentery ...	404	198	986	942		9.7	5.0	26.9	28.3	
Diarrhoea ...	1,456	1,300				35.1	32.8			
Pulmonary Tuberculosis.	6,777	6,960	7,026	6,669	6,263	163.4	175.5	192.3	200.2	197.6
Other Tuberculous diseases.	—	—	1,904	1,938	1,774	—	—	52.0	58.2	56.0
Cancer ...	—	—	1,362	1,608	2,157	—	—	37.4	48.3	68.2
Pneumonia ...	10,169	10,605	11,217	9,522	2,661†	244.9	267.7	306.5	285.4	84.4‡
Other respiratory diseases.					6,334‡					200.8‡
Puerperal sepsis ...	234	274	244	199	150	5.7	6.9	6.7	6.0	4.8
Other puerperal conditions.	516	456	370	299	260	12.4	11.5	10.1	9.0	8.2
Suicide ...	1,650	1,531	80†	90	96	39.8	38.6	2.2†	2.7	3.0
Other violence ...			1,286†	1,281	1,156			35.4†	38.5	36.5

* Average for 9 years 1872-80.

† Average for 9 years 1882-90.

‡ Average for 7 years 1904-10.

TABLE 6A.—NUMBER OF DEATHS FROM VARIOUS CAUSES, 1911-1930.

List Nos.*	CAUSES OF DEATH.	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	Annual Average 1911-20.
	ALL CAUSES ...	51,149	50,489	52,184	49,674	53,713	50,627	51,713	53,682	55,776	45,521	51,453
1	Typhoid fever ...	267	184	204	207	181	209	191	190	132	180	195
2	Typhus ...	33	33	47	27	29	27	38	29	24	30	32
3	Measles ...	332	594	555	691	307	218	372	437	99	227	383
4	Scarlet fever ...	193	202	142	223	236	184	74	56	64	169	148
5	Whooping-cough ...	531	506	488	453	486	525	375	499	287	795	494
6	Diphtheria ...	266	249	196	205	232	200	187	152	185	378	225
7	Dysentery ...	13	16	19	21	20	17	17	12	29	18	18
8	Influenza ...	682	643	786	435	1,082	712	1,004	6,788	7,468	696	2,030
9	Encephalitis lethargica	4	17	2
10	Cerebro-spinal fever ...	16	15	11	12	65	40	44	46	25	21	30
11	Tuberculosis of respiratory system.	5,287	5,231	5,176	5,020	5,431	5,160	5,320	5,142	4,532	3,975	5,027
12	Other tuberculous diseases	1,366	1,330	1,340	1,324	1,294	1,311	1,346	1,350	1,307	1,147	1,312
13	Cancer ...	2,427	2,510	2,668	2,567	2,553	2,679	2,633	2,618	2,672	2,588	2,591
14	Diabetes mellitus ...	247	264	267	259	274	239	252	209	209	235	245
15 (pt. of)	Cerebral hemorrhage ...	1,367	1,357	1,444	1,427	1,514	1,439	1,500	1,287	1,438	1,375	1,415
16	Heart disease ...	5,066	5,213	5,310	5,367	5,682	5,373	5,255	4,603	5,020	4,591	5,148
17 (pt. of)	Arterio-sclerosis ...	83	85	105	89	103	101	127	119	149	137	110
18	Bronchitis ...	4,587	4,608	4,529	4,145	5,027	4,164	4,544	3,761	4,355	3,516	4,324
19	Pneumonia all forms	2,693	2,702	2,551	2,398	2,789	2,544	2,702	3,928	3,601	2,626	2,853
20	Other respiratory diseases	844	880	869	865	857	808	837	726	802	701	819
21	Gastric and duodenal ulcer	221	229	226	246	226	242	233	240	222	204	229
22	Diarrhoea and enteritis under 2 years	1,388	584	1,259	814	813	767	697	610	634	571	814
23	Appendicitis ...	102	109	140	127	140	111	150	133	121	161	129
24	Cirrhosis of liver ...	239	223	223	244	215	197	138	130	113	109	183
27	Acute & chr. nephritis...	1,089	1,171	1,203	1,164	1,153	1,213	1,203	1,111	1,124	1,065	1,150
28	Puerperal sepsis ...	117	164	139	164	139	159	101	93	96	122	129
29	Other puerperal causes	226	239	233	196	219	213	197	202	195	204	212
30 pt. of)	Congenital debility and malformation: premature birth	2,304	2,128	2,341	2,102	2,156	2,073	2,069	1,902	1,953	1,987	2,101
32	Suicide ...	95	116	103	90	81	68	53	65	83	61	82
33	Other violent deaths...	1,209	1,085	1,163	1,187	1,232	1,548	1,199	926	881	1,218	1,165
34	Other defined causes ...	16,665	16,164	16,935	16,243	17,724	16,831	17,515	15,079	16,565	15,246	16,497
35	Causes ill-defined or unknown	1,194	1,655	1,512	1,362	1,453	1,255	1,340	1,239	1,387	1,211	1,361

* Deaths from Nos. 25, 26 and 31 and also from parts of Nos. 15, 17 and 30 are included in No. 34 'Other defined causes,' for 1911-20. See page xxi. of Annual Report for 1931.

TABLE 6A (contd.).—NUMBER OF DEATHS FROM VARIOUS CAUSES, 1911-1930.

List Nos.	CAUSES OF DEATH.	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930.	Annual Average 1921-30.
	ALL CAUSES ...	44,537	44,547	42,217	45,180	43,650	41,740	43,677	41,792	42,991	41,702	43,203
1	Typhoid fever ...	140	96	142	123	105	126	98	94	88	70	108
2	Typhus ...	17	18	19	5	9	8	11	7	7	4	10
3	Measles ...	141	458	171	198	198	519	175	369	139	158	253
4	Scarlet fever ...	110	73	66	65	70	134	81	79	62	41	78
5	Whooping-cough...	216	201	454	621	429	258	448	279	393	352	365
6	Diphtheria ...	461	401	285	186	158	197	218	225	304	386	282
7	Dysentery ...	27	9	15	4	13	6	13	8	9	2	11
8	Influenza ...	648	1,812	621	2,073	1,171	654	2,099	858	1,659	614	1,221
9	Encephalitis lethargica	31	19	16	55	51	43	57	46	34	47	40
10	Cerebro-spinal fever	23	11	17	28	12	17	12	18	21	11	17
11	Tuberculosis of respiratory system	3,864	3,694	3,524	3,692	3,667	3,369	3,409	3,189	2,999	2,964	3,437
12	Other tuberculous diseases	960	920	944	890	1,006	993	892	858	876	861	920
13	Cancer ...	2,609	2,523	2,730	2,903	2,801	3,021	3,113	3,190	3,116	3,329	2,933
14	Diabetes mellitus	215	239	224	212	222	226	232	232	229	235	227
15	Cerebral hæmorrhage, etc.	1,878	1,927	1,991	2,058	2,081	2,027	2,066	2,188	2,191	2,363	2,077
16	Heart disease ...	4,427	4,609	4,643	4,792	4,965	4,656	5,031	5,117	5,616	5,958	4,981
17	Other circulatory diseases	386	340	373	398	448	474	456	500	505	509	439
18	Bronchitis ...	3,013	3,345	2,866	2,926	2,654	2,433	2,610	2,427	2,696	2,528	2,750
19	Pneumonia, all forms	2,303	2,792	2,102	2,667	2,338	2,314	2,833	2,358	2,608	2,442	2,476
20	Other respiratory diseases	678	714	681	763	737	666	684	758	790	753	722
21	Gastric and duodenal ulcer	201	216	267	292	270	264	271	340	284	335	274
22	Diarrhœa and enteritis under 2 years	883	443	513	515	640	815	493	569	559	492	592
23	Appendicitis ...	139	147	164	159	156	189	185	194	154	205	169
24	Cirrhosis of liver ...	118	98	94	88	90	113	106	89	91	62	95
25	Other diseases of liver, etc.	149	146	134	127	106	133	143	128	150	162	138
26	Other digestive diseases	1,380	1,223	1,219	1,160	1,136	1,150	1,076	1,094	1,125	1,153	1,172
27	Acute and chr. nephritis	1,024	996	1,043	1,062	1,128	1,145	1,117	1,213	1,271	1,320	1,132
28	Puerperal sepsis ...	108	118	117	102	105	115	77	103	80	81	101
29	Other puerperal causes	194	215	180	201	186	184	194	189	159	197	190
30	Congenital debility, etc.	1,814	1,639	1,716	1,925	1,814	1,867	1,738	1,745	1,778	1,844	1,788
31	Senility ...	8,688	8,749	8,489	9,034	9,091	7,872	8,198	7,997	7,762	7,118	8,300
32	Suicide ...	79	65	74	96	88	97	96	98	111	83	89
33	Other violent deaths	2,031	1,366	1,315	833	728	792	749	785	860	776	1,023
34	Other defined causes	3,597	3,326	3,368	3,490	3,530	3,623	3,680	3,533	3,338	3,430	3,491
35	Causes ill-defined or unknown.	1,985	1,599	1,640	1,437	1,447	1,240	1,016	915	927	817	1,302

TABLE 7.—DEATH-RATES FROM VARIOUS CAUSES, per 100,000 population, 1911-1930

List Nos.*	CAUSES OF DEATH.	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	Annual Average 1911-20.
	ALL CAUSES ...	1633·1	1618·2	1681·7	1606·5	1750·7	1650·2	1687·2	1750·9	1798·1	1467·0	1664·4
1	Typhoid fever ...	8·5	5·9	6·6	6·7	5·9	6·8	6·2	6·2	4·3	5·8	6·3
2	Typhus ...	1·1	1·1	1·5	0·9	0·9	0·9	1·2	1·0	0·8	1·0	1·0
3	Measles ...	10·6	19·0	17·9	22·3	10·0	7·0	12·1	14·3	3·2	7·3	12·4
4	Scarlet fever ...	6·2	6·5	4·6	7·2	7·7	6·0	2·4	1·8	2·1	3·5	4·8
5	Whooping-cough ...	17·0	16·2	15·7	14·7	15·8	17·1	12·2	16·3	9·3	25·6	16·0
6	Diphtheria ...	8·5	8·0	6·3	6·6	7·6	6·5	6·1	5·0	6·0	12·2	7·3
7	Dysentery ...	0·4	0·5	0·6	0·7	0·6	0·6	0·6	0·4	0·9	0·6	0·6
8	Influenza ...	21·8	20·6	25·3	14·1	35·3	23·2	32·8	221·4	240·7	22·4	65·8
9	Encephalitis lethargica	0·1	0·5	0·1
10	Cerebro-spinal fever ...	0·5	0·5	0·4	0·4	2·1	1·3	1·4	1·5	0·8	0·7	1·0
11	Tuberculosis of respiratory system	168·8	167·7	166·8	162·4	177·0	168·2	173·6	167·7	146·1	128·1	162·6
12	Other tuberculosis ...	43·6	42·6	43·2	42·8	42·2	42·7	43·9	44·0	42·1	37·0	42·4
13	Cancer, malignant disease.	77·5	80·4	86·0	83·0	83·2	87·3	85·9	85·4	86·1	83·4	83·8
14	Diabetes mellitus ...	7·9	8·5	8·6	8·4	8·9	7·8	8·2	6·8	6·7	7·6	7·9
(pt. of) 15	Cerebral hæmorrhage	43·6	43·5	46·5	46·2	49·3	46·9	48·9	42·0	46·4	44·3	45·8
16	Heart disease ...	161·7	167·1	171·1	173·6	185·2	175·1	171·5	150·1	161·8	148·0	166·5
(pt. of) 17	Arterio-sclerosis ...	2·6	2·7	3·4	2·9	3·4	3·3	4·1	3·9	4·8	4·4	3·5
18	Bronchitis ...	146·5	147·7	146·0	134·0	163·9	135·7	148·3	122·7	140·4	113·3	139·8
19	Pneumonia, all forms	86·0	86·6	82·2	77·5	90·9	82·9	88·2	128·1	116·1	84·6	92·3
20	Other respiratory diseases	26·9	28·2	27·9	28·0	27·9	26·3	27·3	23·7	25·9	22·6	26·5
21	Gastric and duodenal ulcer	7·1	7·3	7·3	8·0	7·4	7·9	7·6	7·8	7·2	6·6	7·4
22	Diarrhæa and enteritis under 2 years	44·3	18·7	40·6	26·3	26·5	25·0	22·8	19·9	20·4	18·4	26·3
23	Appendicitis ...	3·3	3·5	4·5	4·1	4·6	3·6	4·9	4·3	3·9	5·2	4·2
24	Cirrhosis of liver ...	7·6	7·1	7·2	7·9	7·0	6·4	4·5	4·3	3·6	3·5	5·9
27	Acute and chronic nephritis	34·8	37·5	38·8	37·6	37·6	39·6	39·3	36·2	36·2	34·3	37·2
28	Puerperal sepsis ...	3·7	5·3	4·5	5·3	4·5	5·2	3·3	3·0	3·1	3·9	4·2
29	Other puerperal causes	7·2	7·7	7·5	6·3	7·1	7·0	6·4	6·6	6·3	6·6	6·9
(pt. of) 30	Congenital debility and Malformation: premature birth.	73·6	68·2	75·4	68·0	70·3	67·7	67·5	62·0	63·0	64·0	68·0
32	Suicide ...	3·0	3·7	3·3	2·9	2·6	2·2	1·7	2·1	2·7	2·0	2·6
33	Other violent deaths...	38·6	34·8	37·5	38·4	40·2	50·5	39·1	30·2	28·4	39·3	37·7
34	Other defined causes...	532·1	518·1	545·8	525·3	577·7	548·6	571·5	491·8	534·0	491·3	533·6
35	Causes ill-defined or unknown	38·1	53·0	48·7	44·0	47·4	40·9	43·7	40·4	44·7	39·0	44·0

* See Note (*) on page 10.

TABLE 7 (contd.).—DEATH-RATES FROM VARIOUS CAUSES, per 100,000 population, 1911-1930.

List Nos.	CAUSES OF DEATH.	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930.	Annual Average 1921-30.
	ALL CAUSES ...	1138.5	1174.1	1400.7	1503.5	1462.3	1105.9	1477.1	1417.2	1459.3	1415.5	1445.4
1	Typhoid fever ...	4.5	3.2	4.7	4.1	3.5	4.2	3.3	3.2	3.0	2.4	3.6
2	Typhus ...	0.5	0.6	0.6	0.2	0.3	0.3	0.4	0.2	0.2	0.1	0.3
3	Measles ...	4.6	15.1	5.7	6.6	6.6	17.5	5.9	12.5	4.7	5.4	8.5
4	Scarlet fever ...	3.6	2.4	2.2	2.2	2.3	4.5	2.7	2.7	2.1	1.4	2.6
5	Whooping-cough	7.0	6.6	15.1	20.7	14.4	8.7	15.2	9.5	13.3	11.9	12.2
6	Diphtheria ...	14.9	13.3	9.5	6.2	5.3	6.6	7.4	7.6	10.3	13.1	9.4
7	Dysentery ...	0.9	0.3	0.5	0.1	0.4	0.2	0.4	0.3	0.3	0.1	0.3
8	Influenza ...	20.9	60.0	20.6	69.0	39.2	22.0	71.0	29.1	56.3	20.8	40.9
9	Encephalitis lethargica	1.0	0.6	0.5	1.8	1.7	1.5	1.9	1.6	1.2	1.6	1.3
10	Cerebro-spinal fever	0.7	0.4	0.6	0.9	0.4	0.6	0.4	0.6	0.7	0.4	0.6
11	Tuberculosis of respiratory system	124.8	122.2	116.9	122.9	122.9	113.5	115.3	108.2	101.8	100.6	114.9
12	Other tuberculous diseases	31.0	30.4	31.3	29.6	33.7	33.4	30.2	29.1	29.7	29.2	30.8
13	Cancer ...	84.3	83.5	90.6	96.6	93.9	101.7	105.2	108.2	105.8	113.0	98.3
14	Diabetes mellitus	6.9	7.9	7.4	7.1	7.4	7.6	7.8	7.9	7.8	8.0	7.6
15	Cerebral hæmorrhage, etc.	60.6	63.8	66.1	68.5	69.7	68.3	69.9	74.2	74.4	80.2	69.6
16	Heart disease ...	143.0	152.5	154.0	159.5	166.3	156.8	170.1	173.5	190.6	202.2	166.8
17	Other circulatory diseases	12.5	11.3	12.4	13.2	15.0	16.0	15.4	16.9	17.1	17.3	14.7
18	Bronchitis ...	97.3	110.7	95.1	97.4	88.9	81.9	88.3	82.3	91.5	85.8	91.9
19	Pneumonia, all forms	74.4	92.4	69.7	88.8	78.3	77.9	95.8	80.0	88.5	82.9	82.9
20	Other respiratory diseases	21.9	23.6	22.6	25.4	24.7	22.4	23.1	25.7	26.8	25.6	24.2
21	Gastric and duodenal ulcer	6.5	7.1	8.9	9.7	9.0	8.9	9.2	11.5	9.6	11.4	9.2
22	Diarrhœa and enteritis under 2 years	28.5	14.7	17.0	17.1	21.5	27.5	16.7	19.3	19.0	16.7	19.8
23	Appendicitis ...	4.5	4.9	5.4	5.3	5.2	6.4	6.3	6.6	5.2	7.0	5.7
24	Cirrhosis of liver...	3.8	3.2	3.1	2.9	3.0	3.8	3.6	3.0	3.1	2.1	3.2
25	Other diseases of liver, etc.	4.8	4.8	4.4	4.2	3.6	4.5	4.8	4.3	5.1	5.5	4.6
26	Other digestive diseases	44.6	40.5	40.4	38.6	38.1	33.7	36.4	37.1	38.2	39.1	39.2
27	Acute and chronic nephritis	33.1	33.0	34.6	35.3	37.8	38.6	37.8	41.1	43.2	44.8	37.9
28	Puerperal sepsis ...	3.5	3.9	3.9	3.4	3.5	3.9	2.6	3.5	2.7	2.7	3.4
29	Other puerperal causes	6.3	7.1	6.0	6.7	6.3	6.2	6.5	6.4	5.4	6.7	6.4
30	Congenital debility, etc.	58.6	54.2	56.9	64.1	60.8	62.9	58.8	59.2	60.4	62.6	59.8
31	Senility ...	280.6	289.5	281.7	300.6	304.5	265.1	277.3	271.2	263.5	211.6	277.5
32	Suicide ...	2.5	2.2	2.5	3.2	3.0	3.3	3.2	3.3	3.8	2.8	3.0
33	Other violent deaths.	65.6	45.2	43.6	27.7	24.4	26.7	25.3	26.6	29.2	26.3	34.1
34	Other defined causes	116.2	110.1	111.8	116.1	118.2	122.0	124.5	119.8	113.3	116.5	116.8
35	Causes ill-defined or unknown	64.1	52.9	51.4	47.8	48.5	41.8	34.4	31.0	31.5	27.7	43.4

TABLE 7A.—DEATHS FROM VARIOUS CAUSES, 1931, 1932 and 1922-1931.
SAORSTÁT ÉIREANN AND NORTHERN IRELAND.

No.	CAUSES OF DEATH.	NUMBER OF DEATHS.					DEATH-RATES PER 100,000 OF POPULATION.				
		SAORSTAT ÉIREANN			NORTHERN IRELAND		SAORSTAT IRELAND			NORTHERN IRELAND	
		1931	1932	Average 1922-31	1932	Average 1922-31	1931	1932	Average 1922-31	1932	Average 1922-31
	ALL CAUSES ...	42,917	42,984	43,044	17,812	18,873	1,452·4	1,445·3	1,446·8	1411·4	1,505·0
1	Typhoid Fever (including Para-typhoid).	68	82	101	16	32	2·3	2·8	3·4	1·3	2·5
2	Typhus ...	11	8	10	—	1	0·4	0·3	0·3	—	0·1
3	Measles ...	372	250	276	63	168	12·6	8·4	9·3	5·0	13·4
4	Scarlet Fever ...	74	92	75	24	54	2·5	3·1	2·5	1·9	4·3
5	Whooping-cough ...	139	294	357	257	212	4·7	9·9	12·0	20·4	16·9
6	Diphtheria ...	317	383	268	62	91	10·7	12·9	9·0	4·9	7·3
7	Dysentery ...	4	3	8	—	1	0·1	0·1	0·2	—	0·1
8	Influenza ...	1,472	1,655	1,303	455	681	49·8	55·6	43·8	36·1	54·3
9	Encephalitis Lethargica	36	32	40	31	37	1·2	1·1	1·4	2·5	2·9
10	Cerebro-spinal Fever	19	17	17	14	7	0·6	0·6	0·5	1·1	0·5
11	Tuberculosis of Respiratory System.	3,051	2,858	3,356	1,047	1,380	103·2	96·1	112·8	83·0	110·0
12	Other Tuberculous Diseases.	851	818	909	368	458	28·8	27·5	30·5	29·2	36·5
13	Cancer ...	3,294	3,312	3,002	1,566	1,434	111·4	111·4	101·0	124·1	114·4
14	Diabetes Mellitus ...	243	239	229	136	123	8·2	8·0	7·7	10·8	9·8
15	Cerebral Hæmorrhage, Etc. (No. 82).	2,431	2,503	2,132	1,390	1,293	82·2	84·2	71·7	110·1	103·1
16	Heart Disease ...	6,024	6,136	5,141	3,012	2,691	203·7	206·3	172·9	238·7	214·6
17	Other Circulatory Diseases.	540	599	454	459	334	18·3	20·1	15·3	36·4	26·7
18	Bronchitis ...	2,594	2,616	2,708	893	1,233	87·7	88·0	91·0	70·8	98·2
19	Pneumonia (All Forms)	2,698	2,691	2,515	1,180	1,248	91·3	90·5	84·6	93·5	99·5
20	Other Respiratory Diseases.	781	785	733	296	283	26·4	26·4	24·6	23·5	22·6
21	Gastric and Duodenal ulcer.	334	328	287	147	131	11·3	11·0	9·7	11·6	10·5
22	Diarrhoea and Enteritis (under 2 years).	533	581	557	308	287	18·0	19·5	18·8	24·4	22·9
23	Appendicitis ...	183	221	174	91	92	6·2	7·4	5·8	7·2	7·4
24	Cirrhosis of the Liver	89	77	92	34	30	3·0	2·6	3·1	2·7	2·4
25	Other Diseases of the Liver, Etc.	168	177	140	90	69	5·7	6·0	4·7	7·1	5·5
26	Other Digestive Diseases.	1,033	1,072	1,137	401	491	34·9	36·0	38·2	31·8	39·1
27	Acute and Chronic Nephritis.	1,275	1,223	1,157	423	453	43·1	41·1	38·9	33·5	36·1
28	Puerperal Sepsis ...	66	78	96	39	40	2·2	2·6	3·2	3·1	3·2
29	Other Puerperal Causes	180	178	189	95	96	6·1	6·0	6·3	7·5	7·6
30	Congenital Debility, Etc. (Nos. 157-161).	1,764	1,776	1,783	973	980	59·8	59·7	60·0	77·1	78·2
31	Senility ...	7,151	6,626	8,146	1,770	2,207	241·8	222·8	273·7	140·3	176·0
32	Suicide ...	108	110	92	71	65	3·7	3·7	3·1	5·6	5·2
33	Other Violence ...	837	867	904	413	476	28·3	29·2	30·3	35·1	38·0
34	Other Defined Causes	3,351	3,592	3,467	1,513	1,510	113·3	117·7	116·6	119·6	122·8
35	Causes ill-defined or unknown.	856	795	1,189	145	155	28·9	26·7	39·9	11·5	12·4

TABLE 8.—SAORSTÁT ÉIREANN. NUMBER OF DEATHS OF PERSONS IN THIRTEEN AGE-GROUPS, registered during the years 1864-1932.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average 1864-70 ...	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
„ 1871-80 ...	71,611*	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
„ 1881-90 ...	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
„ 1891-1900 ...	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
„ 1901-10 ...	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
„ 1911-20 ...	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
„ 1921-30 ...	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1922 ...	44,547	6,537	867	640	1,097	1,422	2,481	2,751	3,477	5,595	8,715	8,117	2,541	307
1923 ...	42,217	6,071	768	648	1,064	1,310	2,311	2,573	3,606	5,097	8,014	7,871	2,580	304
1924 ...	45,180	6,889	662	604	1,008	1,240	2,312	2,617	3,968	5,506	9,012	8,285	2,794	283
1925 ...	43,650	6,356	689	581	1,044	1,167	2,301	2,483	3,698	5,372	8,700	8,111	2,815	333
1926 ...	41,740	6,781	784	570	963	1,077	2,128	2,457	3,682	5,247	8,287	6,961	2,516	287
1927 ...	43,677	6,396	739	500	978	1,083	2,243	2,529	3,822	5,677	9,043	7,567	2,813	287
1928 ...	41,792	5,963	698	506	897	1,055	1,951	2,263	3,754	5,622	8,946	7,109	2,753	275
1929 ...	42,991	5,992	714	500	879	1,035	1,977	2,360	3,796	5,896	9,518	7,428	2,639	257
1930 ...	41,702	5,739	730	514	853	989	1,948	2,230	3,715	6,025	9,621	6,745	2,359	234
1931 ...	42,947	5,827	644	519	856	1,034	1,997	2,302	3,760	6,093	10,229	7,044	2,393	249
Average 1922-31 ...	43,044	6,255	729	553	964	1,141	2,165	2,457	3,728	5,613	9,009	7,524	2,620	281
1932 ...	42,984	5,888	732	494	887	1,038	2,050	2,244	3,605	6,288	10,428	6,850	2,264	216

Rates per 1,000 of corresponding population.

1864-70 ...	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-80 ...	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-90 ...	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900 ...	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901-10 ...	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-20 ...	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-30 ...	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1922 ...	14.74	22.28	2.97	2.15	3.77	5.73	6.00	7.76	10.89	24.93	44.23	106.97	201.39
1923 ...	14.01	20.75	2.64	2.18	3.66	5.30	5.60	7.27	11.32	22.77	40.78	104.01	204.50
1924 ...	15.03	23.62	2.28	2.04	3.48	5.03	5.62	7.42	12.50	24.67	46.00	109.80	218.82
1925 ...	14.62	21.93	2.39	1.97	3.63	4.76	5.63	7.09	11.72	24.23	44.71	108.21	225.39
1926 ...	14.06	23.59	2.75	1.93	3.36	4.48	5.34	7.13	11.11	22.75	45.22	94.98	188.84
1927 ...	14.77	22.34	2.61	1.70	3.44	4.53	5.66	7.37	11.59	24.71	49.54	103.66	209.70
1928 ...	14.17	20.89	2.47	1.72	3.15	4.42	4.93	6.61	11.41	24.54	49.14	97.66	205.39
1929 ...	14.59	21.01	2.53	1.71	3.10	4.35	5.00	6.90	11.55	25.76	52.34	102.14	196.63
1930 ...	14.16	20.12	2.59	1.75	3.01	4.15	4.93	6.52	11.30	26.33	52.91	92.75	176.06
1931 ...	14.52	20.36	2.27	1.77	3.01	4.33	5.03	6.71	11.40	26.53	56.04	96.50	178.72
Average 1922-31 ...	14.47	21.69	2.55	1.89	3.36	4.71	5.37	7.08	11.48	24.72	48.09	101.67	200.54
1932 ...	14.45	20.45	2.57	1.67	3.10	4.32	5.14	6.50	10.86	27.22	56.80	93.31	166.80

* During 1864-70 the ages at death were unspecified for an average annual number of 80 persons : and during 1871-80 for an average annual number of 44 persons.

TABLE 8 (contd.).—NUMBER OF DEATHS OF MALES IN THIRTEEN AGE-GROUPS, registered during the years 1864-1932.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average 1864-70 ...	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
„ 1871-80 ...	36,224*	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
„ 1881-90 ...	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
„ 1891-1900	29,498	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
„ 1901-10 ...	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
„ 1911-20 ...	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
„ 1921-30 ...	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1922 ...	22,748	3,652	442	294	524	801	1,253	1,412	1,875	2,921	4,246	3,954	1,220	154
1923 ...	21,531	3,320	395	288	481	769	1,190	1,278	1,971	2,642	3,997	3,831	1,249	150
1924 ...	22,821	3,796	348	286	467	650	1,112	1,248	2,132	2,885	4,435	3,929	1,397	136
1925 ...	22,118	3,474	342	276	500	571	1,072	1,242	1,934	2,841	4,351	3,966	1,397	152
1926 ...	20,844	3,676	363	239	452	534	993	1,177	1,883	2,724	4,116	3,365	1,197	125
1927 ...	21,812	3,483	375	236	461	535	1,074	1,228	1,993	3,014	4,477	3,491	1,314	131
1928 ...	20,933	3,226	346	234	444	510	933	1,086	1,895	2,965	4,425	3,461	1,274	134
1929 ...	21,547	3,307	362	247	399	509	913	1,163	1,977	3,191	4,727	3,417	1,217	118
1930 ...	21,075	3,233	384	242	405	495	916	1,077	1,852	3,139	4,960	3,187	1,077	108
1931 ...	21,754	3,201	357	240	411	520	905	1,094	1,983	3,238	5,224	3,419	1,056	106
Average 1922-31 ...	21,721	3,437	371	258	454	589	1,036	1,201	1,950	2,955	4,496	3,602	1,240	131
1932 ...	21,801	3,235	366	226	412	545	965	1,108	1,859	3,358	5,384	3,255	1,061	96

Rates per 1,000 of corresponding population

1864-70 ...	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-80 ...	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	295.18
1881-90 ...	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900 ...	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-10 ...	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911-20 ...	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-30 ...	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1922 ...	14.88	24.55	2.98	1.94	3.53	6.22	6.06	7.85	11.34	25.24	45.12	113.52	216.41
1923 ...	14.13	22.36	2.67	1.90	3.24	5.98	5.77	7.12	11.94	22.87	42.55	110.20	220.77
1924 ...	15.00	25.65	2.36	1.89	3.16	5.07	5.41	6.98	12.96	25.06	47.37	113.39	242.72
1925 ...	14.63	23.62	2.34	1.84	3.40	4.48	5.24	6.98	11.83	24.82	46.75	115.14	246.70
1926 ...	13.85	25.18	2.51	1.58	3.09	4.29	5.00	6.80	10.92	22.58	46.32	102.07	201.04
1927 ...	14.55	23.96	2.60	1.57	3.18	4.32	5.42	7.12	11.60	25.08	50.57	106.32	220.62
1928 ...	13.99	22.23	2.41	1.56	3.06	4.12	4.71	6.31	11.06	24.73	50.09	105.61	215.41
1929 ...	14.40	22.79	2.52	1.65	2.75	4.12	4.62	6.76	11.53	26.61	53.50	104.25	204.19
1930 ...	14.08	22.26	2.67	1.62	2.79	4.00	4.63	6.25	10.80	26.16	56.10	97.16	181.11
1931 ...	14.45	21.93	2.47	1.59	2.82	4.18	4.55	6.32	11.50	26.84	58.77	103.66	176.62
Average 1922-31 ...	14.40	23.45	2.55	1.71	3.10	4.68	5.14	6.85	11.55	25.00	49.71	107.13	212.56
1932 ...	14.40	22.03	2.52	1.49	2.81	4.36	4.82	6.36	10.67	27.67	60.21	98.10	165.74

* During 1864-70 the ages at death were unspecified for an average annual number of 49 males; and during 1871-80 for an average annual number of 29 males.

TABLE 8 (contd.).—NUMBER OF DEATHS OF FEMALES IN THIRTEEN AGE-GROUPS, registered during the years 1864-1932.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Age 1864-70	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
1871-80	35,387*	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
1881-90	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
1901-10	28,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,843	1,380	259
1911-20	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
1921-30	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1922	21,799	2,885	425	346	573	621	1,228	1,339	1,602	2,674	4,469	4,163	1,321	153
1923	20,656	2,751	373	360	583	541	1,121	1,295	1,635	2,455	4,017	4,040	1,331	154
1924	22,359	3,093	314	318	541	590	1,200	1,369	1,836	2,621	4,577	4,356	1,397	147
1925	21,532	2,882	347	305	544	596	1,229	1,241	1,764	2,531	4,349	4,145	1,418	181
1926	20,896	3,105	421	331	511	543	1,135	1,280	1,799	2,523	4,171	3,596	1,319	162
1927	21,865	2,913	364	264	517	548	1,169	1,301	1,829	2,663	4,566	4,076	1,499	156
1928	20,859	2,737	352	272	453	545	1,018	1,177	1,859	2,657	4,521	3,648	1,479	141
1929	21,444	2,685	352	253	480	526	1,064	1,197	1,819	2,705	4,791	4,011	1,422	139
1930	20,627	2,506	346	272	448	494	1,032	1,153	1,863	2,886	4,661	3,558	1,282	126
1931	21,193	2,626	287	279	445	514	1,092	1,208	1,777	2,855	5,005	3,625	1,337	143
Age 1922-31	21,323	2,818	353	300	510	552	1,129	1,256	1,778	2,657	4,513	3,922	1,380	150
1932	21,183	2,653	366	268	475	493	1,085	1,136	1,755	2,930	5,044	3,595	1,263	129

Rates per 1,000 of corresponding population.

1864-70	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-80	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-90	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-10	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	43.04	107.57	265.12
1911-20	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-30	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	93.58	190.62
1922	14.60	19.95	2.96	2.36	4.01	5.21	5.93	7.66	10.40	24.59	43.43	101.41	189.14
1923	13.88	19.09	2.60	2.47	4.10	4.55	5.43	7.43	10.65	22.65	39.17	98.74	191.22
1924	15.07	21.52	2.20	2.18	3.81	4.98	5.83	7.88	12.00	24.25	44.75	106.75	199.33
1925	14.62	20.20	2.45	2.11	3.86	5.07	6.02	7.19	11.61	23.59	42.83	102.34	207.09
1926	14.27	21.96	3.01	2.29	3.65	4.69	5.69	7.48	11.33	22.94	44.18	89.18	179.12
1927	15.00	20.68	2.61	1.83	3.71	4.76	5.89	7.63	11.57	24.31	48.57	101.49	200.99
1928	14.36	19.50	2.54	1.90	3.26	4.75	5.14	6.93	11.80	24.34	48.25	91.15	197.42
1929	14.79	19.17	2.54	1.77	3.46	4.59	5.39	7.05	11.56	24.83	51.24	100.41	190.60
1930	14.24	17.90	2.50	1.90	3.23	4.32	5.23	6.80	11.85	26.51	49.88	89.13	172.02
1931	14.60	18.72	2.07	1.95	3.20	4.48	5.52	7.11	11.28	26.18	53.45	90.60	180.40
Age 1922-31	14.54	19.87	2.55	2.08	3.63	4.74	5.31	7.32	11.41	24.42	46.58	97.12	190.82
1932	14.51	18.81	2.63	1.86	3.40	4.28	5.46	6.65	11.08	26.72	53.57	89.35	167.66

* During 1864-70 the ages at death were unspecified for an average annual number of 31 females; and during 1871-80 for an average annual number of 15 females.

TABLE 9.—INFANT MORTALITY (Deaths of Infants under one year of age, per 1,000 Births), by certain causes, registered in the eleven years 1922-32.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.										
	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932
ALL CAUSES	68.89	66.43	71.65	67.92	74.41	70.84	67.87	70.38	67.95	68.93	72.19
Measles (7)	1.44	0.50	0.75	0.63	1.59	0.47	1.15	0.44	0.46	1.40	1.00
Scarlet Fever (8)	0.10	0.03	0.08	0.03	0.03	0.08	0.04	0.05	0.02	0.07	0.07
Whooping Cough (9)	1.22	3.52	4.12	3.27	1.81	3.40	2.40	3.38	3.24	1.16	2.60
Diphtheria (10)	0.44	0.19	0.18	0.13	0.25	0.29	0.19	0.35	0.16	0.25	0.23
Influenza (11)	1.48	0.65	1.86	0.89	0.54	2.15	0.81	1.16	0.24	1.09	1.12
Tuberculosis of Nervous System (24).	0.37	0.37	0.21	0.48	0.31	0.22	0.37	0.19	0.45	0.35	0.32
Tuberculosis of Intestines and Peritoneum (25).	0.46	0.39	0.24	0.37	0.47	0.48	0.30	0.58	0.19	0.23	0.27
Other Tuberculous Diseases (23, 26-32).	0.82	0.46	0.61	0.50	0.70	1.00	0.58	0.67	0.72	0.93	0.35
Syphilis (34)	0.36	0.28	0.15	0.27	0.28	0.27	0.25	0.19	0.15	0.23	0.11
Meningitis (79)	0.92	0.89	0.70	0.89	1.34	1.19	1.05	1.01	0.79	0.86	0.96
Convulsions (86)	8.75	8.18	8.02	8.12	8.39	7.92	8.05	6.90	6.34	6.78	6.54
Bronchitis (106)	5.30	5.12	4.74	3.75	4.22	4.28	3.72	3.88	3.77	3.17	3.96
Pneumonia (107-9)	7.14	5.15	7.26	5.69	6.11	7.60	6.01	7.24	7.35	7.72	8.44
Inflammation of Stomach (118a)	2.21	1.86	1.50	1.34	1.60	1.45	1.05	1.29	1.32	1.24	1.62
Diarrhoea and Enteritis (119)	6.49	7.17	7.03	8.89	11.97	7.18	8.43	8.49	7.20	8.27	9.33
Congenital Malformations (157)	1.80	1.85	2.41	2.24	2.16	2.42	2.62	2.78	3.29	3.38	3.40
Congenital Debility (158)*	18.15	18.80	20.27	19.48	19.35	17.86	17.30	17.61	17.20	16.00	16.46
Premature Birth (159) ...	6.49	5.92	6.59	6.52	8.04	7.26	6.98	7.48	8.48	8.58	8.53
Injury at Birth (160) ...											
Other Diseases peculiar to Early Infancy (161)* ...	1.00	0.94	0.73	0.50	0.42	0.67	1.42	1.18	1.20	1.49	1.69
Suffocation (Overlying) (182)...	0.07	0.13	0.14	0.10	0.15	0.12	0.14	0.27	0.10	0.26	0.12
Other Causes	3.88	4.03	4.06	3.83	4.68	4.13	4.45	4.50	4.44	4.48	4.25

* For the years 1922-30, some of the deaths now included in Other Diseases peculiar to Early Infancy (161) were assigned, to Congenital Debility (158).

TABLE 10.—INFANT MORTALITY, by certain causes, age-periods, and sexes, in the year 1932.

DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.

MALES AND FEMALES.

CAUSES OF DEATH.	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 Mth.	Total under 1 Mth.	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 year.
ALL CAUSES	6.95	8.13	3.73	2.97	4.16	25.94	9.14	6.49	15.33	15.29	72.19
Measles (7)	0.02	0.02	0.05	0.04	0.11	0.78	1.00
Scarlet Fever (8)	0.07	0.07
Whooping Cough (9)	0.02	0.05	.	0.07	0.23	0.22	0.89	1.19	2.60
Diphtheria (10)	0.05	0.02	0.05	0.11	0.23
Influenza (11)	0.02	.	0.03	0.05	0.11	0.23	0.22	0.48	1.12
Tuberculosis of the Nervous System (24)	0.02	.	0.02	0.28	0.32
Tuberculosis of Intestines and Peritoneum (25)	0.05	0.22	0.27
Other Tuberculous Diseases (23, 26-32)	0.02	0.05	0.11	0.16	0.35
Syphilis (34)	0.01	.	0.01	0.05	0.11
Meningitis (79)	0.01	.	.	.	0.01	0.01	0.05	0.50	0.53	0.96
Convulsions (86)	0.30	0.73	0.55	0.27	0.53	2.38	1.07	0.89	1.49	0.89	6.54
Bronchitis (106)	0.09	0.11	0.11	0.27	0.64	0.33	0.27	1.08	1.39	3.96
Pneumonia (107-9)	0.03	0.11	0.23	0.28	0.67	0.39	0.66	2.49	3.81	8.44
Inflammation of Stomach (118a)	0.02	0.04	0.05	0.07	0.18	0.33	0.23	0.59	0.97	1.62
Diarrhœa and Enteritis (119)	0.05	0.11	0.50	0.69	1.61	1.56	3.39	2.48	9.33
Congenital Malformations (157)	0.48	0.71	0.24	0.25	0.19	1.97	0.41	0.25	0.39	0.28	3.40
Congenital Debility (158)	1.85	2.76	1.99	0.88	1.25	7.74	2.52	1.89	3.47	1.23	16.46
Premature Birth (159)	2.80	2.75	0.92	0.61	0.69	7.77	0.69	0.09	0.05	0.02	8.53
Injury at Birth (160)	0.37	0.25	0.11	0.05	.	0.78	0.02	0.02	.	.	0.82
Other Diseases peculiar to early Infancy (161)	0.71	0.43	0.25	0.14	0.04	1.57	0.16	0.02	.	.	1.69
Suffocation (overlying) (182)	0.02	0.02	0.02	0.02	0.08	0.02	.	.	0.02	0.12
Other Causes	0.44	0.30	0.16	0.12	0.27	1.29	0.30	0.29	1.14	1.13	4.25

TABLE 10.—*contd.*—INFANT MORTALITY, by certain causes, age-periods, and sexes, in the year 1932.

DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.

MALES.

CAUSES OF DEATH.	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 Mth.	Total under 1 Mth.	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 year.
ALL CAUSES	7.39	8.70	3.88	3.74	4.82	28.53	11.13	7.53	15.64	16.57	79.40
Measles (7)	0.03	0.03	0.07	0.07	0.10	0.81	1.08
Scarlet Fever (8)	0.07	0.07
Whooping Cough (9)	0.03	0.11	.	0.14	0.21	0.17	0.66	1.21	2.39
Diphtheria (10)	0.03	0.03	0.07	0.15	0.28
Influenza (11)	0.07	0.07	0.21	0.28	0.14	0.48	1.18
Tuberculosis of the Nervous System (24)	0.03	.	.	0.32	0.35
Tuberculosis of Intestines and Peritoneum (25)	0.03	0.32	0.35
Other Tuberculous Diseases (23, 26-32)	0.03	0.07	0.11	0.24	0.45
Syphilis (34)	0.03	.	.	.	0.03
Meningitis (79)	0.07	.	.	.	0.07	0.07	0.07	0.31	0.76	1.28
Convulsions (86)	0.35	0.73	0.73	0.27	0.70	2.78	1.21	1.11	1.77	0.83	7.70
Bronchitis (106)	0.07	0.21	0.03	0.34	0.65	0.74	0.17	1.01	1.49	4.06
Pneumonia (107-9)	0.07	0.38	0.31	0.76	0.90	0.87	2.78	4.36	9.67
Inflammation of Stomach (118a) Diarrhoea and Enteritis (119)	0.03	0.07	0.11	0.14	0.35	0.45	0.24	0.73	0.38	2.15
Congenital Malformations (157) Congenital Debility (158)	0.35	0.86	0.35	0.24	0.21	2.01	0.42	0.38	0.35	0.34	3.50
Premature Birth (159)	1.91	3.05	0.97	1.18	1.36	8.47	3.29	1.96	3.31	1.34	18.37
Injury at Birth (160)	3.29	2.88	0.83	0.63	0.73	8.36	0.59	0.10	0.07	.	9.12
Other Diseases peculiar to Early Infancy (161)	0.45	0.21	0.07	0.10	.	0.83	.	0.04	.	.	0.87
Suffocation (overlying) (182)	0.66	0.42	0.31	0.24	0.07	1.70	0.14	0.03	.	.	1.87
Other Causes	0.38	0.38	0.17	0.14	0.24	1.31	0.49	0.14	1.04	1.25	4.23

FEMALES.

ALL CAUSES	6.50	7.51	3.58	2.15	3.47	23.21	7.05	5.40	15.00	13.94	64.60
Measles (7)	0.03	.	0.11	0.77	0.91
Scarlet Fever (8)	0.07	0.07
Whooping Cough (9)	0.26	0.26	1.13	1.16	2.81
Diphtheria (10)	0.07	.	0.04	0.07	0.18
Influenza (11)	0.04	.	.	0.04	0.07	0.18	0.30	0.47	1.06
Tuberculosis of the Nervous System (24)	0.03	0.26	0.29
Tuberculosis of Intestines and Peritoneum (25)	0.07	0.11	0.18
Other Tuberculous Diseases (23, 26-32)	0.18	0.07	0.25
Syphilis (34)	0.07	0.11	0.18
Meningitis (79)	0.04	0.29	0.29	0.62
Convulsions (86)	0.25	0.73	0.37	0.25	0.37	1.97	0.92	0.47	1.02	0.95	5.33
Bronchitis (106)	0.11	0.07	0.26	0.18	0.62	0.44	0.36	1.17	1.28	3.87
Pneumonia (107-9)	0.07	0.15	0.11	0.25	0.58	0.87	0.44	2.01	3.25	7.15
Inflammation of Stomach (118a) Diarrhoea and Enteritis (119)	0.07	.	0.40	0.47	0.25	0.22	0.44	0.15	1.06
Congenital Malformations (157) Congenital Debility (158)	0.62	0.55	0.33	0.25	0.18	1.93	0.99	1.31	3.43	2.19	8.39
Premature Birth (159)	1.80	2.44	1.05	0.55	1.14	6.98	0.40	0.12	0.44	0.40	3.29
Injury at Birth (160)	2.27	2.62	1.02	0.58	0.66	7.15	1.72	1.68	2.99	1.09	14.46
Other Diseases peculiar to Early Infancy (161)	0.29	0.29	0.15	.	.	0.73	0.04	.	.	.	0.77
Suffocation (overlying) (182)	0.76	0.44	0.18	0.04	.	1.42	0.08	.	.	.	1.50
Other Causes	0.51	0.22	0.15	0.11	0.29	1.28	0.29	0.25	1.24	1.21	4.27

TABLE 11.—INFANT MORTALITY, by certain causes, for each of the under mentioned areas or groups of areas in 1932. (Corrected for transfers to area of residence.)

CAUSES OF DEATH.			DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED												
			CITIES AND BOROUGHES.					ALL URBAN AREAS.				RURAL DISTRICTS IN PROVINCES.			
			City of Dublin.	Borough of Dun Laoghaire.	Cork.	Limerick.	Waterford.	10,000 population & upwards.	Under 10,000 population.	Total Urban Areas.	Total Rural Districts.	Leinster.	Munster.	Connaught.	Ulster (part of).
Cols.			(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
ALL CAUSES	100.45	82.94	87.36	91.79	132.37	99.48	79.23	95.37	58.66	70.04	61.73	42.51	54.31
Measles (7)	0.77	.	0.55	0.97	7.19	1.39	0.95	1.30	0.82	0.68	0.33	1.19	1.79
Scarlet Fever (8)	0.10	0.06	.	0.05	0.08	0.10	0.08	0.12	.
Whooping Cough (9)	6.34	1.56	4.40	1.93	4.32	5.08	0.95	4.24	1.63	1.74	1.30	1.30	2.91
Diphtheria (10)	0.38	.	.	0.97	.	0.30	0.48	0.34	0.17	0.10	0.08	0.36	0.22
Influenza (11)	0.38	.	.	0.97	2.88	0.55	0.24	0.48	1.49	1.16	1.79	1.54	1.34
Tuberculosis of the Nervous System (24).			0.38	1.56	1.10	.	.	0.48	0.71	0.53	0.20	0.29	0.33	.	.
Tuberculosis of Intestines and Peritoneum (25).			0.29	1.56	.	.	1.44	0.36	0.48	0.39	0.20	0.29	0.24	0.12	.
Other Tuberculous Diseases (23, 26-32).			0.48	.	1.10	.	.	0.42	1.19	0.58	0.23	0.10	0.33	0.36	.
Syphilis (34)	0.19	.	0.55	.	.	0.18	0.48	0.24	0.03	0.10	.	.	.
Meningitis (79)	1.15	4.70	1.65	0.97	1.44	1.57	0.24	1.30	0.76	1.25	0.82	0.47	.
Convulsions (86)	6.15	3.13	10.44	29.95	11.51	8.84	7.14	8.49	5.41	6.08	5.63	5.70	2.68
Bronchitis (106)	6.15	4.70	4.40	7.73	12.95	6.23	3.09	5.60	3.01	4.15	2.45	2.26	3.35
Pneumonia (107-9)	16.71	7.82	7.14	5.80	7.19	12.83	8.09	11.87	6.45	6.86	6.60	5.16	6.93
Inflammation of Stomach (118a).			2.69	.	1.10	10.63	2.88	3.09	2.62	2.99	0.82	1.06	1.06	0.36	0.45
Diarrhoea and Enteritis (119)			16.71	7.82	21.43	14.49	31.65	17.79	12.84	16.79	4.98	5.99	7.58	1.19	2.68
Congenital Malformations (157).			5.38	3.13	3.29	0.97	11.51	4.78	4.76	4.78	2.59	3.48	2.77	2.02	1.12
Congenital Debility (158)	11.01	14.09	15.38	12.56	10.07	12.65	18.08	13.75	18.05	20.87	18.75	13.77	17.66
Premature Birth (159)	16.04	15.65	7.14	3.85	17.26	14.16	9.28	13.17	5.82	9.27	5.63	2.49	4.69
Injury at Birth (160)	1.15	4.70	.	.	1.44	0.97	0.48	0.87	0.79	0.77	0.82	0.36	1.56
Other Diseases peculiar to early Infancy (161)	2.50	4.70	1.10	.	1.44	2.24	1.90	2.16	1.41	1.64	1.55	0.59	2.01
Suffocation (overlying) (162).			1.44	0.06	0.24	0.10	0.11	0.29	0.08	.	.
Other Causes	5.47	7.82	6.59	.	5.76	5.45	4.99	5.35	3.61	3.77	3.51	2.85	4.22

TABLE 12. —INFANT MORTALITY, by age periods, for the undermentioned Urban and Rural areas in 1932. (Corrected for transfers to area of residence).

AREAS.	NUMBER OF DEATHS OF INFANTS AT AGES:—										
	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days and under 1 Month	Total Under 1 Month	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total Under 1 Year
City of Dublin ...	92	83	44	39	65	323	128	94	245	256	1,046
Borough of Dún Laoghaire ...	4	7	2	4	4	21	9	4	10	9	53
Cork County Borough ...	9	20	5	7	6	47	18	15	40	39	159
Limerick „ „ ...	1	9	2	2	4	18	15	16	23	23	95
Waterford „ „ ...	4	12	5	2	6	29	15	6	18	24	92
Urban Areas 10,000 population and upwards.	131	150	67	59	100	507	206	146	391	391	1,644
Urban Areas under 10,000 ...	28	44	11	7	18	108	44	35	78	68	333
TOTAL URBAN AREAS ...	159	194	78	66	118	615	250	181	472	459	1,977
TOTAL RURAL DISTRICTS ...	232	263	132	101	116	844	264	184	390	401	2,083
Province of Leinster (Rural)	97	96	42	32	51	318	86	58	121	142	725
„ Munster „ ...	80	92	41	40	33	287	100	68	162	140	757
„ Connaught „ ...	37	44	31	13	18	143	47	32	62	74	358
„ Ulster „ (Part of) ...	18	30	18	16	14	96	31	26	45	45	243
SAORSTÁT ÉIREANN ...	391	457	210	167	234	1,459	514	365	862	860	4,060

INFANT MORTALITY PER 1,000 BIRTHS.

City of Dublin ...	8.83	7.97	4.23	3.75	6.24	31.02	12.29	9.03	23.53	24.58	100.45
Borough of Dún Laoghaire	6.26	10.95	3.13	6.26	6.26	32.86	14.08	6.26	15.65	14.09	82.94
Cork County Borough ...	4.94	10.99	2.75	3.84	3.30	25.82	9.89	8.24	21.98	21.43	87.36
Limerick „ „ ...	0.97	8.70	1.93	1.93	3.86	17.39	14.50	15.46	22.22	22.22	91.79
Waterford „ „ ...	5.76	17.27	7.19	2.88	8.63	41.73	21.58	8.63	25.90	34.53	132.37
Urban Areas 10,000 population and upwards.	7.33	9.08	4.05	3.57	6.05	30.68	12.47	8.83	23.84	23.66	99.48
Urban Areas under 10,000 ...	6.66	10.47	2.62	1.67	4.28	25.70	10.47	8.32	18.56	16.18	79.23
TOTAL URBAN AREAS ...	7.67	9.36	3.76	3.19	5.69	29.67	12.06	8.73	22.77	22.14	95.37
TOTAL RURAL DISTRICTS ...	6.53	7.41	3.72	2.84	3.27	23.77	7.44	5.18	10.98	11.29	58.66
Province of Leinster (Rural)	9.37	9.27	4.06	3.09	4.93	30.72	8.81	5.60	11.69	13.72	70.04
„ Munster „	6.52	7.59	3.34	3.26	2.69	23.40	8.15	5.55	13.21	11.42	61.73
„ Connaught „	4.39	5.23	3.68	1.54	2.14	16.98	5.58	3.80	7.36	8.79	42.51
„ Ulster „ (Part of)	4.02	6.70	4.02	3.58	3.13	21.45	6.93	5.81	10.06	10.06	54.31
SAORSTÁT ÉIREANN ...	6.95	8.13	3.73	2.97	4.16	25.94	9.14	6.49	15.33	15.29	72.19

TABLE 13.—MORTALITY, by certain causes and by age-periods, among ILLEGITIMATE INFANTS UNDER ONE YEAR OF AGE, in the year 1932.

CAUSES OF DEATH.	NUMBER OF DEATHS OF ILLEGITIMATE INFANTS AT AGES										
	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days and under 1 Month	Total under 1 Month	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.
Measles (7)	1	4	5	10
Scarlet Fever (8)	2	2
Whooping Cough (9)	2	3	2	7
Diphtheria (10)
Influenza (11)	1	1	2
Tuberculosis of the Nervous System (24)	1	1
Tuberculosis of Intestines and Peritoneum (25)	3	4	7
Other Tuberculous Diseases (23, 26-32)	1	.	2	1	4
Syphilis (34)	2	2	4
Meningitis (79)	1	.	5	6
Convulsions (86)	3	4	.	3	10	6	3	4	4	27
Bronchitis (106)	1	1	1	1	4	3	1	4	2	14
Pneumonia (107-9)	1	1	2	3	4	10	9	28
Inflammation of Stomach (118a)	.	.	.	1	1	2	8	4	3	3	20
Diarrhoea and Enteritis (119)	.	.	1	1	3	5	12	13	20	12	62
Congenital Malformations (157)	.	3	4	2	1	10	3	.	2	2	17
Congenital Debility (158) ...	4	15	5	6	9	39	26	23	35	7	130
Premature Birth (159) ...	12	7	4	.	7	30	4	.	.	.	34
Injury at Birth (160) ...	2	1	.	1	.	4	4
Other diseases peculiar to early Infancy (161)	5	3	.	.	1	9	2	1	.	.	12
Suffocation (overlying) (182)	1	.	.	.	1	1
Other Causes	19	6	1	3	2	31	3	2	5	3	44
ALL CAUSES	42	40	20	16	29	147	71	55	98	65	436

TABLE 14.—THE number of DEATHS OF ILLEGITIMATE INFANTS UNDER ONE YEAR OF AGE by age-periods in each county and county borough during the year 1932, distinguishing deaths in Institutions. (*Corrected for transfers.*)

COUNTIES AND COUNTY BOROUGH BY PROVINCES.	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 mth.	Total under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	Place of Occurrence.	
												Institu- tions.	Else- where.
SAORSTAT ÉIREANN	42	40	20	16	29	147	71	55	98	65	436	356	80
Carlow ...	1	1	.	1	.	2	4	3	1
Dublin ...	4	1	1	1	2	9	4	3	4	5	25	20	5
City of Dublin ...	6	6	5	3	7	27	21	17	26	20	111	98	13
Kildare	1	2	3	1	3	2	4	13	13	.
Kilkenny ...	4	1	1	.	2	8	3	.	3	1	15	7	8
Laoighis ...	1	.	1	.	1	3	2	2	2	3	12	10	2
Longford	1	2	1	1	5	5	.
Louth	1	.	.	1	1	1	.
Meath	3	1	.	2	6	1	.	.	1	8	6	2
Offaly ...	2	.	.	.	1	3	3	2	2	1	11	10	1
Westmeath ...	1	.	.	1	.	2	1	.	.	1	4	4	.
Wexford ...	4	1	1	.	.	6	4	.	4	.	14	9	5
Wicklow	1	1	3	.	3	1	8	8	.
PROVINCE OF LEINSTER	23	12	11	6	18	70	44	30	47	40	231	194	37
Clare	4	.	.	.	4	2	4	5	.	15	14	1
Cork ...	4	6	2	1	4	17	6	3	10	3	39	34	5
Cork Co. Borough...	1	3	.	.	.	4	1	2	1	.	8	6	2
Kerry ...	2	.	1	1	2	6	3	2	4	3	18	13	5
Limerick ...	2	.	.	1	.	3	5	1	9	2	20	11	9
Limerick Co. Borough
Tipperary, North Riding.	.	1	1	1	1	4	2	.	1	.	7	6	1
Tipperary, South Riding.	2	2	.	2	.	6	.	4	4	3	17	14	3
Waterford	2	1	1	.	4	1	1	2	1	9	7	2
Waterford Co. Borough.	1	.	1	1	.
PROVINCE OF MUNSTER	11	18	5	7	7	48	20	17	37	12	134	106	28
Galway ...	1	2	.	.	.	3	1	2	3	7	16	14	2
Leitrim ...	1	2	.	.	.	3	3	3	.
Mayo ...	2	.	1	.	.	3	.	1	1	1	6	4	2
Roscommon ...	2	.	1	2	.	5	.	.	.	1	6	3	3
Sligo	1	2	1	2	6	6	.
PROVINCE OF CONNAUGHT.	6	4	2	2	.	14	2	5	5	11	37	30	.
Cavan	1	1	.	2	4	1	.	2	.	7	7	.
Donegal ...	2	5	.	1	2	10	4	3	7	1	25	17	8
Monaghan	1	.	.	1	.	.	.	1	2	2	.
PROVINCE OF ULSTER (Part of).	2	6	2	1	4	15	5	3	9	2	34	26	8

TABLE 15.—MARRIAGE-BIRTH-AND DEATH-RATES (including Standardised Death-rates) from ALL CAUSES; and Death-rates from the PRINCIPAL EPIDEMIC DISEASES,* and from TUBERCULOSIS, per 1,000 of the population; and rates from PUERPERAL CONDITIONS, and INFANT MORTALITY per 1,000 Births; by Provinces, Counties and County Boroughs, in 1932.

COUNTIES AND COUNTY BOROUGH BY PROVINCES.	Popula- tion, Census 1926.	MARRI- AGES.	BIRTHS.		DEATHS.						
		Rates per 1,000 of Popula- tion.	Rates per 1,000 of Popula- tion.	Illegiti- mate per cent. of Total Births.	RATES PER 1,000 OF POPULATION.				RATES PER 1,000 BIRTHS.		
					All Causes corrected for Trans- fers.	All Causes Stand- ardised.	Prin- cipal Epidem- ic Dis- eases.*	Tuber- culosis.	From Puer- peral Sepsis.	From Other Puer- peral condi- tions.	Deaths of Infant under One Year of age.
SAORSTAT ÉIREANN †	2,971,992	4.38	18.91	3.23	14.45	14.45	0.57	1.24	1.39	3.18	72
Carlow ...	34,476	4.32	18.56	3.91	16.07	15.84	0.44	1.16	3.12	3.12	89
Dublin ...	100,354	5.70	18.88	3.48	14.46	16.49	0.59	1.36	1.06	2.64	86
Dublin City †	405,300	6.65	25.04	3.04	15.63	18.64	1.14	1.69	1.06	2.50	100
Kildare ...	58,028	4.27	21.01	5.25	14.27	15.62	0.40	1.53	0.82	2.46	71
Kilkenny ...	70,990	3.59	18.14	5.12	15.55	15.58	0.69	1.11	.	2.33	74
Laoighis ...	51,540	3.01	17.64	5.06	14.84	14.10	0.31	1.47	.	1.10	73
Longford...	39,847	3.56	16.16	3.42	12.82	11.30	0.30	0.85	4.66	3.11	45
Louth ...	62,739	4.22	18.94	2.44	15.99	16.45	0.65	1.26	0.84	6.73	77
Meath ...	62,969	3.76	17.42	5.01	15.25	15.35	0.64	1.18	1.82	3.65	76
Offaly ...	52,592	4.13	17.82	2.35	13.16	12.87	0.51	1.06	2.13	3.20	57
Westmeath ...	56,818	4.29	17.85	3.25	15.59	15.50	0.46	1.43	.	4.93	71
Wexford ...	95,848	4.01	18.64	5.76	16.48	16.22	0.29	1.64	0.56	5.04	81
Wicklow ...	57,591	4.17	18.53	4.78	15.77	15.74	0.40	1.42	.	2.81	57
PROVINCE OF LEINSTER	1,149,092	5.11	20.97	3.73	15.44	16.54	0.73	1.47	1.04	3.07	85
Clare ...	95,064	3.00	16.54	3.56	13.17	11.65	0.16	1.00	.	5.09	46
Cork ...	287,257	3.46	16.46	3.55	13.89	14.04	0.42	1.12	1.69	2.12	65
Cork Co. Borough	78,490	8.66	23.19	1.81	15.76	18.91	1.04	1.83	1.65	3.85	87
Kerry ...	149,171	3.76	17.30	2.67	12.96	12.97	0.40	1.11	1.16	2.32	57
Limerick ...	100,895	3.66	19.56	4.41	13.69	13.79	0.52	1.23	1.01	3.04	85
Limerick Co. Borough	39,448	7.78	26.24	2.61	15.39	19.04	1.24	0.91	1.93	5.80	92
Tipperary, North Riding.	59,645	4.49	19.03	3.00	15.12	14.90	0.37	1.24	.	5.29	70
Tipperary, South Riding.	81,370	4.03	18.66	4.15	14.64	14.73	0.63	1.18	0.66	6.59	72
Waterford ...	51,915	3.87	16.01	3.61	14.77	14.24	0.39	1.12	1.20	7.22	61
Waterford Co. Boro.	26,647	5.40	26.08	2.30	18.39	20.29	2.29	1.28	8.63	.	132
PROVINCE OF MUNSTER	969,902	4.26	18.44	3.26	14.18	14.44	0.55	1.18	1.45	3.63	72
Galway ...	169,366	3.34	18.80	1.48	13.88	12.94	0.58	1.12	1.57	3.14	57
Leitrim ...	55,907	3.56	14.51	1.73	14.13	11.96	0.32	0.84	.	1.23	46
Mayo ...	172,690	3.22	16.93	0.82	11.79	10.73	0.30	1.04	2.05	1.71	39
Roscommon ...	83,556	3.67	15.30	1.41	12.84	11.05	0.22	0.80	3.91	6.26	40
Sligo ...	71,388	3.33	16.11	2.00	13.97	12.34	0.43	0.90	.	1.74	63
PROVINCE OF CONNAUGHT.	552,907	3.37	16.90	1.35	13.11	11.77	0.39	0.99	1.71	2.78	49
Cavan ...	82,452	4.10	16.12	4.14	14.78	13.25	0.23	0.97	4.51	3.76	50
Donegal ..	152,508	3.67	16.42	4.67	13.62	12.07	0.40	1.02	0.40	1.60	57
Monaghan ..	65,131	3.92	16.51	3.63	14.60	13.07	0.48	0.95	3.72	3.72	60
PROVINCE OF ULSTER (part of).	300,091	3.84	16.36	4.30	14.15	12.62	0.37	0.99	2.24	2.65	56

* Typhoid fever, typhus, smallpox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhoeal diseases.

† The rates for Saorstát Éireann and the City of Dublin are calculated on the estimated population in the middle of 1932.

TABLE 16—BIRTH-DEATH-PUERPERAL and INFANT MORTALITY RATES for Urban and Rural areas, 1932, in provinces and in administrative counties, with the standardised rates for Deaths from all Causes.

URBAN AND RURAL AREAS.	Population Census 1926.	RATES PER 1,000 OF POPULATION.					DEATH RATES PER 1,000 BIRTHS.		
		Birth Rates Corrected for Transfers.	DEATH RATES.				Puerperal Sepsis.	Other Puerperal Conditions.	Infant under One Year of Age.
			All Causes Corrected for Transfers.	All Causes Standardised.	Principal Epidemic Diseases.*	Tuberculosis.			
ALL COUNTY BOROUGHS AND URBAN DISTRICTS	876,851	23·34	15·30	17·71	1·04	1·55	1·35	2·85	95
ALL RURAL DISTRICTS ...	2,095,141	17·02	14·09	13·24	0·37	1·10	1·41	3·35	59
COUNTY BOROUGHS AND URBAN DISTRICTS, over 10,000 Population ...	669,830	24·26	15·66	18·54	1·15	1·55	1·45	2·84	99
CITY OF DUBLIN	405,300	25·04	15·63	18·64	1·14	1·69	1·06	2·50	100
Borough of Dun Laoghaire ...	35,111	17·95	14·16	15·81	0·39	0·93	.	.	83
Cork County Borough	78,490	23·19	15·76	18·91	1·04	1·83	1·65	3·85	87
Limerick County Borough ...	39,448	26·24	15·39	19·04	1·24	0·91	1·93	5·80	92
Waterford County Borough ...	26,647	26·08	18·39	20·29	2·29	1·28	8·63	.	132
Galway U.D. ...	14,227	25·94	16·66	19·77	1·76	1·27	2·71	2·71	136
Dundalk U.D. ...	13,996	19·93	16·29	21·19	1·79	0·79	.	10·75	79
Drôgheda U.D. ...	12,716	22·81	16·20	17·84	0·39	1·12	.	.	83
Wexford U.D. ...	11,879	25·25	17·68	20·19	0·67	1·68	.	10·00	113
Sligo U.D. ...	11,437	21·77	13·73	14·68	1·75	1·05	.	.	124
Tralee U.D. ...	10,533	20·79	13·77	17·43	0·76	1·52	4·57	4·57	91
Kilkenny U.D. ...	10,046	21·70	14·53	16·36	1·09	1·39	.	.	83
URBAN DISTRICTS, under 10,000 Population ...	207,021	20·30	14·10	15·29	0·66	1·52	0·95	2·86	79
ALL COUNTY BOROUGHS AND URBAN DISTRICTS IN :—									
Province of Leinster	561,892	24·47	15·80	18·52	1·07	1·64	1·02	2·69	96
Province of Munster	249,022	22·58	15·52	17·71	1·02	1·49	2·31	3·56	93
Province of Connaught.	43,536	21·22	13·05	14·41	1·26	1·10	1·08	1·08	108
Province of Ulster (part of).	22,401	19·37	12·28	13·68	0·49	1·38	.	2·30	69
ALL RURAL DISTRICTS IN :—									
Province of Leinster	587,200	17·63	15·10	14·83	0·40	1·30	1·06	3·57	70
Province of Munster	720,880	17·01	13·71	13·40	0·39	1·08	1·06	3·67	62
Province of Connaught.	509,371	16·53	13·11	11·55	0·32	0·98	1·78	2·97	43
Province of Ulster (part of).	277,690	16·11	14·30	12·55	0·36	0·96	2·46	2·68	54

* See note * on page 25.

TABLE 16.—(contd.)—BIRTH-DEATH PUERPERAL and INFANT MORTALITY RATES for Urban and Rural areas, 1932, in administrative counties with the standardised rates for Deaths from all Causes.

URBAN AND RURAL AREAS.	Population Census 1926.	RATES PER 1,000 OF POPULATION.					DEATH RATES PER 1,000 BIRTHS.		
		Birth Rates Corrected for Transfers.	DEATH RATES.				Puerperal Sepsis.	Other Puerperal Conditions.	Infants under One Year of Age.
			All Causes Corrected for Transfers.	All Causes Standardised.	Principal Epidemic Diseases.*	Tuberculosis.			
CARLOW COUNTY.									
Carlow U.D. ...	7,163	19·41	16·61	18·56	0·70	1·68	7·19	.	94
Total R.D.'s ...	27,313	18·34	15·93	15·11	0·37	1·03	2·00	3·99	88
DUBLIN COUNTY.									
Total U.D.'s ...	39,140	18·27	14·49	16·17	0·41	0·92	1·40	.	81
Total R.D.'s ...	61,214	19·28	14·44	16·70	0·70	1·63	0·85	4·24	89
DILDARE COUNTY.									
Total U.D.'s ...	6,902	23·04	14·05	14·64	0·58	1·59	.	12·58	88
Total R.D.'s ...	51,126	20·73	14·30	15·79	0·37	1·53	0·94	0·94	68
KILKENNY COUNTY.									
Kilkenny U.D. ...	10,046	21·70	14·53	16·36	1·09	1·39	.	.	83
Total R.D.'s ...	60,944	17·56	15·72	15·38	0·62	1·07	.	2·80	72
LONGFORD COUNTY.									
Total U.D.'s ...	4,954	21·19	11·51	13·28	0·20	1·41	.	.	48
Total R.D.'s ...	34,893	15·45	13·01	11·60	0·32	0·77	5·57	3·71	45
LOUTH COUNTY.									
Total U.D.'s ...	26,712	21·30	16·25	19·30	1·12	1·09	.	5·27	81
Total R.D.'s ...	36,027	17·18	15·79	14·87	0·31	1·39	1·62	8·08	73
MEATH COUNTY.									
Total U.D.'s ...	7,173	23·14	15·20	17·70	1·67	1·25	.	.	114
Total R.D.'s ...	55,796	16·69	15·25	15·04	0·50	1·16	2·15	4·30	69
MONAGHAN COUNTY.									
Total U.D.'s ...	8,332	22·80	15·48	16·28	1·92	1·56	.	5·26	68
Total R.D.'s ...	44,260	16·88	12·72	12·26	0·25	0·97	2·68	2·68	54
WESTMEATH COUNTY.									
Athlone U.D. ...	7,540	18·83	11·67	15·95	0·80	1·06	.	7·04	77
Total R.D.'s ...	49,278	17·70	16·19	15·48	0·41	1·48	.	4·59	70
WEXFORD COUNTY.									
Total U.D.'s ...	22,433	23·85	16·85	18·22	0·71	2·32	1·87	5·61	97
Total R.D.'s ...	73,415	19·78	16·37	15·56	0·16	1·43	.	4·13	64
WICKLOW COUNTY.									
Total U.D.'s ...	16,197	24·45	15·68	17·23	0·49	1·79	.	2·53	68
Total R.D.'s ...	41,394	16·21	15·80	15·18	0·36	1·28	.	2·98	51
CLARE COUNTY.									
Total U.D.'s ...	8,863	26·29	17·04	18·68	0·34	1·81	.	8·58	64
Total R.D.'s ...	86,201	15·53	12·77	11·02	0·14	0·92	.	4·48	43

* See note * on page 25.

TABLE 16.—(contd.)—BIRTH-DEATH PUERPERAL and INFANT MORTALITY RATES for Urban and Rural areas, 1932, in administrative counties, with the standardised rates for Deaths from all Causes.

URBAN AND RURAL AREAS.	Population Census 1926.	RATES PER 1,000 OF POPULATION.					DEATH RATES PER 1,000 BIRTHS.		
		Birth Rates Corrected for Transfers.	DEATH RATES.				Puerperal Sepsis.	Other Puerperal Condi- tions.	Infants under One Year of Age.
			All Causes Corrected for Transfers.	All Causes Standard- ised.	Principal Epidemic Diseases.*	Tuber- culosis.			
CORK COUNTY.									
Total U.D.'s ...	37,796	17·46	14·18	14·95	0·32	1·43	1·52	.	88
Total R.D.'s ...	249,461	16·30	13·84	13·90	0·43	1·07	1·72	2·46	61
KERRY COUNTY.									
Total U.D.'s ...	18,778	19·54	12·94	14·61	0·91	1·17	2·72	5·45	87
Total R.D.'s ...	130,393	16·98	12·97	12·70	0·33	1·10	0·90	1·81	52
LIMERICK COUNTY.									
Total R.D.'s ...	100,895	19·56	13·69	13·79	0·52	1·23	1·01	3·04	85
TIPPERARY, NORTH RIDING.									
Total U.D.'s ...	11,572	23·94	14·43	16·34	0·52	1·04	.	3·61	101
Total R.D.'s ...	48,073	17·85	15·29	14·54	0·33	1·29	.	5·83	61
TIPPERARY, SOUTH RIDING.									
Total U.D.'s ...	22,221	20·16	15·44	16·62	0·99	1·94	.	4·46	96
Total R.D.'s ...	59,149	18·09	14·34	14·63	0·49	0·90	0·93	7·48	68
WATERFORD COUNTY.									
Dungarvan U.D.	5,207	17·09	17·67	17·96	0·38	2·11	.	.	34
Total R.D.'s ...	46,708	15·89	14·45	13·90	0·39	1·01	1·35	8·09	65
GALWAY COUNTY.									
Total U.D.'s ...	19,472	22·19	14·12	15·99	1·44	1·08	2·31	2·31	125
Total R.D.'s ...	149,894	18·36	13·84	12·59	0·47	1·12	1·45	3·27	47
LEITRIM COUNTY.									
Total R.D.'s ...	55,907	14·51	14·13	11·96	0·32	0·84	.	1·23	46
MAYO COUNTY.									
Total U.D.'s ...	12,627	19·24	10·77	11·82	0·55	1·19	.	.	62
Total R.D.'s ...	160,063	16·74	11·87	10·64	0·27	1·02	2·24	1·87	37
ROSCOMMON COUNTY.									
Total R.D.'s ...	83,556	15·30	12·84	11·05	0·22	0·80	3·91	6·26	40
SLIGO COUNTY.									
Sligo U.D.	11,437	21·77	13·73	14·68	1·75	1·05	.	.	124
Total R.D.'s ...	59,951	15·03	14·01	11·77	0·18	0·87	.	2·22	46
CAVAN COUNTY.									
Total U.D.'s ...	5,899	23·73	15·93	18·34	0·34	2·03	.	.	93
Total R.D.'s ...	76,553	15·53	14·70	12·89	0·22	0·89	5·05	4·21	45
DONEGAL COUNTY.									
Total U.D.'s ...	5,956	19·81	11·42	14·35	.	0·84	.	.	51
Total R.D.'s ...	146,552	16·28	13·71	12·05	0·42	1·02	0·42	1·68	57
MONAGHAN COUNTY.									
Total U.D.'s ...	10,546	16·69	10·71	11·15	0·85	1·33	.	5·68	63
Total R.D.'s ...	54,585	16·47	15·35	13·35	0·40	0·88	4·45	3·34	59

* See note * on page 25.

TABLE 17.— Showing (1) for each of the years 1901-22, for Urban Districts (including County Boroughs) and Rural Districts of Saorstát Éireann the rates per 1,000 of the population represented by the aggregate Births, Deaths from all Causes, Deaths from the Principal Epidemic Diseases, and from Tuberculosis,* also Infant Mortality (Deaths of Infants under one year of age per 1,000 Births); all the rates for these years being based on figures† partially corrected for Deaths in Institutions: and (2) corresponding rates for each of the years 1923-32, based on fully corrected figures.

YEAR.	RATES PER 1,000 OF POPULATION REPRESENTED BY								RATES PER 1,000 BIRTHS.	
	BIRTHS.		DEATHS. (All Causes).		PRINCIPAL EPI- DEMIC DISEASES.‡		TUBERCULOSIS* (All forms).		INFANT MORTALITY.	
	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts
1901 ...	24.90	20.83	22.22	15.48	1.67	0.57	—	—	150	74
1902 ...	26.83	20.68	22.25	15.27	1.85	0.57	—	—	142	75
1903 ...	26.70	20.59	20.64	15.80	1.24	0.63	—	—	132	75
1904 ...	27.26	21.20	21.38	16.33	1.56	0.62	—	—	143	75
1905 ...	27.21	20.94	19.77	15.31	1.18	0.55	—	—	130	72
1906 ...	26.88	21.40	19.74	15.03	1.35	0.49	3.68	2.15	131	69
1907 ...	26.14	21.15	20.40	15.79	1.42	0.42	3.76	2.12	133	69
1908 ...	26.95	21.19	20.19	15.98	1.53	0.55	3.68	2.07	134	72
1909 ...	26.64	21.61	19.18	15.90	1.36	0.58	3.27	2.01	127	70
1910 ...	26.38	21.57	18.58	15.96	1.08	0.57	3.12	1.91	125	73
1911 ...	26.31	21.47	19.04	15.33	2.15	0.53	3.04	1.78	135	72
1912 ...	25.33	21.68	18.54	15.31	1.59	0.45	2.98	1.78	121	65
1913 ...	25.62	21.50	19.09	15.96	1.88	0.58	2.95	1.78	139	72
1914 ...	25.48	21.16	20.44	14.41	1.83	0.48	3.06	1.67	123	62
1915 ...	24.38	21.09	19.83	16.62	1.48	0.47	3.17	1.82	130	65
1916 ...	22.58	20.57	18.07	15.90	1.22	0.50	2.85	1.83	123	64
1917 ...	21.27	19.57	17.30	16.71	1.17	0.43	2.85	1.92	121	69
1918 ...	20.80	19.59	20.76	16.26	1.23	0.42	3.02	1.77	125	62
1919 ...	22.41	18.99	19.44	17.43	0.86	0.32	2.61	1.60	119	69
1920 ...	26.19	19.85	16.43	14.00	1.32	0.53	2.22	1.43	113	60
1921 ...	24.44	17.90	15.41	13.99	1.19	0.44	2.03	1.33	105	56
1922 ...	23.41	17.91	16.26	14.14	0.96	0.40	2.01	1.34	98	54
1923 ...	24.24	18.96	15.28	13.50	1.01	0.37	2.07	1.25	99	50
1924 ...	25.36	19.39	16.57	14.42	1.05	0.38	2.06	1.31	104	55
1925 ...	24.71	19.21	15.66	14.20	1.09	0.32	2.05	1.37	97	53
1926 ...	24.24	19.08	15.52	13.44	1.35	0.43	1.87	1.30	110	56
1927 ...	23.93	18.82	15.88	14.31	0.98	0.33	1.96	1.25	99	56
1928 ...	23.69	18.56	14.76	13.93	0.99	0.37	1.75	1.21	91	56
1929 ...	23.55	18.21	15.52	14.21	0.89	0.38	1.80	1.11	93	58
1930 ...	23.67	18.16	14.96	13.81	0.92	0.34	1.76	1.10	90	56
1931 ...	23.21	17.64	15.46	14.12	0.96	0.32	1.81	1.11	88	58
1932 ...	23.34	17.02	15.30	14.09	1.04	0.37	1.55	1.10	95	59

* Figures for Tuberculosis (all forms) are not available by Urban and Rural Districts for the years 1901-5.

† For the years preceding 1923, the institution Births and Deaths in a Registrar's District containing an Urban District and relating to the latter were assigned to the Urban District. The remaining institution deaths as well as births and deaths occurring in institutions situated in entirely rural Registrars' Districts were, with a few exceptions, referred to rural areas.

The exceptions were in the case of births and deaths relating to residents of Dublin Registration Area occurring in institutions situated in Bray No. 2 and Killybeg Registrars' Districts, births and deaths relating to Cork county borough residents in Cork Rural No. 1 and 2, and births and deaths of Limerick county borough residents in Limerick Rural. The events in these cases were assigned to the area of residence.

The figures for the years 1901 to 1922, which are thus partially corrected for deaths in institutions, and those for the years 1923 to 1932 which are fully corrected, were derived from information published in the Quarterly Returns and Annual Abstracts of Statistics for the years 1901-22, and from the Annual Abstracts of Statistics for the years 1923-32.

TABLE 18.—DEATH-RATES at different AGES per 1,000 of the corresponding populations for (1) Aggregate Urban Districts,* (2) Aggregate Rural Districts, of Saorstát Éireann, in each of the years 1928-32.

(1). AGGREGATE URBAN DISTRICTS.*

YEAR.	Death-rates per 1,000 of Population at same age.											
	All Ages	Under 1 year†	Under 5 years	5-	10-	15-	20-	25-	35-	45-	55-	65 and over
MALES.												
1928	15.16	97	33.42	3.35	1.62	3.72	4.39	4.78	8.90	16.19	36.05	79.0
1929	15.67	105	33.92	3.78	1.80	3.18	4.47	5.22	9.51	17.21	36.09	82.0
1930	15.44	105	34.15	3.50	1.95	3.61	4.42	5.22	8.55	15.14	37.92	82.0
1931	16.05	98	34.14	3.64	2.01	3.43	4.82	5.16	8.83	17.80	37.32	87.0
1932	15.62	105	34.21	3.42	1.71	3.00	4.71	5.77	8.67	16.33	37.00	87.0
FEMALES.												
1928	14.41	84	29.24	3.70	2.37	3.13	4.35	5.09	7.21	14.35	29.40	70.0
1929	15.38	81	28.77	3.33	2.01	4.24	4.48	5.77	7.41	14.91	31.38	79.0
1930	14.51	73	25.97	3.79	2.39	4.34	4.43	4.84	7.14	15.36	31.55	72.0
1931	14.93	77	27.89	2.61	2.34	3.70	4.82	5.70	7.83	13.19	31.69	77.0
1932	15.02	84	28.97	3.77	2.46	3.64	4.12	5.58	7.24	13.87	32.21	79.0

(2). AGGREGATE RURAL DISTRICTS.

MALES.												
1928	13.57	61	17.07	2.06	1.54	2.81	4.00	4.69	5.22	9.28	21.36	71.0
1929	13.96	65	17.67	2.05	1.60	2.59	3.97	4.34	5.61	9.57	23.83	72.0
1930	13.60	62	16.65	2.36	1.50	2.48	3.82	4.36	5.27	9.27	22.64	71.0
1931	13.91	63	16.23	2.03	1.45	2.59	3.90	4.29	5.27	9.31	23.78	74.0
1932	14.01	64	16.50	2.19	1.42	2.75	4.22	4.41	5.42	8.74	25.01	73.0
FEMALES.												
1928	14.31	50	14.93	2.09	1.71	3.32	4.98	5.16	6.75	10.53	22.29	68.0
1929	14.47	51	14.61	2.23	1.67	3.07	4.64	5.15	6.84	10.06	22.12	71.0
1930	14.04	50	13.93	1.97	1.70	2.68	4.21	5.43	6.58	10.22	24.34	66.0
1931	14.34	53	14.18	1.84	1.78	2.94	4.22	5.37	6.67	10.36	23.76	69.0
1932	14.18	53	13.92	2.16	1.62	3.27	4.35	5.36	6.30	9.79	24.35	67.0

*Areas as existing in the respective years.

†Per 1,000 births.

PART III.

Abstracts.

ABSTRACT I.

MARRIAGES, BIRTHS AND DEATHS registered during the year 1932, in each Province, County, and County Borough, with the results arising from correction for Births and Deaths in Institutions.

PROVINCES, ADMINISTRATIVE COUNTIES, AND COUNTY BOROUGHES.	Area* in Statute Acres	Popula- tion, Census 1926	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths as cor- rected
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
SAORSTAT EIREANN	17,024,481	2,971,992	13,029	56,240	—	—	56,240	1,819	—	—	1,819	42,984	—	—	42,984	13,256
PROVINCES																
No. I.—LEINSTER	4,851,136	1,149,092	5,875	24,275	358	181	24,098	903	79	75	899	17,965	312	88	17,741	6,357
II.—MUNSTER	5,962,803	969,902	4,136	17,906	159	141	17,888	629	80	34	583	13,691	73	132	13,750	4,138
III.—CONNAUGHT	4,230,822	552,907	1,866	9,206	29	169	9,346	102	2	26	126	7,130	19	135	7,246	2,100
IV.—ULSTER (part of)	1,979,720	300,091	1,152	4,853	28	83	4,908	185	—	26	211	4,198	14	63	4,247	661

PROVINCE OF LEINSTER

1. CARLOW	221,485	34,476	149	622	5	23	640	19	—	6	25	552	27	29	554	86
2. DUBLIN	208,920	100,354	572	1,181	18	732	1,895	7	—	59	66	1,365	262	348	1,451	444
3. CITY OF DUBLIN	18,781	405,300	2,767	11,894	1,548	67	10,413	550	239	6	317	7,252	901	148	6,499	3,914
4. KILDARE	418,644	58,028	248	1,089	20	150	1,219	33	—	31	64	743	6	91	828	391
5. KILKENNY	509,470	70,990	255	1,254	23	57	1,288	43	2	25	66	1,079	9	34	1,104	184
6. LAOIGHIS	424,892	51,540	155	842	9	76	909	21	1	26	46	751	28	42	765	144
7. LONGFORD	257,935	39,847	142	617	5	32	644	15	—	7	22	483	2	30	511	133
8. LOUTH	202,814	62,739	265	1,169	26	45	1,188	26	1	4	29	947	3	59	1,003	185
9. MEATH	577,816	62,969	237	1,020	21	98	1,097	37	2	20	55	923	14	51	960	137
10. OFFALY	493,637	52,592	217	896	9	50	937	13	—	9	22	620	5	77	692	245
11. WESTMEATH	435,604	56,818	244	979	17	52	1,014	24	—	9	33	889	42	39	886	128
12. WEXFORD	580,894	95,848	384	1,762	19	44	1,787	86	3	20	103	1,557	5	28	1,580	207
13. WICKLOW	500,244	57,591	240	950	20	137	1,067	29	—	22	51	804	18	122	908	159

14. CLARE	757,768	95,064	285	1,489	10	93	1,572	29	3	30	56	1,203	2	51	1,252	320
15. CORK	1,840,905	287,257	993	4,524	129	332	4,727	229	74	13	168	4,108	364	245	3,989	738
16. CORK CO. BORO'	2,685	78,490	680	2,072	327	75	1,820	12	10	31	33	1,145	243	335	1,237	583
17. KERRY	1,161,708	149,171	561	2,526	17	72	2,581	42	—	27	69	1,892	1	43	1,934	647
18. LIMERICK	661,573	100,835	369	1,856	39	157	1,974	104	22	5	87	1,499	193	75	1,381	593
19. LIMERICK CO. BOROUGH	2,386	39,448	307	1,180	188	43	1,035	4	1	24	27	485	71	193	607	428
20. TIPPERARY N.R.	493,255	59,645	268	1,221	137	51	1,135	133	107	8	34	916	68	54	902	233
21. TIPPERARY S.R.	558,034	81,370	328	1,526	54	46	1,518	42	4	25	63	1,181	35	45	1,191	327
22. WATERFORD	453,051	51,915	201	774	13	70	831	21	1	10	39	682	21	106	767	64
23. WATERFORD CO. BOROUGH	1,438	26,647	144	738	60	17	695	13	1	4	16	580	105	15	490	205

PROVINCE OF CONNAUGHT.

24. GALWAY	1,467,639	169,366	566	3,174	36	46	3,184	41	2	8	47	2,393	77	34	2,350	834
25. LEITRIM	376,774	55,907	199	783	5	33	811	7	—	7	14	739	—	51	790	21
26. MAYO	1,333,941	172,690	556	2,881	5	47	2,923	20	—	4	24	1,996	3	43	2,036	887
27. ROSCOMMON	608,540	83,556	307	1,229	6	55	1,278	14	—	4	18	1,010	15	78	1,073	205
28. SLIGO	443,928	71,388	238	1,139	20	31	1,150	20	3	6	23	992	23	28	997	153

PROVINCE OF ULSTER (Part of)

29. CAVAN	467,162	82,452	338	1,288	13	54	1,329	35	—	20	55	1,143	4	80	1,219	110
30. DONEGAL	1,193,573	152,508	559	2,507	12	9	2,504	114	—	3	117	2,077	10	10	2,077	427
31. MONAGHAN	318,985	65,131	255	1,058	8	25	1,075	36	1	4	39	978	46	19	951	124

• Exclusive of the larger rivers, lakes and tideways.

MARRIAGES, BIRTHS AND DEATHS, 1932.—Superintendent Registrars' Districts, by Counties.—LEINSTER.

Wherever the minus sign (—) is prefixed to the numbers given in the column headed "Excess of Births over Deaths," it denotes that the births, instead of exceeding the deaths, were, in fact, less than the deaths to the extent stated.]

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Popula- tion, Census 1926	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths as cor- rec- ted
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
1. Carlow Co.																
No. 1. CARLOW ...	221,485	34,476	149	622	5	23	640	19	—	6	25	552	27	29	554	86
2. Dublin Co.																
No. 2. BALROTHERY ...	84,405	19,336	75	263	1	106	368	2	—	11	13	271	60	67	278	90
No. 3. DUBLIN (part of) ...	97,566	30,884	147	332	4	286	614	1	—	18	19	451	143	148	456	158
No. 4. RATHDOWN ...	26,919	50,134	350	586	13	340	913	4	—	30	34	643	82	156	717	196
3. City of Dublin.																
No. 5. DUBLIN (part of) ...	18,781	405,300	2,767	11,894	1,548	67	10,413	550	239	6	317	7,252	901	148	6,499	3,914
4. Kildare Co.																
No. 6. ATHY ...	130,460	16,690	93	367	24	15	358	19	3	5	21	253	46	34	241	117
No. 7. CELBRIDGE ...	53,703	8,116	29	114	3	54	165	4	—	12	16	89	—	36	125	40
No. 8. NAAS ...	234,481	33,222	126	608	12	100	696	10	—	17	27	401	21	82	462	234
5. Kilkenny Co.																
No. 9. CALLAN ...	62,169	7,370	20	111	2	18	127	6	—	3	9	91	—	41	132	—5
No. 10. CASTLECOMER ...	57,867	8,745	46	145	2	13	156	3	—	6	9	113	—	19	132	24
No. 11. KILKENNY ...	133,462	23,569	91	494	73	15	436	12	3	7	16	415	102	11	324	112
No. 12. THOMASTOWN ...	225,444	27,909	85	449	11	69	507	22	7	16	31	415	30	74	459	48
No. 13. URLINGFORD ...	30,528	3,397	13	55	1	8	62	—	—	1	1	45	1	13	57	5
6. Laoighis Co.																
No. 14. ABBEYLEIX ...	200,641	22,199	65	337	8	31	360	2	—	14	16	316	19	48	345	15
No. 15. MOUNTMELLICK ...	224,251	29,341	90	505	13	57	549	19	5	16	30	435	58	43	420	129

16. BALLYMAHON ...	69,834	7,796	27	108	—	13	121	—	4	4	91	—	23	114	7
17. GRANARD ...	84,678	13,335	44	180	1	14	193	3	5	8	145	—	26	171	22
18. LONGFORD ...	103,423	18,716	71	329	20	21	330	12	8	6	247	38	17	226	104
8. Louth Co.															
19. ARDEE ...	67,239	11,030	32	210	7	24	227	2	—	8	178	11	27	194	33
20. DROGHEDA ...	41,979	18,278	101	385	30	13	368	9	6	3	296	16	20	300	68
21. DUNDALK ...	93,596	33,431	132	574	11	30	593	15	4	2	473	9	45	509	84
9. Meath Co.															
22. DUNSHAUGHLIN ...	106,757	7,776	53	98	1	34	131	1	—	3	91	—	42	133	—2
23. KELLS ...	103,420	13,108	47	222	4	26	244	4	—	6	159	—	39	198	16
24. NAVAN ...	182,153	22,798	67	328	5	52	375	6	—	15	359	74	39	324	51
25. OLDCASTLE ...	44,099	4,876	16	87	2	12	97	2	—	2	59	—	14	73	24
26. THIMLISH ...	141,387	14,501	54	285	54	19	250	24	13	5	255	54	31	232	18
10. Offaly Co.															
27. BIRR ...	248,806	24,401	89	363	2	43	404	1	—	8	232	—	87	349	85
28. EDENDERRY ...	81,156	6,728	31	165	1	13	117	3	—	2	71	2	14	83	34
29. TULLAMORE ...	163,615	21,463	94	428	33	21	416	9	3	2	317	52	25	290	126
11. Westmeath Co.															
30. ATHLONE ...	98,984	19,004	89	294	9	32	317	1	—	6	245	6	19	279	38
31. DELVIN ...	110,986	10,342	41	157	—	26	183	1	—	2	120	5	49	155	28
32. MULLINGAR ...	225,634	27,472	114	328	39	25	514	22	5	6	524	88	16	452	62
12. Wexford Co.															
33. ANNISBOROUGH ...	193,384	29,878	116	559	36	27	550	51	22	7	543	111	29	452	98
34. GOREY ...	130,163	14,558	40	237	7	18	248	5	—	9	208	—	34	242	6
35. NEW ROSS ...	124,337	29,441	90	353	3	24	374	14	—	10	288	5	60	343	31
36. WEXFORD ...	133,010	31,471	138	613	24	26	615	16	—	13	518	33	58	543	72
13. Wicklow Co.															
37. BALLYGLASS ...	154,966	10,333	44	112	11	24	155	—	—	5	156	9	35	182	27
38. RATHDRUM ...	262,200	39,394	173	797	21	105	791	28	8	14	550	34	33	699	182
39. SHILLALACH ...	83,078	7,804	23	101	—	20	121	1	—	11	98	—	19	117	4

* See Note (*) on page 33.

ABSTRACT J.—(continued).
MARRIAGES, BIRTHS AND DEATHS, 1932.—Superintendent Registrars' Districts, by Counties.—MUNSTER.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Popula- tion, Census 1926	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths as cor- rec- ted		
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number			
No. 14. Clare Co.																		
40. BALLYVAGHAN ...	71,629	3,495	8	47	1	2	48	—	—	2	2	—	37	—	10	17	1	
41. COROFIN ...	61,381	4,109	13	48	—	5	53	—	—	2	2	—	37	—	10	47	6	
42. ENNIS ...	113,324	18,732	85	369	37	26	358	19	11	8	16	120	360	13	253	105		
43. ENNISTYMON ...	99,600	15,137	41	226	6	8	228	1	—	3	4	2	128	2	28	154	74	
44. KILLADYSERT ...	62,615	7,415	8	101	2	12	111	—	—	5	5	—	70	—	17	87	24	
45. KILRUSH ...	137,507	22,642	63	408	6	16	418	6	2	7	11	9	295	35	321	97		
46. SCARRIFF ...	241,712	23,534	67	290	2	68	356	3	1	14	16	—	276	—	67	343	13	
15. Cork Co.																		
47. BANDON ...	101,482	15,233	56	284	53	26	257	1	—	5	6	5	182	5	53	230	27	
48. BANTRY ...	107,277	11,322	48	177	2	13	188	—	—	2	2	4	126	4	25	147	41	
49. CASTLETOWN ...	74,296	9,362	20	164	1	5	168	—	—	1	1	—	76	—	22	98	70	
50. CLONAKILTY ...	80,994	15,695	62	271	20	22	273	14	5	1	10	39	258	13	232	41		
51. CORK, part of ...	167,841	56,090	192	944	145	155	954	137	102	6	41	571	1,232	124	785	169		
52. DUNMANWAY ...	103,920	11,377	19	158	2	46	202	3	—	3	6	1	128	1	30	157	45	
53. FERMOY ...	196,733	26,785	102	409	10	27	426	21	—	5	26	16	348	38	370	56		
54. KANTURK ...	185,659	21,421	80	394	4	25	415	6	1	6	11	4	239	47	282	133		
55. KINSALE ...	80,129	12,659	48	141	5	27	163	—	—	6	6	1	151	1	49	199	—36	
56. MACROOM ...	179,153	19,080	77	265	24	25	266	2	1	5	6	8	201	43	236	30		
57. MALLOW ...	169,102	24,468	104	412	11	45	446	29	7	6	28	28	358	55	385	61		
58. MIDLETON ...	109,380	17,883	62	230	3	31	258	10	1	5	14	5	222	31	248	10		
59. MILLSTREET ...	74,939	9,585	18	138	1	16	153	—	—	1	1	7	111	14	118	35		
60. SKIBBEREEN ...	115,371	20,056	59	309	3	16	322	4	—	4	8	14	248	40	274	48		
61. SKULL ...	57,669	7,060	24	91	2	5	94	—	—	—	—	—	88	15	103	—9		

17. Kerry Co.														
64. CAHERIVEEN ...	198,101	18,224	51	217	4	8	221	1	—	5	6	240	—	269
65. DINGLE ...	126,454	15,855	39	213	1	10	222	1	—	4	5	147	—	172
66. KENMARE ...	198,416	11,432	30	190	—	11	201	2	—	2	4	124	—	147
67. KILLARNEY ...	251,430	33,257	140	569	24	20	565	21	16	7	12	559	100	479
68. LISTOWEL ...	165,500	29,552	135	561	7	24	578	5	1	12	16	345	—	379
69. TRALEE ...	221,807	40,851	166	776	19	37	794	12	2	16	26	477	29	488
18. Limerick Co.														
70. CROOM ...	83,369	10,087	36	336	179	8	165	70	69	—	1	195	61	166
71. KILMALLOCK ...	164,342	24,284	82	408	6	89	491	7	—	24	31	277	—	364
72. LIMERICK, part of ...	142,823	25,417	87	412	27	125	510	20	16	21	25	480	199	335
73. NEWCASTLE ...	143,840	23,884	98	400	3	62	459	2	1	18	19	386	110	303
74. RATHKEALE ...	147,399	17,223	66	300	2	51	349	5	—	6	11	161	—	213
19. Limerick Co. Borough														
75. LIMERICK, part of ...	2,386	39,448	307	1,180	188	43	1,035	4	1	24	27	185	71	467
20. Tipperary N.R.														
76. CARRICKMAGUIN ...	109,637	9,213	27	144	3	10	151	1	—	3	4	90	—	143
77. NENAGH ...	183,392	20,792	88	374	21	15	373	2	—	1	6	294	12	318
78. ROSS BONA ...	51,541	7,586	43	267	26	6	117	123	130	1	4	187	85	119
79. THURLES ...	112,655	22,654	110	428	8	31	461	7	—	13	20	345	25	362
21. Tipperary S.R.														
80. CARRICK-ON-SUIR ...	26,118	6,893	37	148	4	1	145	3	—	1	4	104	1	118
81. CASHIEL ...	222,782	26,000	88	478	33	28	473	30	14	4	20	405	81	351
82. CLOGHEEN ...	117,415	12,348	57	197	—	20	217	—	—	7	7	157	—	14
83. CLONMEL ...	47,305	13,777	66	224	20	21	225	4	2	13	15	247	80	189
84. TIPPERARY ...	144,414	22,352	80	479	50	29	458	5	—	12	17	268	6	327
22. Waterford Co.														
85. DUNGARVAN ...	144,323	18,287	62	267	19	13	261	12	7	3	8	276	35	259
86. KILMACTHOMAS ...	64,595	6,321	17	84	1	21	104	3	—	3	6	66	—	83
87. LISMORE ...	97,178	10,802	51	159	10	12	171	—	—	1	4	129	4	133
88. WATERFORD, part of ...	146,955	16,505	71	254	11	52	295	6	—	6	12	211	10	272
23. Waterford Co. Borough														
89. WATERFORD, part of ...	1,438	26,647	144	738	60	17	695	13	1	4	16	580	103	490

* See note (*) on page 33.

ABSTRACT I. —(continued).
MARRIAGES, BIRTHS AND DEATHS, 1932.—Superintendent Registrars' Districts, by Counties.—CONNAUGHT.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Popula- tion, Census 1926	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths as cor- rec- ted
				(INCLUDING ILLEGITIMATE)		BIRTHS		ILLEGITIMATE BIRTHS		DEATHS						
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
24. Galway Co.																
No.																
90. BALLINASLOE	125,574	15,064	60	283	2	41	322	2	—	9	11	294	103	57	248	74
91. CLIFDEN	193,692	13,760	48	192	2	13	203	—	—	1	1	135	—	33	168	35
92. GALWAY	198,512	34,294	164	944	159	16	801	28	21	1	8	744	252	39	531	270
93. GLENAMADDY	82,958	11,639	47	201	—	3	204	—	—	1	1	135	—	22	157	47
94. GORT	106,321	10,750	40	162	1	16	177	3	—	3	6	110	—	40	150	27
95. LOUGHREA	198,917	19,257	42	282	1	39	320	2	—	6	8	282	76	54	260	60
96. MOUNTBELLEW	102,407	12,652	15	161	—	9	170	1	—	1	2	91	—	23	114	56
97. OUGHTERARD	173,438	14,494	52	272	7	14	279	—	—	—	—	194	—	34	228	51
98. PORTUMNA	77,262	8,356	26	155	3	9	161	—	—	4	4	92	—	17	109	52
99. TUAM	208,558	29,100	72	522	7	32	547	5	4	5	6	316	22	91	385	162
25. Leitrim Co.																
100. CARRICK-ON-SHANNON	63,587	10,422	38	142	3	10	149	1	—	1	2	114	5	26	135	14
101. MANORHAMILTON	177,423	21,791	71	288	7	15	296	4	1	3	6	358	27	22	353	—57
102. MOHILL	135,764	23,694	90	353	—	13	366	2	—	4	6	267	—	35	302	64
26. Mayo Co.																
103. BALLINA	251,108	28,929	91	520	—	14	534	3	—	2	5	301	—	39	340	194
104. BALLINROBE	147,105	18,293	56	304	1	5	308	—	—	—	—	224	28	36	232	76
105. BELMULLETT	179,761	13,720	52	313	2	2	313	3	—	1	4	147	—	10	157	156
106. CASTLEBAR	141,211	23,879	59	372	26	8	354	12	8	2	6	426	166	7	267	87
107. CLAREMORRIS	110,789	20,573	91	349	2	11	358	—	—	2	2	219	—	51	270	88

109. WESTPORT ...	317,901	30,302	57	451	3	3	456	2	—	2	4	291	—	55	319	107
27. Roscommon Co.																
110. BOYLE ...	122,372	18,656	66	252	1	10	261	3	—	3	6	191	—	51	225	35
111. CASTLEREAGH ...	163,690	27,152	99	333	2	21	352	—	—	4	4	266	—	72	338	11
112. ROSCOMMON ...	322,178	37,748	142	644	9	30	665	11	5	2	8	550	78	58	510	155
28. Sligo Co.																
113. DROMORE WEST ...	97,543	10,831	34	141	5	2	141	2	—	—	2	129	—	13	142	—1
114. SLIGO ...	229,516	11,698	152	767	24	28	771	18	5	6	19	695	62	19	652	119
115. TOBERMURRY ...	125,869	15,856	52	228	3	13	238	—	—	2	2	168	—	35	293	35

MARRIAGES, BIRTHS AND DEATHS, 1932. Superintendent Registrars' Districts, by Counties. — ULSTER (part of).

29. Cavan Co.																
116. BALLYBROUGH ...	113,901	21,473	81	295	2	46	339	2	—	11	16	241	—	67	308	31
117. BAWNBOY ...	192,429	12,232	51	181	—	13	197	—	—	6	6	153	—	24	177	29
118. CAVAN ...	259,841	48,747	203	809	11	25	793	33	11	11	33	719	67	52	754	59
30. Donegal Co.																
119. BALLYSHANNON ...	41,628	8,848	31	148	7	2	143	2	—	2	4	152	12	12	152	—
120. DONEGAL ...	160,441	16,552	63	246	3	9	252	5	—	6	11	230	24	12	221	31
121. DUNFANAGHY ...	126,123	14,252	51	255	6	9	258	4	—	7	11	183	—	15	198	69
122. GLENTIES ...	258,505	30,081	99	431	3	6	434	3	—	3	6	373	2	31	402	31
123. INISHOWEN ...	160,921	25,035	93	158	6	8	440	15	—	3	18	349	7	15	358	82
124. LETTERKENNY ...	169,377	18,909	73	324	2	15	337	20	—	5	25	268	48	15	253	101
125. MILLFORD ...	112,989	16,881	51	239	—	7	237	11	—	5	16	213	—	24	237	—
126. STRANGLAR ...	174,389	21,947	95	435	37	5	403	54	28	—	26	309	57	24	276	127
31. Monaghan Co.																
127. ABBEYNEWATERS ...	65,680	13,740	56	261	3	16	217	—	—	5	5	159	—	29	179	17
128. CASTLEBLAYNEY ...	63,834	13,932	61	257	38	6	225	27	21	—	6	244	47	25	222	3
129. CLONES ...	61,288	12,352	43	269	—	14	214	2	—	9	11	145	—	38	183	31
130. MONAGHAN ...	125,183	25,107	95	337	3	25	419	7	—	19	17	439	94	31	376	49

* See note (*) on page 33.

ABSTRACT II.—MARRIAGES

PROVINCES AND COUNTIES.	TOTAL MARRIAGES.	Catholic Marriages.	Marriages other than Catholic.							Total Marriages Registered in the Quarter ending the last day of			
			Total.	Protestant Episcopalian.	In Registered Pres- byterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	MARCH.	JUNE.	SEPTEMBER.	DECEMBER.
SAORSTÁT ÉIREANN ...	13,029	12,177	852	581	121	65	71	3	8	3,161	3,160	3,509	3,199
PROVINCES.													
LEINSTER ...	5,875	5,403	472	338	29	38	59	2	6	1,194	1,474	1,745	1,462
MUNSTER ...	4,136	4,016	120	96	2	11	8	1	2	1,165	932	1,031	1,008
CONNAUGHT ...	1,866	1,822	44	38	2	4	—	—	—	494	478	426	468
ULSTER (part of) ...	1,152	936	216	112	88	12	4	—	—	308	276	307	261

PROVINCE OF

CARLOW ...	149	140	9	8	1	—	—	—	—	36	43	39	31
DUBLIN ...	572	491	81	71	4	2	2	2	—	112	153	184	123
CITY OF DUBLIN ...	2,767	2,483	281	170	21	32	55	—	6	507	709	868	683
KILDARE ...	248	238	10	10	—	—	—	—	—	51	57	75	65
KILKENNY ...	255	251	4	3	1	—	—	—	—	73	62	59	61
LAOIGHIS ...	155	141	14	13	—	—	1	—	—	34	40	48	33
LONGFORD ...	142	134	8	8	—	—	—	—	—	40	33	25	44
LOUTH ...	265	260	5	4	1	—	—	—	—	56	55	91	63
MEATH ...	237	235	2	2	—	—	—	—	—	46	60	67	64
OFFALY ...	217	209	8	8	—	—	—	—	—	63	54	46	54
WESTMEATH ...	244	241	3	1	—	2	—	—	—	44	57	68	75
WEXFORD ...	384	363	16	15	—	1	—	—	—	81	83	115	105
WICKLOW ...	240	212	28	25	1	1	1	—	—	51	68	60	61

PROVINCE OF

CLARE ...	285	281	4	4	—	—	—	—	—	85	53	69	78
CORK ...	993	955	38	33	—	2	3	—	—	283	235	246	229
CORK CO. BOROUGH ...	680	650	30	19	1	5	3	—	2	146	161	229	144
KERRY ...	561	555	6	5	—	—	1	—	—	213	100	89	159
LIMERICK ...	369	364	5	3	—	1	1	—	—	147	61	72	89
LIMERICK CO. BOROUGH ...	307	301	6	6	—	—	—	—	—	73	89	82	63
TIPPERARY, N.R. ...	268	257	11	11	—	—	—	—	—	58	72	66	72
TIPPERARY, S.R. ...	328	319	9	6	1	2	—	—	—	81	75	91	81
WATERFORD ...	201	196	5	5	—	—	—	—	—	51	46	52	52
WATERFORD CO. BOROUGH.	144	138	6	4	—	1	—	1	—	28	40	35	41

PROVINCE OF

GALWAY ...	566	562	4	3	1	—	—	—	—	147	106	131	182
LEITRIM ...	199	185	14	9	1	4	—	—	—	68	51	41	39
MAYO ...	556	549	7	7	—	—	—	—	—	175	128	117	136
ROSCOMMON ...	307	303	4	4	—	—	—	—	—	65	112	66	64
SLIGO ...	238	223	15	15	—	—	—	—	—	39	81	71	47

PROVINCE OF

CAVAN ...	338	267	71	55	9	4	3	—	—	86	93	87	72
DONEGAL ...	559	458	101	45	48	7	1	—	—	153	132	148	126
MONAGHAN ...	255	211	44	12	31	1	—	—	—	69	51	72	62

Registered in the Year 1932.

MARRIAGES.								Signed the Marriage Register with Marks				PROVINCES AND COUNTIES
Contracted between				Of		Of Persons not of full Age		Men.	Women.	Cases in which		
Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.			Both Signed.	One Signed.	
2,032	251	623	123	746	374	225	1,004	221	124	48	249	SAORSTÁT ÉIREANN.
PROVINCES.												
3,383	132	297	63	360	195	159	572	73	47	16	88	LEINSTER.
855	63	185	33	218	96	47	249	44	26	7	56	MUNSTER.
735	38	78	15	93	53	10	97	59	27	11	64	CONNAUGHT.
509	18	63	12	75	39	18	86	45	24	14	41	ULSTER (part of).

LEINSTER

134	4	9	2	11	6	8	21	4	2	2	2	CARLOW.
522	11	36	3	39	14	14	41	2	2	—	4	DUBLIN.
524	68	133	42	175	110	100	292	22	22	7	30	CITY OF DUBLIN.
232	4	11	1	12	5	2	22	2	—	—	2	KILDARE.
240	3	11	1	12	4	1	21	3	1	—	4	KILKENNY.
144	3	7	1	8	4	2	15	—	2	—	2	LAOGHIS.
128	2	10	2	12	4	1	13	4	1	1	3	LONGFORD.
246	6	12	1	13	7	2	21	4	—	—	4	LOUTH.
216	8	12	1	13	9	—	21	3	2	—	5	MEATH.
206	2	9	—	9	2	5	17	4	3	1	5	OFFALY.
223	8	10	3	13	11	4	13	8	2	1	8	WESTMEATH.
350	7	22	5	27	12	10	48	13	8	4	13	WEXFORD.
218	6	15	1	16	7	1	27	1	2	—	6	WICKLOW.

MUNSTER

263	7	14	1	15	8	3	16	9	4	2	9	CLARE.
934	16	41	2	43	18	5	43	10	5	1	13	CORK.
633	10	27	10	37	20	9	24	1	5	1	4	CORK CO. BOROUGH.
520	7	31	3	34	10	3	23	7	—	—	7	KERRY.
340	7	18	4	22	11	7	30	3	2	1	3	LIMERICK.
291	3	11	2	13	5	8	29	2	3	—	5	LIMERICK CO. BOROUGH.
253	5	7	3	10	8	4	16	3	3	—	6	TIPPERARY, N.R.
303	2	20	3	23	5	5	29	4	1	—	5	TIPPERARY, S.R.
184	5	8	4	12	9	—	20	2	1	1	1	WATERFORD.
134	1	8	1	9	2	3	19	3	2	1	3	WATERFORD CO. BOROUGH.

CONNAUGHT

529	10	22	5	27	15	5	32	20	9	2	25	GALWAY.
186	7	6	—	6	7	1	10	4	1	—	5	LEITRIM.
517	13	24	2	26	15	—	22	19	9	5	18	MAYO.
280	3	10	5	15	8	3	11	5	3	1	6	ROSCOMMON.
214	5	16	3	19	8	1	22	11	5	3	10	SLIGO.

ULSTER (part of)—

295	11	28	4	32	15	5	29	17	16	6	15	CAVAN.
525	6	22	6	28	12	10	41	24	19	5	21	DONEGAL.
239	1	13	2	15	3	3	16	7	4	3	5	MONAGHAN.

ABSTRACT III.—BIRTHS, and DEATHS at different Ages in the year 1932—by Provinces and Counties.

TOTAL BIRTHS		AGES AT DEATH																			95 & up-wards			
TOTAL	Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—		
Provinces and Counties.	TOTAL DEATHS																							
SAORSTÁT EIREANN	{ Persons Males Females	56,240	4,060	865	426	315	222	5,888	732	494	887	1,038	963	1,987	1,973	1,171	1,473	2,132	2,623	3,465	4,230	6,138	6,850	2,261
		28,842	2,290	469	217	148	111	3,255	366	226	412	545	454	511	517	591	762	1,088	1,405	1,973	2,273	3,111	3,255	1,001
		27,398	1,770	396	209	167	111	2,633	366	268	475	493	509	576	556	580	711	1,044	1,218	1,957	2,273	3,027	3,595	1,263
LEINSTER	{ Persons Males Females	24,098	2,047	413	214	153	111	2,971	338	229	383	448	427	176	454	567	681	985	1,077	1,367	1,669	2,305	2,422	685
		12,561	1,116	255	112	71	59	1,613	160	117	187	243	218	210	211	295	362	510	581	809	808	1,140	1,087	266
		11,737	901	188	102	82	55	1,358	178	112	196	205	209	266	243	272	319	475	496	758	801	1,165	1,335	419
MUNSTER	{ Persons Males Females	17,888	1,282	224	120	97	65	1,788	235	142	265	311	297	361	378	349	474	705	896	1,188	1,392	2,039	2,153	726
		9,193	727	119	64	42	31	986	126	61	126	155	119	179	189	169	250	363	489	648	767	1,051	1,059	331
		8,695	555	105	56	55	31	802	109	81	139	156	178	182	189	180	224	342	407	540	625	988	1,094	395
CONNAUGHT	{ Persons Males Females	9,346	458	126	65	43	28	720	93	79	156	182	161	163	160	204	255	396	543	655	1,152	1,522	588	
		4,760	252	62	31	22	11	378	48	30	67	101	78	77	77	81	100	133	205	283	312	575	717	269
		4,586	206	64	34	21	17	342	45	49	89	78	83	86	85	79	104	122	191	260	313	577	775	319
ULSTER (part of)	{ Persons Males Females	4,908	273	72	27	22	15	409	66	44	83	97	78	87	81	95	114	187	254	367	514	702	773	265
		2,528	165	33	10	13	7	228	32	18	32	43	39	45	40	46	50	82	130	213	296	345	582	135
		2,380	108	39	17	9	8	181	34	26	51	54	39	42	41	49	64	105	124	154	218	357	391	130
LEINSTER.																								
CARLOW	{ Persons Males Females	640	57	8	1	5	4	75	12	4	14	10	13	9	12	10	10	22	31	45	69	86	95	34
		340	30	5	.	2	2	39	8	3	5	7	8	2	4	7	5	16	16	22	36	47	46	18
		300	27	3	1	3	2	36	4	1	9	3	5	7	8	3	5	6	15	23	33	39	49	16
DUBLIN	{ Persons Males Females	1,895	163	32	16	9	8	228	29	29	43	29	41	37	31	52	55	89	86	126	132	165	208	62
		978	82	19	8	5	5	119	12	16	23	16	24	14	14	28	30	42	35	62	71	87	88	24
		917	81	13	8	4	3	109	17	13	20	13	17	23	17	24	25	47	51	64	61	78	120	58
CITY OF DUBLIN.	{ Persons Males Females	10,413	1,046	251	113	66	59	1,535	150	88	133	195	173	198	201	244	307	411	395	546	512	629	609	165
		5,317	592	144	59	33	29	857	63	39	58	100	83	97	103	126	165	211	217	265	242	279	192	50
		5,096	454	107	54	33	30	678	87	49	75	95	90	101	98	118	142	200	178	281	270	350	417	115
KILDARE	{ Persons Males Females	1,219	86	13	10	7	3	119	17	11	24	16	22	27	26	21	30	35	53	75	83	115	119	28
		631	41	8	1	4	2	62	10	5	8	11	13	9	11	14	20	22	35	49	52	58	61	13
		588	42	5	6	3	1	57	7	6	16	5	9	18	15	7	10	13	18	26	31	57	55	15
KILKENNY	{ Persons Males Females	1,288	95	20	12	15	11	153	22	15	23	22	12	25	15	27	39	50	77	91	110	191	177	51
		636	53	15	8	4	7	87	16	8	10	12	10	12	6	14	18	24	47	44	59	105	85	21
		652	42	5	4	11	4	66	6	7	13	10	2	13	9	13	21	26	30	47	51	89	92	30
LAOIGHIS	{ Persons Males Females	909	66	8	6	10	2	92	11	4	16	25	19	17	24	23	24	37	32	76	79	129	113	38
		470	37	4	5	4	1	51	7	3	7	10	9	7	14	16	16	21	18	44	42	67	60	11
		439	29	4	1	6	1	41	4	1	9	15	10	10	13	13	8	16	14	32	37	62	53	27
LONGFORD	{ Persons Males Females	644	29	10	4	1	2	46	3	5	9	7	8	10	6	14	9	24	27	53	76	97	91	21
		330	15	4	2	1	1	23	1	3	5	4	5	2	1	7	4	13	12	29	40	55	47	8
		314	14	6	2	.	1	23	2	2	4	3	3	8	5	7	5	11	15	24	36	42	47	13

[illegible]

ABSTRACT III.—continued—BIRTHS, and DEATHS at different Ages in the year 1932.

AGES AT DEATH

Provinces and Counties.	TOTAL BIRTHS.	TOTAL DEATHS	Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards	
WATERFORD CO.	{ Persons Males Females }	{ 831 393 438 }	51	7	6	3	5	72	11	12	10	17	9	15	20	23	17	46	48	75	70	132	141	39	4	
			27	3	2	1	3	36	10	8	8	10	4	7	9	9	9	26	27	42	45	67	73	20		
			21	4	4	2	2	36	4	4	4	2	7	5	5	8	11	14	8	20	21	33	25	65	71	19
WATERFORD CO. BOROUGH	{ Persons Males Females }	{ 695 345 350 }	92	24	16	9	8	149	9	4	7	11	8	11	14	20	15	21	28	31	42	54	51	15		
			57	10	5	4	1	77	5	1	1	8	2	3	7	10	7	9	17	16	14	23	29	6		
			35	14	11	5	7	72	4	3	6	3	6	3	6	8	7	10	8	12	11	15	28	31	22	9
CONNAUGHT.																										
GALWAY	{ Persons Males Females }	{ 3,184 1,597 1,587 }	183	48	36	14	15	296	37	32	58	49	56	70	49	43	63	88	123	141	162	336	522	204	21	
			85	24	17	8	5	139	17	15	22	30	22	37	23	24	29	53	68	83	86	174	272	89	10	
			98	24	19	6	10	157	20	17	36	19	34	33	26	19	34	35	55	58	76	162	250	115	11	
LEITRIM	{ Persons Males Females }	{ 811 413 398 }	37	7	5	4	.	51	8	8	13	11	19	10	20	18	22	32	52	75	95	152	152	48	1	
			21	5	2	2	.	30	5	2	5	7	9	7	9	8	9	17	18	41	52	73	73	25	1	
			16	2	1	2	.	21	3	6	8	7	10	7	13	10	13	15	34	34	43	79	79	23		
MAYO	{ Persons Males Females }	{ 2,923 1,504 1,419 }	115	41	14	12	5	187	30	18	54	69	55	43	37	47	52	68	114	141	177	283	447	194	20	
			69	20	7	6	3	105	15	6	24	40	30	20	17	25	28	32	63	66	89	132	204	87	9	
			46	21	7	6	2	82	15	12	30	29	25	23	20	22	21	36	51	75	88	151	243	107	11	
ROSCOMMON.	{ Persons Males Females }	{ 1,278 657 621 }	51	12	7	5	6	81	9	11	16	21	15	21	32	24	30	36	65	106	116	185	220	76	6	
			31	7	3	3	2	46	7	6	9	15	8	7	15	14	12	18	37	50	50	88	112	40	2	
			20	5	4	2	4	35	2	5	7	9	7	11	7	11	17	10	18	18	28	66	97	108	36	4
SLIGO	{ Persons Males Females }	{ 1,150 589 561 }	72	18	5	8	2	105	9	10	15	26	16	19	22	28	37	31	42	80	105	196	181	66	9	
			46	6	2	3	1	58	4	1	7	12	9	10	15	10	22	13	19	43	65	108	86	28	3	
			26	12	3	5	1	47	5	9	8	11	8	11	7	9	7	18	15	18	23	37	40	88	95	58
ULSTER (part of).																										
QAVAN	{ Persons Males Females }	{ 1,329 693 636 }	67	17	3	1	2	93	16	12	14	28	26	24	32	30	35	45	96	140	149	191	191	86	11	
			41	8	.	2	51	6	4	1	12	10	14	17	17	16	21	17	56	74	82	89	80	47	5	
			26	9	3	2	42	10	8	13	16	16	10	15	15	14	14	28	40	66	67	102	111	39	6	
DONEGAL	{ Persons Males Females }	{ 2,504 1,267 1,237 }	112	40	11	13	12	218	41	21	50	47	32	45	31	46	46	94	100	132	232	361	430	131	17	
			86	18	5	6	6	121	21	10	25	19	20	24	14	20	13	46	48	81	142	172	212	72	10	
			56	22	6	7	6	97	20	11	25	28	12	21	17	26	33	48	52	51	90	189	218	62	7	
MONAGHAN	{ Persons Males Females }	{ 1,075 568 507 }	61	15	13	5	1	98	9	11	19	22	20	18	18	19	33	48	58	95	133	150	152	45	3	
			38	7	5	5	1	56	5	4	6	12	9	10	9	10	16	19	26	58	72	84	90	16	3	
			26	8	8	.	.	42	4	7	13	10	11	11	11	9	17	29	32	37	61	66	62	29	1	

ABSTRACT IV.

Causes of Death.

ABSTRACT IV.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH											
		All Ages.	Under 1 Mth.	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Total Under 5 year.
	Total Deaths (All Causes) {M. F.	21,801 21,183	823 636	321 193	217 148	451 411	478 382	2,290 1,770	469 396	217 209	148 167	111 111	3,235 2,653
(1-44)	I. Infectious and Para- sitic Diseases. {M. F.	3,293 3,405	11 3	21 12	18 13	33 55	106 88	189 171	139 123	81 99	62 69	67 57	538 519
1	Typhoid Fever .. {M. F.	51 30	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
2	Paratyphoid Fever {M. F.	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
3	Typhus .. {M. F.	5 3	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
7	Measles .. {M. F.	112 138	1 ·	2 1	2 ·	3 3	23 21	31 25	32 47	12 25	9 9	7 6	91 112
8	Scarlet Fever.. {M. F.	50 42	· ·	· ·	· ·	· ·	2 2	2 2	4 3	2 6	5 6	7 5	20 22
9	Whooping-cough .. {M. F.	144 150	4 ·	6 7	5 7	19 31	35 32	69 77	47 30	12 21	7 11	3 4	138 143
10	Diphtheria .. {M. F.	183 200	· ·	1 2	1 ·	2 1	4 2	8 5	16 15	24 20	16 18	25 22	89 80
11	Influenza .. {M. F.	766 889	2 1	6 2	8 5	4 8	14 13	34 29	14 11	9 8	4 7	5 4	66 59
	(a) With respiratory complications. {M. F.	231 267	1 ·	· ·	1 3	· 3	6 6	8 12	3 4	3 4	3 3	3 2	20 25
	(b) Without respiratory complications. {M. F.	535 622	1 1	6 2	7 2	4 5	8 7	26 17	11 7	6 4	1 4	2 2	46 34
13	Dysentery .. {M. F.	· 3	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
15	Erysipelas .. {M. F.	18 16	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	1 ·	· ·	· 2
16	Acute polio-myelitis {M. F.	4 5	· ·	· ·	· ·	· ·	· ·	· ·	1 1	1 ·	· ·	· ·	2 1
17	Encephalitis Lethargica {M. F.	15 17	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	1 1	1 2
18	Cerebro-Spinal Fever .. {M. F.	12 5	· ·	· ·	· ·	1 1	· ·	1 1	· ·	· ·	1 ·	1 ·	3 1
20	Anthrax .. {M. F.	1 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
22	Tetanus .. {M. F.	6 5	1 1	· ·	· ·	· ·	· ·	1 1	1 ·	· ·	· ·	· ·	2 1
23-32	Tuberculosis (All Forms). {M. F.	1,834 1,842	· ·	2 ·	2 ·	4 8	25 12	33 20	21 13	19 17	18 15	16 13	107 78
23	Tuberculosis of Respiratory System. {M. F.	1,430 1,428	· ·	· ·	· ·	· 1	3 1	3 2	6 2	3 2	3 4	5 3	20 13
24-32	Tuberculosis other than Respiratory. {M. F.	404 414	· ·	2 ·	2 ·	4 7	22 11	30 18	15 11	16 15	15 11	11 10	87 65
24	Tuberculosis of the Central Nervous System {M. F.	135 134	· ·	1 ·	· ·	· 1	9 7	10 8	7 5	4 8	11 9	7 8	39 38
25	Tuberculosis of Intestines and Peritoneum. {M. F.	93 112	· ·	· ·	· ·	1 2	9 3	10 5	5 4	7 6	4 1	2 2	28 18
26	Tuberculosis of Vertebral Column. {M. F.	33 34	· ·	· ·	· ·	· ·	· ·	· ·	1 1	· ·	· ·	· ·	1 1

NOTE.—No deaths occurred from the following diseases, shown in the International List:—

4. Relapsing Fever. 5. Undulant Fever. 6. Small-pox. 12. Cholera. 14. Plague. 19. Glanders. 21. Rabies.

Different Periods of Life in the Year 1932.

TH.

	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	95 & up-wards	International List Nos.
6 6	226 268	412 475	545 493	454 509	511 576	517 556	591 580	762 711	1,088 1,044	1,405 1,218	1,953 1,712	2,273 1,957	3,111 3,087	3,255 3,595	1,001 1,263	96 120	}
3 3	91 140	213 313	322 315	230 281	223 236	208 194	186 134	160 129	158 131	143 114	169 173	175 173	186 225	116 136	13 16	1 3	(1-44)
3 2	3 3	7 3	3 1	6 2	2 5	3 1	3 3	10 2	1 4	6 1	2 .	3 .	1 .	1 .	.	.	1
.	1	2
.	.	.	.	1	1	1	2	.	1	.	1	3
11 12	2 4	3 5	1 .	2 .	2 2	1 .	2	7
16 9	7 1	2 1	1 2	3 2	1 .	1 3	1	8
5 5	1 1	.	1	9
66 78	11 21	9 10	2 2	1 2	1 1	1 1	1 1	1 .	1 .	1 1	2	10
3 15	3 12	12 19	20 10	10 22	15 17	14 18	26 20	20 29	43 37	53 48	92 111	122 133	152 200	102 120	12 16	1 3	11
1 5	5 5	6 7	5 3	5 12	6 8	4 9	7 10	11 9	12 15	23 16	27 33	27 37	36 42	26 28	4 3	.	11a
2 10	3 7	6 12	15 7	5 10	9 9	10 9	19 10	9 20	30 22	30 32	65 78	85 96	116 158	76 92	8 13	1 3	11b
.	.	.	1	1	1	.	.	13
.	.	1	.	.	1	1	.	2	1	3	2	1	4	2	1	.	15
.	.	1	2	3	.	2	.	3	2	.	.	16
1	1	1	1	2	1	3	1	1	.	3	1	1	17
1 2	4 1	3 .	1 1	18
.	1	.	1	20
2	1	1	.	1	1	2	.	.	22
53 43	54 90	169 268	289 290	201 250	197 205	180 163	149 107	120 91	102 81	74 60	63 54	44 33	23 16	9 10	.	.	23-32
11 12	18 49	128 209	245 238	172 221	172 182	163 136	126 91	107 78	90 63	63 43	51 45	36 26	21 15	7 7	.	.	23
42 31	36 41	41 59	44 52	29 29	25 23	17 27	23 16	13 16	12 18	11 17	12 9	8 7	2 1	2 3	.	.	24-32
28 21	19 23	15 23	10 16	9 4	4 6	3 .	2 2	4 .	1 1	.	1	24
7 6	8 10	10 16	13 14	6 10	6 5	3 7	4 4	1 7	3 4	3 6	.	1 3	25
2	1 3	3 3	6 7	3 3	1 .	1 4	6 1	.	3 5	3 3	2 .	.	1	.	.	.	26

ABSTRACT IV.—continued—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT											
		All Ages.	Under 1 Mth.	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Tot Und 5 year
	Infectious and Parasitic Diseases—continued.												
27	Tuberculosis of Other {M. Bones and Joints. . . {F.	35 32
28	Tuberculosis of Skin {M. and Subcutaneous {F. Tissues. . .	2 6
29	Tuberculosis of Lym- {M. phatic System. . . {F.	8 4	1 .	2 .	2 1
30	Tuberculosis of Genito- {M. Urinary System. . . {F.	15 18
31	Tuberculosis of Other {M. Organs. . . {F.	. 1
32	Disseminated Tubercu- {M. losis. . . {F.	83 73	. .	1 .	2 .	3 4	4 1	10 5	2 1	5 1	17 7
34	Syphilis . . . {M. F.	8 10	. .	1 .	. .	2 .	3 .	1 5	1 5
35	Gonococcal Infection and {M. Other Venereal Disease {F.	1 3
36	Purulent Infection, {M. Septicæmia. . . {F.	71 37	3 1	2 .	. 1	. 1	2 2	7 5	1 .	2 2	1 2	1 1	12 10
38	Malaria . . . {M. F.	2
42	Other Diseases due to {M. Helminths. . . {F.	3 3	2	1 .	2 .
43	Mycoses . . . {M. F.	2 2	. .	1	1 .	1	1 1
44	Other Infectious or Para- {M. sitic Diseases. . . {F.	4 4	1 1	1 1	1 .	. 1	2 2
(45- 55)	II. Cancer and Other Tumours. {M. F.	1,825 1,643 1	. 1	. 1	2 1	2 1	1 2	5 6
45- 53*	Cancer, Malignant Dis- {M. ease. . . {F.	1,770 1,542	1 1	. 1	. 1	1 .	1 1	1 1	3 1
54	Non-malignant Tumours {M. F.	23 52	1	1 .
55	Tumours of unspecified {M. nature {F.	32 49	1 .	1 .	. 1	2 1
(56- 69)	III. Rheumatism, Dis- eases of Nutrition and of Endocrine Glands, and Other General Diseases. {M. F.	365 435	1 .	. 1	. 1	3 1	1 4	5 7	12 4	6 3	1 3	4 1	28 18
56	Rheumatic Fever . . {M. F.	56 53	2 1	2 1	4 2
57	Chronic Rheumatism, {M. Osteo-Arthritis {F.	130 185
	(a) Chronic Rheuma- {M. tism. . . {F.	88 108
	(b) Rheumatoid Ar- {M. thritis, Osteo-Arthritis {F.	42 77
59	Diabetes Mellitus . . {M. F.	129 110	1 .	. .	1 .

NOTE.—No deaths occurred from the following diseases, shown in the International List:—

33. Leprosy 37. Yellow Fever. 39. Other diseases due to protozoa. 40. Ankylostomiasis.
41. Hydatid Cysts. 58. Gout.

* For deaths according to the individual numbers from 45 to 53 see Table L., p.p. xxviii-ix.

different Periods of Life in the Year 1932.

DEATH.

	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up- wards	International List Nos.
1	2	4	4	2	3	4	1	2	1	2	6	3	2	1	.	.	27
2	1	4	3	3	4	3	.	1	3	.	3	2	28
1	2	1	1	.	.	2	1	29
.	.	1	1	.	1	2	.	1	.	1	.	.	30
.	.	1	1	31
.	.	2	2	1	3	1	1	2	2	2	.	2	.	1	.	.	32
.	1	33
2	6	8	8	8	8	5	8	4	1	3	3	.	.	2	.	.	34
2	4	10	10	7	6	8	6	4	4	3	2	35
1	.	.	1	.	1	1	1	1	1	1	1	1	1	.	.	.	36
.	1	37
4	3	5	2	2	3	2	3	5	8	1	8	5	6	2	.	.	38
2	3	1	3	1	2	2	.	.	1	3	1	1	3	1	.	.	39
.	1	40
2	.	1	41
.	1	1	.	.	.	42
.	2	43
.	2	44
2	4	5	5	11	20	27	54	100	198	244	346	296	304	181	23	.	45-55
5	3	6	11	1	27	32	81	123	214	222	252	232	228	169	25	.	46
1	3	5	3	10	16	24	11	68	191	235	342	288	309	148	.	.	47
2	2	3	7	1	22	30	17	112	199	219	238	227	229	101	.	.	48
1	1	1	1	.	.	2	4	1	1	3	1	4	3	2	.	.	49
1	1	1	1	.	.	2	1	8	16	1	6	1	7	2	1	.	50
1	.	.	1	1	1	1	6	1	3	2	3	1	1	1	1	.	51
2	.	2	3	.	.	6	3	3	5	8	8	1	1	5	.	.	52
9	8	17	13	11	14	11	9	16	23	32	34	51	47	38	4	.	(56-69)
9	13	13	12	3	14	16	22	24	40	33	62	57	59	32	11	1	53
7	7	8	3	6	6	1	1	.	2	8	.	2	.	1	.	.	54
8	4	8	8	4	2	5	2	2	3	2	1	2	55
.	.	.	3	.	.	2	2	5	9	10	19	28	26	23	3	.	56
.	3	4	9	18	20	31	37	31	21	8	1	57
.	.	.	2	.	.	1	1	3	8	3	11	21	22	15	2	.	58a
.	5	7	7	18	27	23	13	5	1	58b
.	.	.	1	.	.	2	1	2	1	7	8	7	4	8	1	.	59a
.	2	3	4	11	13	15	10	8	8	3	.	59b
1	1	6	6	3	4	6	5	8	10	10	15	20	20	14	1	.	60
1	3	3	4	2	3	2	6	7	8	5	22	15	16	9	3	.	61

ABSTRACT IV.—continued.—CAUSES OF DEATH

AGES AT															
International List Nos.	Causes of Death.			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Total Under 5 years
	III. Rheumatism, Diseases of Nutrition and of Endocrine Glands, and other General Diseases.—con.														
60	Scurvy {M. F.	1 1	.	.	.	1	.	1	.	.	1	.	1
63	Rickets {M. F.	17 9	.	.	1	.	1	1 2	8 2	6 1	1	.	15 6
64	Osteomalacia {M. F.	1
66	Diseases of the Thyroid and Parathyroid Glands		{M. F.	13 46	.	.	.	2	1	2 1	2 .	2 .	.	1	5 3
	(a) Simple Goitre	..	{M. F.	1 12
	(b) Exophthalmic Goitre.		{M. F.	5 22
	(c) Myxœdema : Cretinism.		{M. F.	4 10	.	.	.	1	.	1 .	.	1 .	.	1	2 1
	(d) Tetany	..	{M. F.	2 2	.	.	.	1	1	1 1	1 .	1 .	.	.	2 2
	(e) Other	..	{M. F.	1	1	1 .
67	Diseases of the Thymus		{M. F.	1 4	.	1	.	.	2	3	3 .
68	Diseases of the Adrenals		{M. F.	9 19
69	Other General Diseases		{M. F.	8 8	1	1 .	2 .	2 .	.	.	1	3 2
(70-74)	IV. Diseases of the Blood and Hæmopoietic Organs.			210 249	4 4	.	1 1	1 .	.	6 5	3 1	2 3	1 3	1	12 13
70	Hæmorrhagic Conditions.	Con-	{M. F.	23 22	4 4	.	1 .	.	.	5 4	1 .	1 2	1 .	.	7 7
	(a) Purpura	..	{M. F.	13 19	2 .	1 .	1 2	1 .	.	2 5
	(b) Hæmophilia	..	{M. F.	10 3	4 2	.	1 .	.	.	5 2	5 2
71	Anæmias	...	{M. F.	142 198	.	.	1 .	1 .	.	1 1	2 .	.	1 2	.	4 3
	(a) Pernicious Anæmia		{M. F.	104 129	1 .	.	1 .
	(b) Other Anæmias and Chlorosis.		{M. F.	38 69	.	.	1 .	1 .	.	1 1	2 .	.	1 1	.	4 2
72	Leukæmias, Aleukæmias.		{M. F.	39 28	1 .	1 1	.	1	1 3
	(a) Leukæmia	..	{M. F.	23 13	1 .	1 1	.	1	1 3
	(b) Aleukæmia (Lymphadenoma : Hodgkin's Disease).		{M. F.	16 15
73	Diseases of the Spleen	..	{M. F.	5 1
74	Other Diseases of the Blood and Hæmopoietic Organs.		{M. F.	1

NOTE.—No deaths occurred from the following diseases, shown in the International List :—
 61. Beri-beri. 62. Pellagra. 65. Diseases of the pituitary gland.

at different Periods of Life in the Year 1932.

ATH.																	95 & up- wards	International List Nos
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—				
1	3		1					1									60	
																	63	
																	64	
	3	3 2		1	1 1	1 4	1 8	4	8	5	3	1 3		2			66	
	1	1				2	2		4	2	1						66a	
		1 1			1	1	1 6	3	3	3	2	1 2		1			66b	
	2	1 1		1	1	1		1	1			1		1			66c	
																	66d	
																	66e	
				1 1													67	
				1	1 5	1	2	2	1 2	1	3		1 3				68	
1					2 3	1 1		1	1	1							69	
9 6	3	6 6	3 7	8 13	7 15	11 18	7 13	15 22	22 31	24 36	23 30	34 23	19 10	7 5			(70- 74)	
2 2		2		2	1 2	5 3		1 1	2	1 3	1	1	1				70	
2 3				1	1 2	2 3		1 1	2	1 3	1	1	1				70a	
		1		1		3											70b	
3 2	2	2 3	1 6	1 10	1 14	5 11	1 11	10 18	12 27	20 31	21 29	28 21	18 8	1			71	
2	2	2 3	2	3 8	1 8	4 5	3 9	8 11	8 19	11 22	18 19	18 12	16 5	6 5			71a	
3			1 1		3 5	1 6	1 2	2 7	1 8	3 9	3 10	10 9	7 3	1			71b	
4 1	1	2 3	1 1	6 1	1 1	1 4	3 2	3 2	6 4	3 2	1 1	5 2	1 1				72	
2		2 2	1	2 1		1 1	1 2	2 1	4 1	2	1	1 2					72a	
2 1	1	1	1	4	1 1	3	2	1 1	2 3	1 2	1	1	1 1				72b	
				1	1			1	2								73	
																	74	

ABSTRACT IV.—continued.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT											
		All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Total Under 5 years.
(75-77)	V. Chronic Poisoning. {M. F.	16
75	Alcoholism, Acute or Chronic. {M. F.	15
76	Chronic Poisoning by other Organic Substances. {M. F.	1
(78-89)	VI. Diseases of the Nervous System and Sense Organs. {M. F.	1,947 2,058	82 54	37 25	34 17	64 38	50 37	267 171	54 41	15 15	15 14	8 11	359 252
78	<i>Encephalitis</i> .. {M. F.	25 10	.	.	.	1	3 1	3 2	3	1	.	1	8 2
	(a) Abscess of Brain .. {M. F.	10 1	1	1	1	.	.	1	3
	(b) Others .. {M. F.	15 9	.	.	.	1	2 1	2 2	2	1	.	.	5 2
79	Simple Meningitis .. {M. F.	172 131	2	2	2 1	9 8	22 8	37 17	17 17	8 11	9 6	4 7	75 58
80	Tabes Dorsalis (Locomotor Ataxy). {M. F.	9
81	Other Diseases of the Spinal Cord. {M. F.	54 41
82	<i>Cerebral Hæmorrhage, Apoplexy, etc.</i> {M. F.	1,078 1,425	1	.	1	1 1
	(a) Cerebral Hæmorrhage. {M. F.	664 841
	(b) Cerebral Thrombosis, Embolism. {M. F.	79 129	1	1
	(c) Cerebral Softening {M. F.	16 13
	(d) Hemiplegia .. {M. F.	172 283
	(e) Other Forms of Paralysis. {M. F.	147 159	1	.	.	1
83	General Paralysis of Insane. {M. F.	13 2
84	Other Forms of Insanity {M. F.	90 79
85	Epilepsy .. {M. F.	101 69	.	.	1	1	.	1 1	2	.	1	1	5 2
86	Convulsions (under 5 years) {M. F.	256 180	80 51	35 25	32 13	51 28	24 26	222 146	26 21	5 3	3 7	3	256 180
87	<i>Other Diseases of Nervous System.</i> {M. F.	120 95	.	.	1	.	.	1	3 1	1	1	.	5 2
	(a) Chorea .. {M. F.	2 5
	(b) Neuritis .. {M. F.	18 11
	(c) Paralysis Agitans. {M. F.	22 25
	(d) Disseminated Sclerosis. {M. F.	17 16
	(e) Other .. {M. F.	61 38	.	.	1	.	.	1	3 1	1	1	.	5 2

NOTE.—No deaths occurred from the following diseases, shown in the International List :—
77a and b. Chronic poisoning by mineral substances.

at different Periods of Life in the Year 1932.

DEATH.																	International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up- wards	
.	.	.	.	1	.	2	3	.	2	2	5	1	(75- 77)
.	.	.	.	1	.	2	3	.	2	2	1	1	
.	1	
34	29	41	36	36	32	40	49	71	93	166	189	237	280	218	36	1	(78- 89)
33	21	16	31	28	39	35	63	78	136	156	241	245	326	301	57	.	
1	1	.	.	5	3	1	.	2	1	2	2	2	1	.	.	.	
1	1	.	.	5	1	.	1	(78a)
.	.	.	.	2	3	1	.	2	.	2	1	.	1	.	.	.	
.	1	.	2	.	2	1	.	.	.	
17	19	17	10	9	4	5	3	2	6	4	.	1	(79)
25	12	8	12	2	3	2	2	1	4	2	.	.	
.	.	.	.	1	.	.	1	.	.	1	3	2	.	1	.	.	
1	.	3	3	5	1	3	6	5	4	9	6	6	1	2	2	.	(81)
1	.	.	2	1	1	.	3	9	4	3	7	3	6	2	.	.	
1	2	6	3	2	6	12	19	26	60	100	151	190	257	207	34	1	
2	1	.	2	5	10	19	32	49	103	131	211	222	300	281	56	.	(82)
1	1	1	1	1	2	7	13	19	30	62	98	118	163	127	23	1	
1	1	.	1	1	3	13	14	30	70	81	137	113	182	161	33	.	
.	.	1	1	1	3	2	2	3	7	10	7	17	10	17	2	.	(82a)
.	.	.	.	1	3	2	4	4	8	9	13	20	22	31	12	.	
.	2	1	.	.	1	2	3	3	4	1	.	
.	.	.	2	.	3	1	5	2	10	11	33	30	50	29	4	.	(82b)
.	1	9	9	16	29	41	57	63	51	8	.	
1	2	1	1	1	4	3	3	2	13	16	11	22	31	30	4	.	
1	.	.	.	3	1	3	8	6	9	12	17	31	31	33	2	.	(82c)
.	.	.	1	.	.	1	2	2	3	2	.	3	
.	1	
.	.	1	2	4	6	4	4	13	8	20	10	11	4	1	.	.	(83)
.	.	1	2	5	3	4	9	7	12	12	9	7	5	3	.	.	
1	1	11	8	7	9	13	8	11	3	6	5	6	7	3	1	.	
1	2	.	.	12	11	2	7	1	6	1	5	2	2	2	.	.	(84)
.	
.	
10	2	2	1	4	4	2	5	10	8	20	12	17	11	1	.	.	(85)
2	1	1	1	2	7	5	8	7	7	6	10	9	11	10	.	.	
.	2	1	
.	(86)
.	
.	
.	(87)
.	
.	
10	.	2	4	3	1	.	4	5	4	5	5	1	1	2	.	.	(88)
2	1	.	2	1	5	.	5	7	2	3	5	1	1	5	.	.	
.	

ABSTRACT IV.—continued—CAUSES OF DEATH

International List Nos.	Causes of Death	AGES AT											
		All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Total Under 5 years.
	VI. Diseases of the Nervous System and Sense Organs —contd.												
88	Diseases of the Eye .. {M. F.	1 2	1 .	. .	1	1 .
89	<i>Diseases of the Ear and Mastoid Sinus.</i> {M. F.	28 24 1	3 .	1 2	4 3	3 2	. .	1 .	1 1	9 6
	(a) Otitis, and Other Diseases of the Ear. {M. F.	14 15 1	. .	1 .	1 1	2 2	3 3
	(b) Diseases of the Mastoid Sinus. {M. F.	14 9	3 .	. 2	3 2	1 .	. .	1 .	1 1	6 3
(90-103)	VII. Diseases of the Circulatory System. {M. F.	3,408 3,327	. 1	. 1	. .	1 .	. 2	1 4	1 3	. 1	3 .	2 2	7 10
90-95	<i>Heart Diseases</i> ... {M. F.	3,098 3,038	1 3	. 1	2 .	1 2	4 6
90	Pericarditis .. {M. F.	19 9	1 .	. .	1 .	. .	1 1
91	Acute Endocarditis {M. F.	56 51
92	Chronic Endocarditis, Valvular Disease. {M. F.	755 805	1 .	1 .
93	<i>Diseases of the Myocardium.</i> {M. F.	1,147 1,119	1 .	1 .	. .	1 .	3 .
	(a) Acute Myocarditis {M. F.	7 10	1 .	1 .	. .	1 .	3 .
	(b) Fatty Heart .. {M. F.	49 51
	(c) Chronic Myocarditis, Myocardial Degeneration. {M. F.	514 464
	(d) Other, and not specified. {M. F.	577 594
94	Diseases of the Coronary Arteries: Angina Pectoris. {M. F.	145 62
95	<i>Other Heart Diseases</i> {M. F.	976 992	1 1	. .	1 .	1 .	3 1
	(a) Functional .. {M. F.	67 93
	(b) Other, and not stated. {M. F.	909 899	1 1	. .	1 .	1 .	3 1
96	Aneurysm (other than Heart) {M. F.	18 16
97	Arterio-Sclerosis .. {M. F.	183 134
98	Gangrene .. {M. F.	50 74	. 1	1	1 .	. .	1 1
99	Other Diseases of the Arteries. {M. F.	5 11
100	Diseases of the Veins .. {M. F.	17 18
101	Diseases of Lymphatic System. {M. F.	2 5	1 .	2 .	1 2	1 .	2 2
102	Idiopathic Abnormalities of Blood Pressure. {M. F.	31 29
103	Other Diseases of the Circulatory System. {M. F.	4 2	. .	1	1	1 .

at different Periods of Life in the Year 1932.

DEATH.																	95 & up-wards	International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—			
.	.	1	}	88
3	4	1	3	1	3	.	1	.	.	2	.	1		
3	1	2	2	1	1	1	1	.	.	1	.	1	1	1	.	.	}	89
2	2	1	1	1	2	1	.	.	.	2		
16	12	23	32	28	45	43	77	119	199	287	499	606	690	615	103	7	}	(90-103)
12	20	31	23	46	36	68	89	133	207	301	419	535	692	563	137	5		
16	12	23	31	28	42	39	72	115	189	261	459	551	623	536	82	6	}	90-95
12	19	31	23	45	55	62	85	125	198	272	377	481	640	501	119	1		
1	.	1	.	.	2	1	2	2	1	1	2	1	1	1	.	.	}	90
1	1	1	1	2	.	1	.	1	.	.	.		
1	2	6	1	5	5	1	9	2	4	1	6	3	1	.	.	.	}	91
3	6	5	6	7	5	1	1	3	1	5	.	.	1	.	.	.		
6	5	10	18	7	7	10	10	30	50	69	129	128	119	112	15	.	}	92
2	5	12	13	16	13	20	22	47	63	75	110	135	155	96	19	1		
2	.	4	5	5	15	7	18	36	70	98	160	211	240	232	40	4	}	93
2	1	.	.	6	6	16	29	53	65	96	145	168	258	221	65	2		
1	.	2	2	.	1	1	}	93a
.	2	1	2	.	.	1	1	.	.		
.	1	1	1	3	7	10	5	11	6	1	.	}	93b
.	1	2	.	5	10	10	8	7	7	1	.		
.	.	1	2	2	8	1	5	11	30	48	75	98	111	103	13	3	}	93c
.	.	.	.	2	4	7	10	12	23	33	65	89	114	96	32	2		
1	.	1	3	3	7	5	12	18	35	43	74	107	118	123	26	1	}	93d
2	2	.	.	4	2	8	17	21	36	51	79	96	136	117	32	.		
.	.	.	.	1	1	5	2	10	15	12	26	39	21	17	3	.	}	94
.	1	2	.	4	9	9	9	42	13	3	.		
3	5	3	4	10	12	12	31	55	79	86	136	182	205	174	24	2	}	95
1	5	12	4	16	11	21	28	41	63	87	112	172	213	171	32	1		
.	.	1	1	.	1	3	2	1	6	6	5	19	11	10	1	.	}	95a
.	.	.	1	2	1	6	1	10	9	6	8	12	17	15	2	.		
5	5	2	3	10	11	9	25	33	43	80	131	163	191	161	15	2	}	95b
4	3	12	3	14	10	16	24	31	51	81	101	100	106	156	30	1		
.	2	2	.	1	2	1	5	.	2	.	.	}	96
.	1	1	1	2	5	5	2	.	1	.	.		
.	1	1	1	1	5	10	27	30	30	51	18	.	}	97
.	1	1	2	10	21	24	25	35	9	.		
.	1	.	1	.	.	2	3	15	19	1	1	}	98
.	1	.	1	5	11	19	15	7	.		
.	1	.	1	.	.	1	1	.	.	.	1	1	2	.	1	.	}	99
.	1	.	.	.	1	3	.	1	.	.		
.	1	.	1	1	1	3	1	5	1	1	.	.	}	100
.	1	1	1	.	1	3	2	5	.	.		
.	1	1	.	.	}	101
.	1	.	.	1	.	.	.		
.	.	.	.	1	.	.	1	.	3	5	1	5	6	5	2	.	}	102
.	1	9	.	5	3	1	1	.		
.	1	.	.	.	2	}	103
.	1		

[illegible]

at different Periods of Life in the Year 1932.

DEATH.																		95 & up- wards	International List Nos.
5--	10--	15--	20--	25--	30--	35--	40--	45--	50--	55--	60--	65--	70--	75--	85--				
48 42	21 21	32 29	44 33	45 37	64 56	65 57	80 74	123 82	151 124	220 166	320 289	347 328	506 509	354 440	76 72	3 2	(104- 114		
.	.	.	1	1	.	.	1	.	.	.	1	(104		
2 3	.	.	1	1	2	.	1	1	.	1	(105		
1 1	(105a		
1 2	.	.	1	1	2	.	1	1	.	1	(105b		
7 5	2	5	7 5	6 5	4 7	14 8	18 16	11 7	55 51	78 72	144 135	177 179	277 238	243 281	47 44	1 1	(106		
2 2	2	1	2	1	2	2	5 3	4 6	11 5	15 11	28 32	28 36	56 57	21 39	8 6	.	(106a		
.	.	1	1	2	2	3	1	10 1	14 11	11 12	28 32	48 33	17 38	51 46	10 11	.	(106b		
5 3	.	2 1	4 5	1 2	2 1	9 7	12 9	27 23	50 35	44 46	78 82	101 110	180 223	128 199	29 24	1 1	(106c		
31 31	21 17	20 20	26 17	30 22	50 35	42 39	46 11	57 36	61 56	93 62	133 97	136 103	149 121	95 105	15 20	2 1	(107- 9		
14 16	7 6	6 10	5 6	8 5	8 9	4 8	8 8	5 5	10 12	21 16	42 40	39 43	56 59	37 60	6 14	1 1	(107		
2 3	2 3	5 1	7 3	7 1	10 8	7 9	8 11	19 11	18 1	15 15	28 11	24 14	27 16	13 2	1 .	1 .	(108		
15 12	12 8	9 6	14 8	15 13	32 18	31 22	30 25	10 17	36 30	59 31	73 43	71 46	79 55	43 56	8 6	.	(109		
2 1	.	4 3	5 3	3 3	3 1	4 1	5 2	8 6	8 1	15 6	1 1	6 8	9 8	3 1	2 1	.	(110		
1 1	.	1	3	5	1	.	1	2	1	.	.	1	1	1	.	.	(110a		
2 2	.	3 3	2 3	3	2 3	1 1	4 2	1 6	1 1	15 5	1 4	1 7	7 8	2 1	2 1	.	(110b		
2 2	1	3	2 5	1 3	1 6	1 1	1 1	3 3	9 2	17 11	13 19	15 21	18 23	13 25	7 4	.	(111		
2 2	1	2	1	3	4	1	1	5	7 2	17 2	16 19	13 18	28 15	23 25	1 .	.	(111a		
.	.	1	1	1	2	2	.	.	2	.	.	1	.	.	1	.	(111b		
2 1	1	.	1	1	1	1 3	6 11	8	10 7	11 12	20 13	11 16	39 17	18 .	5 2	.	(112		
.	1 1	1 1	.	.	2	1	.	.	(113		
2	.	1 1	1 2	1 2	2 2	2	2	6 1	1 1	3 2	5 1	3 1	7 2	3 4	1	.	(114		
.	.	.	1	.	1	.	.	1	1 2	1 1	1 1	1	1	.	.	.	(114a		
1	.	1	1	1 1	1	(114b		
1	.	1	1	1 2	1	.	2	1	2	1 2	.	1	1	1	1	.	(114c		

ABSTRACT IV.—Continued—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT											
		All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Total Under 5 years.
(115-129)	IX. Diseases of the Digestive System.	{M. 1,365 F. 1,091	39 14	79 37	59 43	121 119	86 68	384 281	42 42	24 10	12 20	5 7	467 360
115	<i>Diseases of the Buccal Cavity, Pharynx, etc.</i>	{M. 33 F. 51	. .	1 1	. .	1 2	3 .	5 3	5 5	2 2	2 1	2 3	16 14
	(a) Diseases of the Teeth and Gums.	{M. 8 F. 12	. .	1 .	. .	1 2	1 .	3 2	3 4	. 1	6 7
	(b) Diseases of Tonsils	{M. 14 F. 27	. .	. 1	1 .	1 1	1 1	1 1	2 1	2 3	7 7
	(c) Other Diseases of Buccal Cavity and Pharynx.	{M. 11 F. 12	1 .	1 .	1 .	1	3 .
116	Diseases of the Œsophagus.	{M. 3 F. 2
117	<i>Ulcer of the Stomach and Duodenum.</i>	{M. 244 F. 84
	(a) Ulcer of the Stomach.	{M. 156 F. 70
	(b) Ulcer of the Duodenum.	{M. 88 F. 14
118	<i>Other Diseases of the Stomach.</i>	{M. 208 F. 175	11 1	13 7	7 7	21 14	11 4	63 33	2 7	1 .	1 2	. 1	67 43
	(a) Inflammation of the Stomach.	{M. 163 F. 135	10 .	13 7	7 6	21 12	11 4	62 29	2 7	1 .	1 .	. 1	66 37
	(b) Other Diseases of Stomach.	{M. 45 F. 40	1 1	. .	. 1	. 2	. .	1 1 2	. .	1 6
119	Diarrhœa and Enteritis, under 2 years of age.	{M. 325 F. 256	26 13	63 27	52 36	91 94	63 60	295 230	30 26	325 256
120	Diarrhœa, Enteritis, and Ulcer of Intestine, 2 years of age and over.	{M. 103 F. 102	14 5	6 8	1 1	21 14
121	Appendicitis ..	{M. 118 F. 103	1 .	1 .	2 2	2 .	2 6	1 1	8 9
122	<i>Hernia, Intestinal Obstruction.</i>	{M. 142 F. 129	1 .	. 1	. .	7 6	7 4	15 11	3 1	2 1	. 2	. .	20 15
	(a) Hernia ..	{M. 37 F. 38	1 .	. .	1 .	1	2 .
	(b) Intestinal Obstruction.	{M. 105 F. 91	1 .	. 1	. .	6 6	7 4	14 11	2 1	2 1	. 2	. .	18 15
123	Other Diseases of the Intestines.	{M. 28 F. 21 1	1 .	1 1	. .	1	2 1
124	Cirrhosis of the Liver ..	{M. 48 F. 29 1	1 .	1 1
125	<i>Other Diseases of the Liver.</i>	{M. 43 F. 25	1 .	1 .	. .	1 .	. .	3 1	1 1	. .	4 2
	(a) Acute Yellow Atrophy of Liver.	{M. 7 F. 3	1 .	. .	1 .
	(b) Other Diseases of the Liver.	{M. 36 F. 22	1 .	1 .	. .	1 .	. .	3 1	. 1	. .	3 2
126	Biliary Calculi ..	{M. 4 F. 24
127	Diseases of the Gall Bladder and Biliary Passages.	{M. 30 F. 51	1 .	. .	1	1 .

at different Periods of Life in the Year 1932.

DEATH.																	95 & up- wards	International List Nos.
—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—			
28 50	19 26	28 24	27 16	30 14	37 38	49 25	49 34	51 42	89 53	91 64	110 70	106 101	97 87	77 71	10 16	.	{ (115- 129)	
5 4	1 2	. 4	1 1	. 1	1 3	. 1	2 2	. .	1 3	1 1	1 4	2 5	1 1	1 5	{ 115	
. 1	. .	. 1	1	1 .	. 2	. .	. 1	{ 115a	
3 4	1 1	. 1	1 .	. .	1 2	. 1	. 1	. .	1 2	1 .	. 3	. 2	. 1	. 1	{ 115b	
2 .	. 1	. 2	. 1	. .	. 1	. .	1 1	. .	. 1	1 .	. 1	2 1	1 .	1 3	{ 115c	
.	1 .	1 .	1 .	. .	1 1	. .	{ 116	
. .	1 .	4 5	8 2	13 2	15 6	23 5	18 7	20 9	28 9	31 13	35 7	25 10	13 5	9 3	1 1	. .	{ 117	
. .	. .	1 4	6 2	5 2	9 4	13 5	13 6	12 5	15 5	18 13	26 6	21 9	9 5	7 3	1 1	. .	{ 117a	
. .	1 .	3 1	2 .	8 .	6 2	10 .	5 1	8 4	13 4	13 .	9 1	4 1	4 .	2	{ 117b	
2 4	1 2	1 2	2 2	5 .	6 1	6 2	6 2	3 4	15 7	10 10	22 18	20 27	23 32	18 16	1 3	. .	{ 118	
1 2	1 1	1 1	1 2	3 .	4 .	4 2	3 1	2 3	12 5	7 4	16 12	13 21	15 29	14 12	3 .	. .	{ 118a	
1 2	. 1	. 1	1 .	2 .	2 1	2 .	3 1	1 1	3 2	3 6	6 6	7 6	8 3	4 4	1 .	. .	{ 118b	
.	{ 119	
10 13	2 2	3 1	. 1	. 3	1 3	4 4	2 3	3 3	5 8	6 5	8 9	10 6	15 12	12 12	1 3	. .	{ 120	
5 18	9 14	16 11	11 5	5 3	5 7	6 5	6 4	4 7	7 3	11 3	10 6	7 3	3 4	4 1	1 .	. .	{ 121	
4 1	2 3	2 .	3 2	2 .	4 6	5 2	3 7	5 8	15 10	6 11	9 11	12 17	26 15	20 16	4 5	. .	{ 122	
. .	1 1	2 .	. 6	1 3	2 5	3 5	5 5	2 1	9 5	7 5	3 2	. .	{ 122a	
4 1	1 3	2 .	3 2	2 .	4 5	3 2	3 1	4 5	13 5	3 6	4 6	10 16	17 10	13 11	1 3	. .	{ 122b	
. 1	. 1	1 1	2 1	2 2	. 1	4 1	2 1	8 5	2 2	4 4	. 1	. .	{ 123	
. .	. .	1 .	. .	1 .	1 1	1 .	1 .	5 2	5 3	8 4	7 3	8 9	5 2	2 3	1 1	. .	{ 124	
1 .	1 1	1 .	. .	1 3	3 2	1 1	2 .	2 .	1 2	3 3	8 .	5 3	6 4	4 3	. 1	. .	{ 125	
.	1 1	2 1	. 1	1 .	. .	1 .	1	{ 125a	
1 .	1 1	1 2	1 1	1 .	2 .	2 .	1 2	2 3	8 .	4 3	5 4	4 3	1 .	. .	{ 125b	
.	3 .	2 .	1 .	. .	1 1	2 .	6 .	1 3	2 .	1 4	{ 126	
1	1 .	. .	1 1	1 2	1 4	3 3	5 5	7 8	4 4	5 10	2 7	. 4	{ 127	

ABSTRACT IV.—continued—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT											
		All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Total Under 5 years.
	IX. Diseases of the Digestive System.—contd.												
128	Diseases of the Pancreas. {M. F.	7 11	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	1 ·
129	Peritonitis, without stated cause. {M. F.	29 28	· ·	1 1	· ·	· 1	· ·	1 2	· ·	1 1	· ·	· 1	2 4
(130-139)	X. Non - Venereal Diseases of the Genito-Urinary System and Annexa. {M. F.	1,051 580	3 1	2 1	2 ·	6 2	2 3	15 7	4 4	2 1	1 2	· ·	22 14
130-132	Nephritis, Acute and Chronic. {M. F.	703 520	2 1	2 1	2 ·	1 1	2 2	9 5	2 2	2 1	1 2	· ·	14 10
130	Acute Nephritis (including unspecified, under 10 years of age). {M. F.	111 82	2 1	2 1	2 ·	1 1	2 2	9 5	2 2	2 1	1 2	· ·	14 10
131	Chronic Nephritis {M. F.	340 256	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
132	Nephritis, unspecified, (over 10 years of age) {M. F.	252 182	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
133	Other Diseases of the Kidney. {M. F.	43 23	1 ·	· ·	· ·	2 1	· 1	3 2	1 2	· ·	· ·	· ·	4 4
134	Urinary Calculi .. {M. F.	3 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
135	Diseases of the Bladder {M. F.	115 13	· ·	· ·	· ·	1 ·	· ·	1 ·	· ·	· ·	· ·	· ·	1 ·
	(a) Cystitis .. {M. F.	97 13	· ·	· ·	· ·	1 ·	· ·	1 ·	· ·	· ·	· ·	· ·	1 ·
	(b) Other Diseases of the Bladder. {M. F.	18 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
136	Diseases of the Urethra. {M. F.	6 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
	(a) Stricture of the Urethra. {M. F.	3 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
	(b) Other Diseases of the Urethra. {M. F.	3 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
137	Diseases of the Prostate M.	175	·	·	·	·	·	·	·	·	·	·	·
138	Non-venereal Diseases of the male Genital Organs .. M.	6	·	·	·	2	·	2	1	·	·	·	3
139	Non-venereal Diseases of the Female Genital Organs. ... F.	23	·	·	·	·	·	·	·	·	·	·	·
	(a) Diseases of the Ovary, Fallopian tube and Parametrium .. F.	10	·	·	·	·	·	·	·	·	·	·	·
	(b) Diseases of the Uterus .. F.	10	·	·	·	·	·	·	·	·	·	·	·
	(c) Diseases of the Breast .. F.	3	·	·	·	·	·	·	·	·	·	·	·

NOTE.—No deaths occurred from the following diseases, shown in the International List:—
139d. Other Non-venereal diseases of the female genital organs.

[illegible]

[illegible]

t different Periods of Life in the Year 1932.

TH.

	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	International List Nos.
	.	4	23	53	81	63	28	4	(140-150)
	3	1	140
	.	.	1	3	.	1	141
	.	.	.	1	3	142
	1	1	143
	.	.	5	9	19	23	12	144
	.	.	.	1	6	7	5	144a
	.	.	5	8	13	16	7	144b
	.	.	8	19	27	13	6	1	145
	.	2	3	6	11	9	7	1	146
	.	1	2	3	7	2	147
	.	.	1	5	7	2	2	1	148
	.	.	1	2	2	148a
	.	.	.	3	5	2	2	1	148b
	.	1	2	6	4	6	.	1	149
	.	.	1	1	2	3	150
1	2	2	1	1	2	1	1	1	3	11	1	11	5	5	1	.	(151-153)
	2	.	.	.	3	.	2	3	3	3	8	3	8	3	.	.	151
	1	1	2	1	2	1	1	2	3	.	.	152
1	1	2	.	.	2	1	1	1	1	2	1	6	3	1	1	.	153
	.	.	1	1	.	.	1	1	1	7	5	4	1	1	.	.	154
	.	.	.	1	2	.	.	1	3	2	5	2	1	2	.	.	155
9	6	2	2	2	4	3	2	3	2	3	4	3	2	2	.	.	(154-156)
4	5	1	1	1	2	1	.	2	.	2	2	1	3	2	.	.	154
9	1	.	1	.	1	.	1	1	.	.	.	2	1	1	.	.	155
	1	1	.	.	1	1	1	.	1	2	.	.	156
	.	.	.	1	.	.	.	1	2	1	3	1	1	2	.	.	156a
	2	1	3	.	1	.	.	.	156b
	.	.	.	1	.	.	.	1	.	1	1	1	157

ABSTRACT IV.—continued—CAUSES OF DEATH

International List Nos.	Causes of Death	AGES AT											
		All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Total Under 5 years.
(157)	XIV. Congenital Malformations. {M. F.	122 107	58 53	12 11	11 3	10 12	10 11	101 90	8 5	1 1	2 1	· 1	112 98
157	Congenital Malformations:												
	(a) Congenital Hydro- {M. cephalus. {F.	20 12	5 6	· ·	1 ·	2 2	3 3	11 11	5 ·	· ·	· ·	· 1	17 12
	(b) Spina Bifida and {M. Meningocele {F.	31 32	20 16	3 5	2 2	2 4	1 3	28 30	3 1	· ·	· ·	· ·	31 31
	(c) Congenital Malfor- {M. mation of Heart. {F.	38 35	13 12	6 3	5 ·	5 5	4 5	33 25	· 4	1 1	1 ·	· ·	33 31
	(d) Monstrosities .. {M. {F.	2 7	2 7	· ·	· ·	· ·	· ·	2 7	· ·	· ·	· ·	· ·	2 7
	(e) Other Congenital {M. Malformations. {F.	31 21	18 12	3 3	3 1	1 1	2 ·	27 17	· ·	1 ·	1 ·	· ·	29 17
(158- 161)	XV. Diseases of Early Infancy. {M. F.	872 675	558 446	116 67	61 48	98 83	39 31	872 675	· ·	· ·	· ·	· ·	872 675
158	Congenital Debility .. {M. {F.	530 396	244 191	95 47	56 46	96 82	39 30	530 396	· ·	· ·	· ·	· ·	530 396
159	Premature Birth .. {M. {F.	263 217	241 196	17 17	3 2	2 1	· 1	263 217	· ·	· ·	· ·	· ·	263 217
160	Injury at Birth .. {M. {F.	25 21	24 20	· 1	1 ·	· ·	· ·	25 21	· ·	· ·	· ·	· ·	25 21
161	Other Diseases of Early {M. Infancy. {F.	54 41	49 39	4 2	1 ·	· ·	· ·	54 41	· ·	· ·	· ·	· ·	54 41
	(a) Atelectasis .. {M. {F.	29 27	27 26	2 1	· ·	· ·	· ·	29 27	· ·	· ·	· ·	· ·	29 27
	(b) Icterus Neo- {M. natorum. {F.	16 5	15 5	1 ·	· ·	· ·	· ·	16 5	· ·	· ·	· ·	· ·	16 5
	(c) Sclerema and {M. Others. {F.	9 9	7 8	1 1	1 ·	· ·	· ·	9 9	· ·	· ·	· ·	· ·	9 9
(162)	XVI. Old Age :												
162	Old Age .. {M. {F.	2,974 3,652	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
(163- 198)	XVII. Deaths from Violence. {M. F.	677 300	18 19	1 ·	1 ·	1 2	5 2	26 23	22 17	22 10	11 7	7 6	88 63
163- 171	Suicide .. {M. {F.	90 20	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
172- 175	Homicide ; Infanticide. {M. {F.	10 6	2 3	· ·	· ·	· ·	· ·	2 3	· ·	· ·	· ·	· ·	2 3
176- 198	Other Deaths by {M. Violence. {F.	577 274	16 16	1 ·	1 ·	1 2	5 2	24 20	22 17	22 10	11 7	7 6	86 60
177	Food Poisoning .. {M. {F.	· 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
178	Accidental Absorption of {M. Toxic Gas. {F.	3 2	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
179	Other Acute Accidental {M. Poisoning. {F.	6 1	· ·	· ·	· ·	· ·	1 ·	1 ·	· ·	· ·	· ·	1 ·	2 ·
181	Accidental Burns (Con- {M. flagration excepted). {F.	69 95	1 1	· ·	· ·	· 1	2 1	3 3	16 16	11 7	8 5	3 6	44 37

NOTE.—No deaths occurred from the following causes, shown in the International List :—
 176. Attack by venomous animals. 180. Conflagration.

t different Periods of Life in the Year 1932.

EARTH.																	International List Nos.
	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up- wards	
4 2	2 3	1 1	2 2	1	.	.	.	1	(157)
1	1	.	1	157a
.	1	157b
3 12	1 1	.	1 1	157c
.	157d
.	1	1	1	1	.	.	.	1	157e
.	(158- 161)
.	158
.	159
.	160
.	161
.	161a
.	161b
.	161c
.	162
31 22	25 8	28 18	43 8	40 8	44 4	36 8	41 7	35 10	57 13	42 17	40 16	52 19	36 37	33 33	6 8	1	(163- 198)
.	.	1	5	5	3	10	7	8	11	11	9	10	4	3	.	.	163- 171
.	.	1	.	2	.	2	1	3	6	2	2	1	172- 175
.	.	.	.	1	2	.	.	2	.	.	1	2	1	.	.	.	176- 198
31 22	25 8	27 17	38 8	33 5	39 4	26 6	34 6	25 7	43 7	31 15	30 14	42 16	31 37	30 33	6 8	1	177
1	178
.	.	.	.	1	.	1	1	1	.	.	.	179
.	1	1	.	1	.	1	1	181
6 9	1 3	1 11	1	2	1 2	1 2	1	3	1	2 4	2 1	2 1	2 1	4 8	1 2	.	

ABSTRACT IV.—continued—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT											
		All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total Under 1 year.	1—	2—	3—	4—	Total Under 5 years.
	XVII. Deaths from Violence. —contd.												
182	Accidental Mechanical Suffocation: Overlying { M. F.	13 6	3 1	1 1	2 .	6 2	. .	1	7 2
	(a) Accidental Mechanical Suffocation. { M. F.	8 5 1	1 .	1 1	. .	1	2 1
	(b) Overlying .. { M. F.	5 1	3 1	1	1 .	5 1	5 1
183	Accidental Drowning .. { M. F.	119 19	2 .	2 1	1 .	. .	5 1
184	Accidental Injury by Firearms. { M. F.	18 1
186	Accidental Injury by Fall, Crushing, etc. { M. F.	232 56	1 .	. .	1 .	2 1	2 1	1 2	3 .	9 4
188	Injury by Animals .. { M. F.	9 1	1 .	1 .	1 .	. .	1 .	. .	2 1
189	Hunger or Thirst .. { M. F.	. 1
190	Excessive Cold .. { M. F.	1
191	Excessive Heat .. { M. F.	4 3	1	1 .	. .	1	1 1
192	Lightning .. { M. F.	1
193	Electricity (Lightning excepted). { M. F.	2
194	Neglect; Other and Unstated Forms of Accidental Violence. { M. F.	86 80	12 13	12 13	. .	3	15 13
	(a) Lack of Care, Inattention at Birth. { M. F.	12 12	12 12	12 12	12 12
	(b) Others .. { M. F.	74 68	. 1 1	. .	3	3 1
195	Violent Deaths of Unstated Nature. { M. F.	10 8	. 1 1	1	1 1
196	Wounds of War .. { M. F.	4
(199-200)	XVIII. Ill-defined Diseases. { M. F.	407 388	3 2	1 1	. .	. 1	. 1	4 5	32 11	8 6	4 4	2 2	50 28
199	Sudden Death .. { M. F.	49 26
200	Cause of Death Unstated or Ill-defined. { M. F.	358 362	3 2	1 1	. .	. 1	. 1	4 5	32 11	8 6	4 4	2 2	50 28
	(a) Heart Failure .. { M. F.	202 200	1 .	2 .	2 .	. .	5 .
	(b) Other Ill-defined Causes. { M. F.	146 150	2 1	1 1	. 1	3 3	31 11	6 6	2 4	2 2	11 26
	(c) Cause not specified { M. F.	10 12	1 1	. 1	1 2	1 2

NOTE.—No deaths occurred from the following causes, shown in the International List:—

185. Accidental injury by cutting or piercing instruments.
belligerent armies.

198. Capital Punishment.

187. Cataclysm.

197. Execution of civilians by

different Periods of Life in the Year 1932.

[illegible]

ABSTRACT V.—Causes of Death in SAORSTÁT ÉIREANN, by Sexes, Ages, and Places of Occurrence during the Year 1932.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Hospls. and District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ...	42,984 { ...M. ...F.}	21,801 21,183	2,290 1,770	945 883	592 634	957 968	965 1,085	1,108 1,136	1,850 1,755	3,358 2,930	5,384 5,041	4,352 4,978	2,317 1,871	654 532	3,883 2,915	14,917 15,865	3,927 4,442
1	Typhoid Fever (including Para-M. typhoid).	82 { ...M. ...F.}	52 30	6 5	10 4	8 7	6 4	11 6	8 1	2 3	1 .	8 7	6 2	31 16	7 5	. .
2	Typhus ...	8 { ...M. ...F.}	5 3	2 1	2 1	1 .	1	2 .	. .	3 2	1 .	. .
3	Measles ...	250 { ...M. ...F.}	112 138	31 25	60 87	13 16	4 5	4 2	. 3	8 8	. .	16 20	88 110	9 20
4	Scarlet Fever...	92 { ...M. ...F.}	50 42	2 2	18 20	23 10	3 3	3 3	1 3	1 .	. .	15 11	. .	20 19	15 12	. .
5	Whooping-cough ...	294 { ...M. ...F.}	114 150	69 77	69 66	6 6	. 1	32 30	. .	9 10	103 110	16 19
6	Diphtheria ...	383 { ...M. ...F.}	183 200	8 5	81 75	77 99	11 12	2 3	2 2	1 1	1 3	47 61	. .	95 97	41 42	3 3
7	Dysentery ...	3 { ...M. ...F.}	. 3	1	1 .	1 .	. .	1 .	. .	2 .	. .
8	Influenza ...	1,655 { ...M. ...F.}	766 889	34 29	32 30	6 27	32 29	25 39	40 38	63 66	145 159	274 333	115 139	22 21	19 8	65 47	660 813	209 291
9	Encephalitis Lethargica	32 { ...M. ...F.}	15 17	. .	1 2	1 1	2 4	2 2	3 4	1 1	4 1	1 2	. .	3 5	3 .	3 3	9 6	. .
10	Cerebro-spinal Fever ...	17 { ...M. ...F.}	12 5	1 1	2 .	5 3	4 1	6 1	. .	3 2	3 2	. .
11	Tuberculosis of Respiratory System.	2,858 { ...M. ...F.}	1,430 1,428	3 2	17 11	29 61	373 417	344 403	289 227	197 141	114 88	57 41	7 7	317 240	127 76	276 275	710 837	56 58
12	Other Tuberculous Diseases	818 { ...M. ...F.}	404 414	30 18	57 47	78 72	85 111	54 52	40 43	25 31	23 26	10 8	2 3	87 85	18 18	142 104	157 207	5 11
13	Cancer ...	3,312 { ...M. ...F.}	1,770 1,542	. 1	3 3	4 4	8 10	26 23	68 107	292 311	581 448	588 447	200 188	220 206	28 23	435 254	1,087 1,059	62 39
14	Diabetes Mellitus ...	239 { ...M. ...F.}	129 110	. .	. 1	1 4	12 7	7 5	11 8	18 15	25 27	40 31	15 12	18 10	3 .	28 17	83 70	8 5

15	Cerebral Hemorrhage, Etc. (No. M. F.)	2,503 {	1,978 {	.	1	1	3	9	8	31	86	251	147	212	207	782	189
	S.E.		1,125 {	.	1	1	3	2	15	51	152	312	522	337	196	1,133	211
16	Heart Disease ...	6,136 {	3,098 {	.	4	6	28	54	70	111	304	726	1,177	624	585	2,212	276
	...M. F.		3,638 {	.	6	31	31	51	80	117	323	619	1,131	621	435	2,369	247
17	Other Circulatory Diseases ...M. F.	599 {	310 {	1	2	.	1	1	3	9	14	60	119	101	53	233	7
	...M. F.		289 {	1	2	10	17	71	163	81	51	208	15
18	Bronchitis ...	2,616 {	1,255 {	117	45	7	7	11	10	32	96	222	454	261	236	946	170
	...M. F.		1,361 {	106	57	7	7	10	12	24	81	218	517	329	199	1,126	186
19	Pneumonia (All Forms) ...M. F.	2,691 {	1,487 {	279	200	52	52	36	80	88	121	226	285	110	210	1,019	63
	...M. F.		1,204 {	196	182	48	48	37	57	83	92	159	221	126	138	899	46
20	Other Respiratory Diseases ...M. F.	785 {	419 {	16	5	19	19	15	19	25	57	92	111	62	79	290	35
	...M. F.		366 {	17	21	8	8	15	24	24	33	69	96	59	28	309	35
21	Gastric and Duodenal Ulcer ...M. F.	328 {	244 {	.	.	1	1	12	28	41	48	66	38	10	65	108	9
	...M. F.		84 {	7	8	12	18	20	15	4	18	51	7
22	Diarrhoea and Enteritis (under 2 M. F. years).	581 {	325 {	295	30	34	230	11
	...M. F.		256 {	230	26	28	174	7
23	Appendicitis ...	221 {	118 {	1	7	14	14	27	10	12	11	21	10	5	59	12	1
	...M. F.		103 {	.	9	32	32	16	10	9	10	9	7	1	50	14	2
24	Cirrhosis of the Liver ...M. F.	77 {	48 {	.	1	.	.	1	2	2	10	15	13	4	9	28	.
	...M. F.		29 {	.	1	.	.	.	1	.	5	7	11	4	1	25	.
25	Other Diseases of the Liver, Etc. M. F.	177 {	77 {	3	1	2	2	1	6	5	13	22	19	5	11	48	7
	...M. F.		100 {	1	2	2	2	1	9	10	11	23	29	12	12	55	2
26	Other Digestive Diseases ...M. F.	1,072 {	553 {	85	44	30	30	14	21	38	58	77	123	63	117	334	40
	...M. F.		519 {	50	41	42	42	16	24	28	51	75	126	66	61	355	48
27	Acute and Chronic Nephritis ...M. F.	1,223 {	763 {	9	5	14	14	16	25	41	90	166	243	94	151	458	11
	...M. F.		520 {	5	5	7	7	13	27	47	90	118	143	65	118	359	21
28	Puerperal Sepsis ...F.	78	78	8	46	23	1	.	.	.	31	22	1
29	Other Puerperal Causes ...F.	178	178	19	88	68	3	.	.	.	42	78	2
30	Congenital Debility, Etc. (Nos. M. F. 157-161) ...F.	1,776 {	994 {	973	11	6	3	3	1	.	1	.	.	.	146	662	238
	...M. F.		782 {	765	8	5	5	5	5	113	530	190
31	Serfley ...M. F.	6,626 {	2,974 {	750	2,221	228	2,668	2,001
	...M. F.		3,652 {	858	2,794	201	3,389	2,492
32	Suicide ...M. F.	110 {	90 {	6	8	17	22	20	14	3	2	78	.
	...M. F.		20 {	1	2	3	9	4	1	.	.	16	.
33	Other Violence ...M. F.	867 {	587 {	26	62	56	56	65	76	60	70	62	74	36	101	351	8
	...M. F.		280 {	23	40	30	30	25	10	12	14	29	55	42	65	145	8
34	Other Defined Causes ...M. F.	3,502 {	1,962 {	303	141	117	117	117	118	126	190	301	383	166	426	1,439	219
	...M. F.		1,540 {	208	119	104	104	98	123	131	220	249	208	80	258	973	173
35	Causes ill-defined or unknown ...M. F.	795 {	407 {	4	46	3	3	11	4	8	50	130	149	2	5	385	305
	...M. F.		388 {	5	23	6	6	8	6	14	50	131	138	4	10	367	314

ABSTRACT V.—continued—Causes of Death in PROVINCE OF LEINSTER by Sexes, Ages, and Places of Occurrence during the Year 1932.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.		Mental Hos-pitals.	County Hospls. and District Hospls. and Co. Infir-maries.	Else-where.
	ALL CAUSES ...	17,741 { ...M. ...F.	8,931 8,810	1,146 901	497 427	277 290	430 401	428 475	506 515	872 794	1,390 1,251	2,008 1,966	1,377 1,787	1,614 1,314	262 237	1,478 1,139	5,577 6,120	828 869
1	Typhoid Fever (including Para-typhoid.)	31 { ...M. ...F.	22 9	.	.	1 3	5 2	4 2	3 .	5 2	2 .	1 .	1 .	7 6	2 .	9 3	4 .	.
2	Typhus ...	2 { ...M. ...F.	2	1 .	1	2
3	Measles ...	96 { ...M. ...F.	50 46	10 9	35 31	3 4	1 1	1 .	1	8 8	.	6 2	36 36	2 4
4	Scarlet Fever ...	53 { ...M. ...F.	30 23	2 .	12 12	14 5	2 2	2 .	2	14 11	.	8 8	8 4	.
5	Whooping-cough ...	176 { ...M. ...F.	86 90	40 49	45 39	1 2	32 30	.	3 4	51 56	2 1
6	Diphtheria ...	179 { ...M. ...F.	88 91	3 4	40 32	36 48	5 4	1 2	2 1	.	1 .	.	.	42 52	.	31 28	15 11	1 .
7	Dysentery ...	2 { ...M. ...F.	2	1	1	2 .	.
8	Influenza ...	574 { ...M. ...F.	257 317	9 7	7 7	3 8	16 13	9 17	17 19	25 30	47 57	90 107	34 52	15 14	6 2	23 16	213 285	36 64
9	Encephalitis Lethargica	13 { ...M. ...F.	5 8	.	1 1	1 .	1 .	1 1	1 2	1 .	1 1	1 .	.	2 4	1 .	2 .	1 3	.
10	Cerebro-spinal Fever ...	11 { ...M. ...F.	8 3	1 1	1 .	4 1	2 1	6 1	.	1 1	1 1	.
11	Tuberculosis of Respiratory System.	1,309 { ...M. ...F.	663 646	3 1	13 9	16 26	176 194	152 187	137 105	90 65	46 35	26 18	4 6	183 127	50 32	100 99	330 388	5 11
12	Other Tuberculous Diseases	377 { ...M. ...F.	175 202	20 5	29 28	35 41	44 48	19 23	12 17	10 20	3 15	3 4	1 .	64 63	4 7	42 28	65 101	7 .
13	Cancer ...	1,374 { ...M. ...F.	709 665	1 .	3 .	.	2 5	15 15	32 47	145 133	224 192	212 188	76 84	133 132	14 13	159 88	403 432	17 5
14	Diabetes Mellitus ...	101 { ...M. ...F.	55 46	.	.	1 .	6 3	6 3	6 4	6 6	10 11	13 13	7 6	14 10	1 .	10 5	31 30	1 1

ABSTRACT V—continued—No. 1.—Causes of Death in Administrative County of CARLOW, by Sexes, Ages, and Places of Occurrence during the year 1932.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES ...	554 {	291 263	30 27	9 9	11 5	12 12	10 12	11 11	21 11	38 38	83 72	66 66	14 8	9 8	57 53	211 211	56 55
1	Typhoid Fever (including Para-typhoid).	. {
2	Typhus {
3	Measles {
4	Scarlet Fever...	. {
5	Whooping-cough ...	1 {	. 1	. 1 1	.
6	Diphtheria ...	11 {	8 3	.	3	5 2	. 1	7 2	1 1	.
7	Dysentery {
8	Influenza ...	31 {	17 14	1 1	1 1	1	.	.	1	4 2	3 1	4 7	2 2	.	.	.	17 14	1 3
9	Encephalitis Lethargica	. {
10	Cerebro-spinal Fever {
11	Tuberculosis of Respiratory System.	30 {	12 18	.	. 1	1 2	5 8	4 6	. 1	.	.	2	.	2 1	.	3 3	7 14	. 1
12	Other Tuberculous Diseases	10 {	8 2	1	.	.	4 2	1	1	.	1	3	4 1	.
13	Cancer ...	16 {	29 17 1	1 1	6 2	3 3	11 8	3 2	. 1	2	5 4	22 12	1
14	Diabetes Mellitus ...	2 {	. 2	.	.	.	1	1	1	.	.	1	.

ABSTRACT V—continued — No. 2.—Causes of Death in Administrative County of DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1932.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un- certified Deaths.		
			All Ages.	Under 1 year.	1-5	5- 15	15- 25	25- 35	35- 45	45- 55	55- 65	65- 75 years and up.	General and Special Hospitals.	Mental Hos- pitals.	County Homes and District Hospitals, and Co. Infir- maries.		Else- where.	
	ALL CAUSES ...	1,451 { ...M. ...F.	707 744	82 81	37 28	28 30	39 33	38 40	42 41	72 72	97 115	158 139	114 165	162 121	23 23	93 69	429 531	9 16
1	Typhoid Fever (including Para- typhoid),	. { ...M. ...F.
2	Typhus { ...M. ...F.
3	Measles ...	1 { ...M. ...F.	. 1	.	. 1 1
4	Scarlet Fever ...	4 { ...M. ...F.	1 3	.	. 2	1 1	1 2	. 1	.
5	Whooping-cough ...	14 { ...M. ...F.	6 8	1 3	5 5 1	.	1 1	4 7	.
6	Diphtheria ...	15 { ...M. ...F.	7 8	. 1	3	2 6	1	1 1	5 5	.	1 1	1 2	.
7	Dysentery { ...M. ...F.
8	Influenza ...	39 { ...M. ...F.	17 22	. 1	.	.	1 1	1 1	2 3	2 2	. 5	8 6	3 3	. 1	. 1	.	17 20	1 1
9	Encephalitis Lethargica ...	3 { ...M. ...F.	. 3	.	. 1	.	. 1 1	.	.	. 1	. 1	.	. 1	.
10	Cerebro-spinal Fever ...	1 { ...M. ...F.	1	.	.	1 1
11	Tuberculosis of Respiratory System.	103 { ...M. ...F.	58 45	.	1	1 1	12 13	15 17	12 6	8 3	6 3	2 1	1	14 8	5 4	12 5	27 28	.
12	Other Tuberculous Diseases ...	33 { ...M. ...F.	21 12	1 2	3 1	5 1	6 4	2 1	3	1 2	.	. 1	.	9 6	.	3 2	9 4	.
13	Cancer ...	142 { ...M. ...F.	65 77 1	1 1	4 4	17 21	14 17	23 18	6 15	14 14	1 2	9 6	41 55	.
14	Diabetes Mellitus ...	13 { ...M. ...F.	6	.	.	.	1	.	.	2	1	1	1	2	.	2	2	2

ABSTRACT V—continued—No. 3.—Causes of Death in CITY OF DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1932.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.	
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.		County Homes and District Hospls. and Co. Infirm- aries.
	ALL CAUSES ...	6,499 {	3,150 3,349	592 451	265 224	102 136	158 170	180 191	229 216	376 342	482 459	521 620	1,175 980	84 99	375 369	1,516 1,901	31 26
1	Typhoid Fever (including Para-typhoid),	14 {	9 5	.	.	1	3 2	1 1	2 .	2 2	.	.	7 5	.	1 .	1 .	.
2	Typhus ...	2 {	2	1 .	1 .	.	.	2
3	Measles ...	42 {	24 18	6 2	18 16	8 7	.	1 .	15 11	.
4	Scarlet Fever...	24 {	14 10	1	7 5	5 2	2	2	12 9	.	.	2 1	.
5	Whooping-cough ...	121 {	60 61	29 37	30 23	1 1	30 30	.	1 1	29 30	1
6	Diphtheria ...	82 {	37 45	1 3	21 22	13 20	2	35 44	.	.	2 1	.
7	Dysentery ...	2 {	2	.	.	.	1	1	.	.	.	2	.
8	Influenza ...	122 {	41 81	2 2	2 3	6	7 4	2 5	4 7	4 12	7 10	6 16	9 11	2	3	27 70	.
9	Encephalitis Lethargica	6 {	3 3	.	.	1	.	.	1 1	1 .	1 .	.	2 3	.	1 .	.	.
10	Cerebro-spinal Fever ...	7 {	6 1	1 1	1 .	2	2	5 1	.	.	1	.
11	Tuberculosis of Respiratory System.	557 {	291 266	2 1	7 4	8 13	73 71	58 73	62 51	54 27	16 11	10 7	112 77	18 15	43 42	118 132	.
12	Other Tuberculous Diseases	116 {	58 88	7 2	12 12	15 28	13 19	5 10	1 2	4 9	4	1 1	41 51	2	2	15 35	.
13	Cancer ...	184 {	243 241	1	1	.	2	7	15 25	65 57	89 77	59 45	92 88	4 6	47 14	100 133	.
14	Diabetes Mellitus ...	31 {	19 15	.	.	1	3	3	1 6	1 6	2 2	3 3	7	.	2	10	.

15	Cerebral Hemorrhage, Etc. (No. M. 82).	382 {	110 242	.	.	.	1	1	2	9	41	17	77	65	37	1	13	138
16	Heart Disease ...	871 {	366 565	.	.	4	10 15	5	12 12	17 22	48 62	90 104	128 161	57 111	97 70	20 29	32 64	211 212
17	Other Circulatory Diseases	174 {	64 60	1	1	3 3	5 3	16 15	22 17	17 19	12 10	1	7 15	41 35
18	Bronchitis ...	631 {	980 352	31 33	11 18	1 2	3 3	.	2	16 7	39 29	57 62	78 118	49 76	37 30	3 3	77 97	166 222
19	Pneumonia (All Forms)	678 {	355 283	36 48	80 53	7 10	12 9	.	17 11	35 14	33 23	33 24	36 33	6 28	130 78	5 13	33 15	187 112
20	Other Respiratory Diseases	157 {	94 63	1 3	.	1	6 6	.	6 6	7 5	21 6	23 11	23 15	3 9	21 14	.	17 1	36 18
21	Gastric and Duodenal Ulcer	371 {	31 6	9	2 2	2 2	7 1	3	2 1	18 3	.	1 1	12 2
22	Diarrhea and Enteritis (Under 2 years.)	288 {	109 73	101 73	8 6	16 31	.	7 3	56 42
23	Appendicitis ...	17 {	7 10	.	.	2 3	2 2	.	1 2	.	3	2	.	.	7 8	.	.	2
24	Cirrhosis of the Liver	11 {	7 1	1 1	.	3	.	.	.	5 2	.	.	1 2
25	Other Diseases of Liver, Etc.	27 {	11 16	1	1	.	.	.	2 2	1 2	2 2	3 3	2 3	1	6 9	.	2 1	3 6
26	Other Digestive Diseases	208 {	100 198	27 15	9 12	3 13	2 2	.	3 8	10 6	12 8	10 15	16 14	5 15	51 48	2 3	9 8	35 19
27	Acute and Chronic Nephritis	219 {	113 97	1 3	1	5	4 1	.	6 6	8 10	19 21	31 22	20 23	6 10	46 24	3 1	27 29	37 15
28	Puerperal Sepsis ...	11	11	.	.	.	3	.	6	2	10	.	.	1
29	Other Puerperal Causes	26	26	.	.	.	3	.	15	8	21	.	.	5
30	Congenital Debility, Etc. (Nos. M. 137-161.)	381 {	223 158	219 137	2	2	1	101 83	.	17 14	102 61
31	Senility ...	216 {	47 169	14 27	33 132	1 2	3 10	1 2	13 153
32	Suicide ...	15 {	10 5	.	.	.	1 1	.	1	3 2	3 1	3 1	.	.	1 2	.	.	6 3
33	Other Violence	153 {	92 61	6 1	13 11	2 8	2 7	.	10 1	10 5	11 1	12 4	11 12	1 5	71 51	1 1	.	29 9
34	Other Defined Causes ...	513 {	273 240	59 39	33 31	18 22	9 15	.	27 15	20 17	24 25	33 34	31 29	19 13	105 163	22 8	24 14	123 115
35	Causes ill-defined or unknown	59 {	21 18	.	2	1	1	.	1	1	3 3	9 7	3	.	7 6	1 1	1 .	12 11

ABSTRACT V—continued—No. 5.—Causes of Death in Administrative County of KILKENNY, by Sexes, Ages, and Places of Occurrence during the year 1932.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES ...	1,104 { ...M. ...F.	579 525	53 42	34 24	24 13	22 23	22 15	20 22	42 47	91 77	164 140	107 122	20 21	18 15	135 85	406 401	112 116
1	Typhoid Fever (including typhoid),	4 { ...M. ...F.	4	.	.	.	1	1	1	.	1	1	.	.
2	Typhus { ...M. ...F.
3	Measles ...	13 { ...M. ...F.	8 5	1 3	7 3	1 1	3 2	5 3	1
4	Scarlet Fever...	9 { ...M. ...F.	6 3	.	2 1	2	2	.	2	1 3	2	.
5	Whooping-cough ...	1 { ...M. ...F.	1	1	1	.
6	Diphtheria ...	12 { ...M. ...F.	8 4	.	1	6 4	1	6 1	2	.
7	Dysentery { ...M. ...F.
8	Influenza ...	50 { ...M. ...F.	22 28	1	.	1	1 1	1	1	1	5 5	14 12	1 5	1 1	2 1	2	17 26	4 2
9	Encephalitis Lethargica	. { ...M. ...F.
10	Cerebro-spinal Fever { ...M. ...F.
11	Tuberculosis of Respiratory System,	59 { M. F.	29 30	.	2	1 1	4 13	7 4	9 3	3 5	2 5	1 1	.	1 1	1 1	1 1	20 12	2 2
12	Other Tuberculous Diseases	20 { ...M. ...F.	9 11	1	1 2	4	1 5	.	2	1 1	.	1	.	1 1	.	6 3	2 7	.
13	Cancer ...	66 { ...M. ...F.	38 28	1	.	3 5	24 8	13 13	2 1	1 1	1 1	12 8	25 18	.
14	Diabetes Mellitus ...	4 { ...M. ...F.	1	1	.	.	.	1	1	.

ABSTRACT V—continued—No. 6.—Causes of Death in Administrative County of LAOIGHIS, by Sexes, Ages, and Places of Occurrence during the year 1932.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.		Mental Hos-pitals.	County Homes and District Hospls. and Co. Infir-maries.	Else-where.
	ALL CAUSES ...	765 { ...M. ...F.	398 367	37 29	14 12	10 5	17 24	16 20	24 26	37 24	62 46	109 99	72 82	33 21	9 12	57 44	299 290	86 86
1	Typhoid Fever (including Para-typhoid)	1 { ...M. ...F.	1	1	1	.
2	Typhus { ...M. ...F.
3	Measles ...	1 { ...M. ...F.	1	.	1	1	.
4	Scarlet Fever { ...M. ...F.
5	Whooping-cough ...	2 { ...M. ...F.	2	1	1	2	.
6	Diphtheria ...	8 { ...M. ...F.	3 5	.	2 1	1 1	3	1 2	.	3	2	.
7	Dysentery { ...M. ...F.
8	Influenza ...	31 { ...M. ...F.	17 14	.	.	.	2 1	1	2	2	3 2	6 9	2 1	.	.	1 1	16 13	4 3
9	Encephalitis Lethargica	. { ...M. ...F.
10	Cerebro-spinal Fever ...	1 { ...M. ...F.	1	.	.	1	1	.
11	Tuberculosis of Respiratory System.	60 { M. F.	29 31	.	.	.	6 11	6 11	6 5	4 2	5 2	1	1	6 7	.	2 5	21 19	2
12	Other Tuberculous Diseases	16 { ...M. ...F.	10 6	.	.	3 1	2 4	1	4 1	1	1	6 2	2 4	.
13	Cancer ...	55 { ...M. ...F.	32 23	1 1	7 3	7 6	11 12	6 1	6 2	.	3 2	23 18	2
14	Diabetes Mellitus ...	3 { ...M. ...F.	2	1	.	.	.	1	1	1

[illegible]

ABSTRACT V—*contd.*—No. 7—Causes of Death in Administrative County of LONGFORD, by Sexes, Ages, and Places of Occurrence during the year 1932.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and Hospls. District Hospls. and Co. Infir-maries	Else-where.
	ALL CAUSES ...	511 { ...M. ...F.	260 251	15 14	8 9	4 4	9 7	7 11	8 12	17 16	41 39	95 78	56 61	6 7	9 6	42 25	203 213	97 120
1	Typhoid Fever (including Para-typhoid).	2 { ...M. ...F.	2	1	1	1	1	.
2	Typhus { ...M. ...F.
3	Measles ...	5 { ...M. ...F.	2 3	2 1	2 1	2 3	1 2
4	Scarlet Fever...	. { ...M. ...F.
5	Whooping-cough { ...M. ...F.
6	Diphtheria ...	3 { ...M. ...F.	1 2	.	.	2	1	1 1	1	.
7	Dysentery { ...M. ...F.
8	Influenza ...	58 { ...M. ...F.	22 36	1 1	1 .	.	1 .	.	1 .	2	3 8	11 21	4 4	.	.	1	21 36	11 30
9	Encephalitis Lethargica	. { ...M. ...F.
10	Cerebro-spinal Fever { ...M. ...F.
11	Tuberculosis of Respiratory System.	20 { ...M. ...F.	11 9	.	.	.	1 4	6 2	1 .	1 1	2 1	1 .	.	1 3	2 1	2 .	6 5	1 .
12	Other Tuberculous Diseases	14 { ...M. ...F.	5 9	1 .	1 1	1 1	1 1	1 .	.	2	3	1	.	2	.	1 2	2 5	.
13	Cancer ...	26 { ...M. ...F.	17 9	.	1 .	.	1 .	1 .	1 .	2	4 4	6 1	5 .	.	2	5 3	10 6	2 .

ABSTRACT V—continued—No. 8—Causes of Death in Administrative County of LOUTH, by Sexes, Ages, and Places of Occurrence during the year 1932.

No.	CAUSES OF DEATH	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.		Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES ...	1,003 {	518 485	50 41	32 15	14 17	37 18	20 25	26 29	53 35	73 79	106 124	107 102	17 18	12 9	106 96	383 362	43 31
1	Typhoid Fever (including Para-typhoid).	. {
2	Typhus {
3	Measles ...	2 {	. 2	. 1	. 1 2	.
4	Scarlet Fever...	2 {	. 2	.	. 2 2	.	.
5	Whooping-cough ...	8 {	5 3	1 1	4 2 1	5 2	.
6	Diphtheria ...	13 {	6 7	.	4 3	1 4	.	.	1 1	.	4 3	2 3	.
7	Dysentery ...	{
8	Influenza ...	24 {	12 12	1	. 1	. 1	1 1	1	. 1	2 1	. 5	5 2	2 1	.	1	. 2	11 10	. 1
9	Encephalitis Lethargica	1 {	1	.	1	1	.
10	Cerebro-spinal Fever {
11	Tuberculosis of Respiratory System.	69 {	42 27	.	. 1	1 1	19 7	8 9	8 4	3 1	2 3	. 1	1 1	1	5 2	13 10	23 15	.
12	Other Tuberculous Diseases	10 {	1 9	.	. 4	. 2	1 1	.	. 2 2	1 7	.
13	Cancer ...	103 {	50 53	.	.	.	1	.	4 2	10 10	12 21	12 15	11 5	1 4	.	17 12	32 37	1
14	Diabetes Mellitus ...	5 {	3	2	.	1	1	2	.

ABSTRACT V—continued—No. 9—Causes of Death in Administrative County of MEATH, by Sexes, Ages, and Places of Occurrence during the year 1932.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.
	ALL CAUSES ...	960 {	499 461	46 37	16 21	14 14	23 12	21 22	27 20	36 39	81 67	131 121	104 108	16 12	10 5	117 82	356 362	46 44
1	Typhoid Fever (including Para-typhoid).	4 {	2 2	.	.	1	.	2 1	2 2	.	.
2	Typhus {
3	Measles ...	7 {	4 3	1 .	1 1	2 2	1 .	3 3	.
4	Scarlet Fever...	2 {	2 .	.	1 .	1	2 .	.
5	Whooping-cough ...	14 {	5 9	4 4	1 4	1	1 1	4 8	1 .
6	Diphtheria ...	6 {	2 4	.	1 1	1 2	.	.	1	1	.	1 2	2 .	.
7	Dysentery {
8	Influenza ...	24 {	16 8	1	1 1	3 .	2 2	2 1	4 1	3 3	.	.	.	16 8	1 1
9	Encephalitis Lethargica	. {
10	Cerebro-spinal Fever {
11	Tuberculosis of Respiratory System.	62 {	32 30	.	.	.	9 9	7 6	9 4	1 4	2 3	4 4	.	6 3	1 .	5 3	20 24	.
12	Other Tuberculous Diseases	12 {	7 5	.	1 .	1 3	4 1	1	.	1	4 4	3 1	.
13	Cancer ...	87 {	46 41	2 1	4 3	16 12	21 15	3 10	3 4	1 2	14 11	28 24	1 1
14	Diabetes Mellitus ...	11 {	5 6	.	.	.	1	.	1	1	2 2	2 1	1	.	.	2 1	3 3	.

No.	Disease	M.	F.	Total
16	Heart Disease	70	84	154
17	Other Circulatory Diseases	12	12	24
18	Bronchitis ...	26	26	52
19	Pneumonia (All Forms)	23	29	52
20	Other Respiratory Diseases	7	5	12
21	Gastric and Duodenal Ulcer	7	2	9
22	Diarrhea and Enteritis (under 2 years.)	4	3	7
23	Appendicitis ...	3	2	5
24	Cirrhosis of the Liver	1	1	2
25	Other Diseases of Liver, Etc.	3	1	4
26	Other Digestive Diseases	16	13	29
27	Acute and Chronic Nephritis	18	12	30
28	Puerperal Sepsis ...	2	2	4
29	Other Puerperal Causes	4	4	8
30	Congenital Debility, Etc. (Nos. M. 157-161).	20	20	40
31	Senility ...	50	49	99
32	Suicide ...	2	1	3
33	Other Violence	16	2	18
34	Other Defined Causes ...	49	26	75
35	Causes ill-defined or unknown	11	8	19

ABSTRACT V—continued—No. 10—Causes of Death in Administrative County of OFFALY, by Sexes, Ages, and Places of Occurrence during the year 1932.

No.	CAUSES OF DEATH	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.		Mental Hos-pitals.	County Homes and District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES ...	692 {	367 325	35 18	21 9	8 9	12 15	11 19	18 24	24 35	53 49	106 78	79 69	33 22	10 9	74 46	250 248	74 69
1	Typhoid Fever (including Para-typhoid).	1 {	1	1	.	.	.	1	.
2	Typhus {
3	Measles ...	14 {	7 7	1 2	5 3	.	1	1	1	1	6 7	2
4	Scarlet Fever...	. {
5	Whooping-cough {
6	Diphtheria ...	9 {	6 3	.	2	3 3	1	6 2	1	.
7	Dysentery {
8	Influenza ...	32 {	13 19	.	2	.	2	1 3	1	1	3 6	6 4	1 2	1	.	1	12 18	5 7
9	Encephalitis Lethargica	1 {	1	1	1	.
10	Cerebro-spinal Fever {
11	Tuberculosis of Respiratory System.	33 {	12 21	.	.	1	4 2	2 7	5 5	1	1	1	.	6 2	1	.	6 18	3
12	Other Tuberculous Diseases	23 {	14 9	5	4 1	1 1	1 3	2	2 2	1	.	.	.	2 2	.	8 1	4 6	.
13	Cancer ...	55 {	34 21	.	.	.	1	1	2 2	7 2	8 6	12 9	3 2	5 1	.	6 2	23 18	6
14	Diabetes Mellitus ...	3 {	1 2	1 1	1	.	.	.	1 2	.

No.	Disease	Males	Females	Total
15	Cerebral Hemorrhage, Etc. (Nos. 81-82).	21	103	124
16	Heart Disease	53	50	103
17	Other Circulatory Diseases ...M.F.	1	1	2
18	Bronchitis	17	37	54
19	Pneumonia (All Forms) ...M.F.	17	30	47
20	Other Respiratory Diseases ...M.F.	6	10	16
21	Gastric and Duodenal Ulcer ...M.F.	2	2	4
22	Diarrhea and Enteritis (under 2 M. years). F.	2	3	5
23	Appendicitis	3	5	8
24	Cirrhosis of the Liver ...M.F.	1	1	2
25	Other Diseases of Liver, Etc. ...M.F.	1	1	2
26	Other Digestive Diseases ...M.F.	8	13	21
27	Acute and Chronic Nephritis ...M.F.	15	18	33
28	Puerperal Sepsis ...F.	2	2	4
29	Other Puerperal Causes ...F.	3	3	6
30	Congenital Debility, Etc. (Nos. 157-161). M.F.	15	10	25
31	Senility	71	132	203
32	Suicide	3	3	6
33	Other Violence	9	12	21
34	Other Defined Causes ...M.F.	29	59	88
35	Causes ill-defined or unknown ...M.F.	13	19	32

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.		Mental Hos-pitals.	County Homes and District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES ...	886 {	443 443	39 33	7 14	11 10	19 13	20 26	15 25	44 52	73 72	103 101	112 97	17 12	29 12	104 94	293 325	71 85
1	Typhoid Fever (including Para-typhoid).	3 {	3	.	.	.	1	.	.	2	2	1	.	.
2	Typhus {
3	Measles ...	2 {	2	1	.	.	1	2	.
4	Scarlet Fever...	2 {	1 1	.	1	1	1	.
5	Whooping-cough ...	3 {	1 2	1 1	1	1 2	.
6	Diphtheria ...	10 {	6 4	.	3 1	2 2	.	1	1	3 4	3	1
7	Dysentery {
8	Influenza ...	39 {	20 19	2	.	.	2 1	1	1	2 2	6 4	5 5	3 5	.	.	9 4	11 15	3 5
9	Encephalitis Lethargica	. {
10	Cerebro-spinal Fever ...	2 {	1 1	.	.	1	1	1 1	.	.
11	Tuberculosis of Respiratory System.	59 {	27 32	.	1	1	4 5	10 12	6 7	4 4	2 1	1 1	.	3 1	5 3	8 14	11 11	1
12	Other Tuberculous Diseases	22 {	8 14	.	2	.	3 3	3	1 2	1 3	1 3	.	.	2	2	4 6	6	2
13	Cancer ...	69 {	34 35	.	1	.	.	1 1	1	5 8	13 8	13 14	1 3	1 3	.	15 7	17 25	1
14	Diabetes Mellitus ...	5 {	3 2	1 2	3 2	.

No.	Disease	Age	Sex	Duration	Site	Character	Course	Result	Remarks
15	Cerebral Haemorrhage, etc. (No. 82).	41	M.
16	Heart Disease	75	M.
17	Other Circulatory Diseases	73	F.
18	Bronchitis	3	M.
19	Pneumonia (All Forms)	11	F.
20	Other Respiratory Diseases	26	M.
21	Gastric and Duodenal Ulcer	24	F.
22	Diarrhea and Enteritis (under 2 years.)	25	M.
23	Appendicitis	18	F.
24	Cirrhosis of the Liver	4	M.
25	Other Diseases of Liver, Etc.	2	F.
26	Other Digestive Diseases	9	M.
27	Acute and Chronic Nephritis	13	F.
28	Puerperal Sepsis	19	M.
29	Other Puerperal Causes	23	F.
30	Congenital Debility, Etc. (Nos. 157-161).	24	M.
31	Senility	21	F.
32	Suicide	60	M.
33	Other Violence	47	F.
34	Other Defined Causes	1	M.
35	Causes ill-defined or unknown	1	F.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES ...	1,580 {	813 767	90 55	22 29	24 26	42 37	44 40	37 45	72 59	120 100	206 188	156 188	33 18	22 15	140 95	618 639	141 139
1	Typhoid Fever (including Para-typhoid).	. {
2	Typhus {
3	Measles ...	8 {	2 6	1 1	1 4	. 1	2 6	.
4	Scarlet Fever...	1 {	. 1	.	.	. 1 1	.
5	Whooping-cough ...	3 {	2 1	1 1	1	2 1	.
6	Diphtheria ...	3 {	. 3	.	. 1	. 2 3	.	.
7	Dysentery {
8	Influenza ...	54 {	23 31	1 1	. .	2 .	1 2	1 1	1 2	3 2	5 3	8 14	1 6	2 .	.	3 5	18 26	3 2
9	Encephalitis Lethargica	2 {	1 1 1	.	.	.	1	1 .	. 1	.
10	Cerebro-spinal Fever {
11	Tuberculosis of Respiratory System.	131 {	62 69	.	1 2	3 3	22 28	16 15	8 6	7 9	3 5	2 1	.	18 7	8 1	3 6	33 55	3 2
12	Other Tuberculous Diseases	26 {	13 13	.	1 3	3 2	1 .	7 3	. 2	1 1	.	. 2	.	.	.	2 2	16 11	. 2
13	Cancer ...	97 {	40 57	2 1	. 3	6 7	15 16	6 19	11 9	2 4	2 1	13 8	23 44	1 3
14	Diabetes Mellitus ...	8 {	5 3	1 .	2 1	. 1	2 1	.	.	2 1	.	2 1	1 1	.

15	Cerebral Hemorrhage, Etc. (No. M. F. 82).	86 {	40 46	1	4	5	12	12	10	15	14	8
16	Heart Disease ...	272 {	152 120	.	.	5	1	7	4	13	21	56	25	27	33	17	119	13	7	
17	Other Circulatory Diseases ...	5 {	3 2	1	1	1	
18	Bronchitis ...	154 {	78 76	12	10	1	1	6	2	6	11	27	17	20	13	10	65	9	9	
19	Pneumonia (All Forms) ...	72 {	45 27	9	2	.	4	4	3	4	5	10	3	2	12	2	32	1	1	
20	Other Respiratory Diseases ...	31 {	14 20	1	1	1	1	2	1	3	4	2	5	4	1	1	13	3	2	
21	Gastric and Duodenal Ulcer ...	15 {	8 7	.	.	1	1	2	1	1	3	1	2	.	2	3	6	1	1	
22	Diarrhea and Enteritis (under 2 M. F. years).	13 {	7 6	7	6	2	.	7	1	1	
23	Appendicitis ...	1 {	3 1	.	.	1	1	.	.	.	2	.	.	.	1	.	1	.	.	
24	Cirrhosis of the Liver ...	5 {	3 2	2	1	2	.	.	3	.	.	
25	Other Diseases of Liver, Etc. ...	7 {	4 3	.	.	1	1	1	.	1	2	1	.	.	1	1	1	.	.	
26	Other Digestive Diseases ...	43 {	22 21	2	.	2	1	2	1	2	5	6	3	8	6	1	15	2	3	
27	Acute and Chronic Nephritis ...	64 {	31 33	1	.	1	1	1	3	5	5	16	4	6	10	7	20	1	1	
28	Puerperal Sepsis ...	1	1	1	1	.	.	
29	Other Puerperal Causes ...	9	9	.	.	.	5	4	3	6	.	.	.	
30	Congenital Debility, Etc. (Nos. M. F. 157-161).	69 {	42 27	42	27	6	2	35	13	10	
31	Senility ...	186 {	87 99	23	61	82	5	5	81	62	61	
32	Suicide ...	3 {	3	2	.	.	1	3	.	.	
33	Other Violence ...	33 {	25 8	3	1	2	4	3	1	2	.	1	3	3	7	1	18	1	1	
34	Other Defined Causes ...	141 {	81 60	11	5	6	5	3	8	13	12	17	6	2	17	12	52	11	4	
35	Causes ill-defined or unknown ...	31 {	17 14	.	.	.	1	.	.	5	4	8	1	.	.	1	17	12	12	

ABSTRACT V--contd.—No. 13—Causes of Death in Administrative County of WICKLOW, by Sexes, Ages, and Places of Occurrence during the year 1932.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.		Mental Hos-pitals.	County Homes and District Hospls. and Co. Infir-maries.	Else-where.
	ALL CAUSES ...	908 {	448 460	33 28	14 18	12 8	21 16	17 27	24 22	36 39	95 69	116 118	80 115	41 42	13 15	88 57	306 346	38 45
1	Typhoid Fever (including Para-typhoid).	1 {	1	.	.	1	1
2	Typhus {
3	Measles ...	1 {	1	.	1	1	.
4	Scarlet Fever...	4 {	3 1	1	.	2	1	.	1	1	.
5	Whooping-cough ...	6 {	3 3	1	2 3	1	.	.	2 3	1
6	Diphtheria ...	3 {	2 1	1	1	1	1 1	1	.
7	Dysentery ...	{
8	Influenza ...	51 {	25 26	.	1 2	.	.	1 3	1 2	2 3	8 6	9 6	3 4	.	1	4 2	20 24	1 2
9	Encephalitis Lethargica	. {
10	Cerebro-spinal Fever {
11	Tuberculosis of Respiratory System.	65 {	33 32	.	1 1	1 1	11 9	6 12	7 5	4 1	3 2	1 1	.	3 7	4 3	3 3	23 19	.
12	Other Tuberculous Diseases	17 {	10 7	3	3 2	1	3 1	1 1	1	1	.	.	.	2	1	1 1	7 5	.
13	Cancer ...	69 {	31 38	.	.	.	1	1 1	1 3	5 7	10 8	12 11	2 7	3 8	.	8 5	20 25	.
14	Diabetes Mellitus ...	7 {	4 3	1	1	.	1 1	2	1	1	.	1	3 2	.

ABSTRACT V —continued—Causes of Death in PROVINCE OF MUNSTER, by Sexes, Ages, and Places of Occurrence during the year 1932.

No.	CAUSES OF DEATH	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.		Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.
	ALL CAUSES ...	13,750 { ...M. ...F. }	7,678 6,672	727 555	259 247	187 190	281 295	298 360	358 369	613 566	1,137 947	1,818 1,613	1,400 1,530	537 417	223 190	1,507 1,106	4,811 4,959	1,158 1,355
1	Typhoid Fever (including Para-typhoid).	29 { ...M. ...F. }	20 9	.	.	3 .	3 1	4 4	2 1	6 1	2 .	. 2	.	1 1	3 2	16 6	.	.
2	Typhus ...	4 { ...M. ...F. }	2 2	1 1	1 .	.	. 1	2 2	.	.
3	Measles ...	55 { ...M. ...F. }	22 33	5 6	13 23	4 4	3 3	19 30	. 2
4	Scarlet Fever...	27 { ...M. ...F. }	16 11	1 .	5 5	9 3	1 1	. 1 1	.	1 .	.	11 7	4 4	.
5	Whooping-cough ...	63 { ...M. ...F. }	31 32	15 16	13 15	3 1	5 6	26 26	. 2
6	Diphtheria ...	123 { ...M. ...F. }	52 71	2 .	21 27	27 37	2 2	. 1	.	. 1	. 3	.	.	5 8	.	36 50	11 13	.
7	Dysentery ...	1 { ...M. ...F. }	. 1 1
8	Influenza ...	496 { ...M. ...F. }	248 248	16 12	14 8	2 9	8 5	10 7	12 10	21 18	49 41	82 98	34 40	6 5	5 3	27 14	210 226	64 64
9	Encephalitis Lethargica	9 { ...M. ...F. }	4 5	.	.	.	1 2	. 1	.	1 .	2 .	. 2	.	1 1	. 1	1 2	2 1	.
10	Cerebro-spinal Fever ...	3 { ...M. ...F. }	2 1	.	.	1 1	1	1 .	1 1	.
11	Tuberculosis of Respiratory System.	908 { M. F. }	452 456	. 1	4 1	8 21	100 138	115 137	92 71	72 45	41 30	17 12	3 .	81 63	43 25	122 115	206 253	13 10
12	Other Tuberculous Diseases	239 { ...M. ...F. }	127 112	9 8	23 14	25 18	25 29	12 15	13 16	7 6	9 4	2 1	2 1	16 15	5 6	58 40	48 51	2 2
13	Cancer ...	1,094 { ...M. ...F. }	595 499	.	. 2	2 2	3 1	8 5	20 35	86 105	214 143	194 155	68 51	68 58	7 4	181 108	339 329	10 10
14	Diabetes Mellitus ...	73 { ...M. ...F. }	42 31	.	.	. 1	1 2	.	3 2	7 3	6 11	17 10	5 2	3 .	. 2	12 5	27 24	1 2

ABSTRACT V—continued—No. 14.—Causes of Death in Administrative County of CLARE, by Sexes, Ages, and Places of Occurrence during the year 1932.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH								PLACES OF OCCURRENCE.					Un- certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and Hospls. District Hospls. and Co. Infirm- aries.		Else- where.	
	ALL CAUSES ...	1,252 { ...M. ...F.}	677 575	40 32	9 11	18 10	22 26	30 21	34 27	47 41	105 70	193 158	179 179	32 26	22 6	160 111	463 432	160 183
1	Typhoid Fever (including Para-typhoid).	1 { ...M. ...F.}	1	1	1	.	.
2	Typhus { ...M. ...F.}
3	Measles ...	1 { ...M. ...F.}	1	.	1	1	.
4	Scarlet Fever...	. { ...M. ...F.}
5	Whooping-cough { ...M. ...F.}
6	Diphtheria ...	6 { ...M. ...F.}	3 3	.	2	1 3	2 2	1 1	.
7	Dysentery { ...M. ...F.}
8	Influenza ...	45 { ...M. ...F.}	20 25	2	1 1	1 1	.	1	1 1	1	2 5	8 12	3 5	.	.	1	19 25	10 10
9	Encephalitis Lethargica	. { ...M. ...F.}
10	Cerebro-spinal Fever { ...M. ...F.}
11	Tuberculosis of Respiratory System.	78 { ...M. ...F.}	45 33	.	.	1 2	11 10	15 9	4 5	4 3	7 3	3 1	.	2	.	16 12	21 14	1 1
12	Other Tuberculous Diseases	17 { ...M. ...F.}	7 10	.	2	2 1	1 3	.	2 1	1	1	.	.	1 1	.	2 5	4 4	1 .
13	Cancer ...	122 { ...M. ...F.}	70 52	2 2	7 6	22 16	29 23	10 5	1	.	26 17	38 33	3 .
14	Diabetes Mellitus ...	9 { ...M. ...F.}	6 3	1	.	.	4 2	1	.	.	2	4 3	.

15	Cerebral Hemorrhage, etc. (No. 82).	M. F.	22	1	1	1	1	5	9	7	6	1	6	21	2
16	Heart Disease ...	M. F.	78	1	4	2	4	4	20	34	13	1	23	50	2
17	Other Circulatory Diseases ...	M. F.	75	1	3	8	10	1	17	24	13	1	15	54	3
18	Bronchitis ...	M. F.	7	1	1	1	1	1	1	4	1	1	2	5	1
19	Pneumonia (All Forms)	M. F.	45	3	1	1	2	2	9	22	7	2	16	27	8
20	Other Respiratory Diseases	M. F.	56	1	2	1	2	2	1	21	9	1	12	24	6
21	Gastric and Duodenal Ulcer	M. F.	51	1	2	5	5	5	15	17	2	1	15	32	4
22	Diarrhea and Enteritis (under 2 years.)	M. F.	53	3	4	1	3	1	4	7	3	1	7	26	3
23	Appendicitis ...	M. F.	14	1	2	1	2	2	2	3	4	1	1	11	1
24	Cirrhosis of the Liver	M. F.	9	1	1	1	1	1	1	1	1	1	2	7	1
25	Other Diseases of Liver, Etc.	M. F.	5	1	1	1	1	1	1	1	1	1	1	1	1
26	Other Digestive Diseases	M. F.	4	1	1	1	1	1	1	1	1	1	1	1	1
27	Acute and Chronic Nephritis	M. F.	11	2	1	2	2	2	2	2	1	3	2	9	2
28	Puerperal Sepsis ...	F.	22	1	1	5	1	1	2	6	4	1	7	12	1
29	Other Puerperal Causes	F.	6	1	1	1	1	1	2	1	1	1	1	5	1
30	Congenital Debility, Etc. (Nos. 157-161).	M. F.	8	3	2	2	1	1	1	1	1	2	2	4	1
31	Senility ...	M. F.	21	1	1	1	1	1	1	1	1	1	3	15	8
32	Suicide ...	M. F.	17	1	1	1	1	1	1	1	1	1	2	12	3
33	Other Violence	M. F.	153	1	3	1	1	1	3	30	123	2	17	132	102
34	Other Defined Causes...	M. F.	162	1	2	1	1	1	1	31	131	1	16	146	129
35	Causes ill-defined or unknown	M. F.	2	1	1	1	1	1	1	1	1	1	1	2	1
			14	1	2	2	1	1	3	1	1	1	2	12	1
			5	2	1	1	1	1	1	1	1	1	1	3	1
			59	4	4	6	4	7	9	12	6	5	16	33	9
			29	1	1	2	1	4	1	6	2	2	6	20	8
			10	1	1	1	1	2	4	3	1	1	10	10	6
			13	1	1	1	1	1	3	7	1	1	13	13	12

ABSTRACT V—continued—No. 15.—Causes of Death in Administrative County of CORK, by Sexes, Ages, and Places of Occurrence during the year 1932.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.				Un- certified Deaths.	
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and District Hospls. and Co. Infir- maries.		Else- where.
	ALL CAUSES ...	3,989 { ...M. ...F. }	2,041 1,948	179 129	55 52	51 65	86 91	92 110	102 94	172 182	353 277	526 481	425 467	187 155	78 79	423 298	1,353 1,416	350 395
1	Typhoid Fever (including Para- typhoid).	12 { ...M. ...F. }	8 4	.	.	1	2 1	2 1	.	3 1	.	1	.	1	2 1	6 2	.	.
2	Typhus ...	1 { ...M. ...F. }	1	1	1	.	.
3	Measles ...	4 { ...M. ...F. }	1 3	1 2	1 2	1	3	2
4	Scarlet Fever...	9 { ...M. ...F. }	5 4	1 .	1 1	3 2	.	1	5 2	2	.
5	Whooping-cough ...	18 { ...M. ...F. }	9 9	7 5	2 3	1	2 1	7 8	1
6	Diphtheria ...	39 { ...M. ...F. }	17 22	.	3 5	13 12	1 2	1	.	.	2	.	.	1	.	15 18	1 4	.
7	Dysentery ...	1 { ...M. ...F. }	1	1	.	1	.	.	.
8	Influenza ...	132 { ...M. ...F. }	66 66	1 3	5 4	1	2	2 1	3 3	8 6	16 8	22 29	7 11	2 2	1	7 3	57 60	13 14
9	Encephalitis Lethargica	5 { ...M. ...F. }	4 1	.	.	.	1 1	.	.	1	2	.	.	1	.	1 1	2	.
10	Cerebro-spinal Fever { ...M. ...F. }
11	Tuberculosis of Respiratory System.	269 { M. F. }	121 148	.	1	2 7	26 47	33 50	19 21	25 15	13 6	2	2	25 27	14 12	33 38	49 71	3 6
12	Other Tuberculous Diseases	52 { ...M. ...F. }	29 23	2 2	7 3	5 3	3 6	5 4	1 3	2 1	3	.	1	3 5	2 2	11 7	13 9	.
13	Cancer ...	331 { ...M. ...F. }	187 144	.	.	2	2	6 1	5 5	33 37	66 43	61 44	14 12	32 25	.	55 30	100 89	2 3
14	Diabetes Mellitus ...	18 { ...M. ...F. }	6 12	.	.	1	.	.	.	1 1	1 7	2 3	2	1	2	1 2	4 8	1

15	Cerebral Haemorrhage, Etc. (No. M. 82).	219	102	114	1	2	5	12	28	40	26	83	13
16	Heart Disease ...	639	317 322	.	.	1	3	4	12	11	3	4	9	27	84	123	60	214	26
17	Other Circulatory Diseases	57	33 24	9	10	14	24	1
18	Bronchitis ...	185	92 93	8	8	1	.	.	2	.	1	.	.	4	14	39	23	70	13
19	Pneumonia (All Forms)	266	145 121	29 20	10 9	7 3	4 4	9 9	9 9	9	4	9	9	11	21	37	8	95	6
20	Other Respiratory Diseases	86	42 44	.	.	1	1	3	.	1	1	3	.	2	11	17	7	33	3
21	Gastric and Duodenal Ulcer	41	30 11	3	7	4	3	3	1	7	5	5	.	10	1
22	Diarrhoea and Enteritis (under 2 M. years).	36	17 19	16 15	1 4	12	2
23	Appendicitis ...	28	12 16	.	2 1	5	2	1	3	2	2	2	1	1	1	1	6	4	1
24	Cirrhosis of the Liver	9	5 4	1	2	2	2	1	2	3
25	Other Diseases of Liver, Etc.	18	9 9	1	1	.	.	.	2	1	5	2	1	6	.
26	Other Digestive Diseases	103	46 57	3 4	3 3	1 7	1 1	2 2	5 4	5	1	2	4	4	9	14	4	31	1
27	Acute and Chronic Nephritis	98	58 40	1 1	.	2	3	1	4	6	2	4	6	8	17	20	5	39	1
28	Puerperal Sepsis ...	8	8	3	.	.	5	3	3	.
29	Other Puerperal Causes	10	10	.	.	.	1	4	4	4	1	4	1	1	.	.	.	3	.
30	Congenital Debility, Etc. (Nos. M. 157-161).	144	86 58	81 56	3 1	1 .	1 .	1	.	.	1	1	57	29
31	Senility ...	683	317 366	76	241	286	204
32	Suicide ...	13	11 2	1	3	3	2	3	1	3	1	.	1	10	.
33	Other Violence	76	50 26	2 2	4 1	4 3	13 1	5	3	3	5	3	3	4	7	4	4	36	2
34	Other Defined Causes ...	311	187 124	27 11	9 6	9 8	16 14	14 12	19 10	19	14	14	12	18	30	34	11	100	16
35	Causes ill-defined or unknown	68	26 42	1 3	1 3	1	1	.	2	3	8	12	.	25	19

ABSTRACT V—continued—No. 16.—Causes of Death in Administrative COUNTY BOROUGH OF CORK, by Sexes, Ages, and Places of Occurrence during the year 1932.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.		Mental Hos-pitals.	County Homes and District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES ...	1,237 {	631 606	91 68	40 34	16 21	25 30	47 46	50 41	65 66	100 102	126 125	71 73	144 109	18 18	138 128	331 351	10 12
1	Typhoid Fever (including Para-typhoid).	1 {	1	1	1	.	.
2	Typhus {
3	Measles ...	1 {	1	1	1	.
4	Scarlet Fever...	1 {	. 1	.	. 1 1	.	.
5	Whooping-cough ...	18 {	9 9	3 5	5 4	1	2 4	7 5	.
6	Diphtheria ...	17 {	6 11	.	4 7	2 4	3 8	.	2 3	1	.
7	Dysentery {
8	Influenza ...	9 {	4 5	.	.	. 1	.	2 1	.	. 1	2 1	.	. 1	1 1	.	.	3 4	.
9	Encephalitis Lethargica	3 {	. 3 1	. 1 1	.	. 1	. 1	.	.	.
10	Cerebro-spinal Fever {
11	Tuberculosis of Respiratory System.	112 {	58 54	.	. 1	1 3	7 14	22 21	15 5	8 7	4 3	1	.	33 21	2 2	10 8	13 23	.
12	Other Tuberculous Diseases	32 {	21 11	4	5 1	2 1	4 2	1 2	3 2	2 1	. 2	.	.	7 4	.	8 5	6 2	.
13	Cancer ...	94 {	53 41	.	.	.	1	.	2 4	10 9	21 15	15 9	4 4	18 14	1	15 9	19 18	.
14	Diabetes Mellitus ...	1 {	1	1	1	.	.

No.	Disease	Males	Females	Total
15	Cerebral Hemorrhage, etc. (No. 82).	66	30	96
16	Heart Disease ...	230	118 112	348
17	Other Circulatory Diseases	21	11 10	31
18	Bronchitis ...	71	29 42	113
19	Pneumonia (All Forms)	81	41 40	121
20	Other Respiratory Diseases	24	15 9	33
21	Gastric and Duodenal Ulcer	6	3 3	9
22	Diarrhoea and Enteritis (under 2 years.)	44	26 18	62
23	Appendicitis ...	10	4 6	16
24	Cirrhosis of the Liver	1	1	2
25	Other Diseases of Liver, Etc.	7	1 6	13
26	Other Digestive Diseases	27	13 14	41
27	Acute and Chronic Nephritis	21	10 11	31
28	Puerperal Sepsis ...	3	3	6
29	Other Puerperal Causes	7	7	14
30	Congenital Debility, Etc. (Nos. 157-161).	51	29 22	73
31	Senility ...	109	56 53	215
32	Suicide ...	4	4	8
33	Other Violence	25	15 10	35
34	Other Defined Causes ...	130	66 64	254
35	Causes ill-defined or unknown	10	5 5	20

ABSTRACT V—continued—No. 17.—Causes of Death in Administrative County of KERRY, by Sexes, Ages, and Places of Occurrence during the year 1932

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.		Mental Hos-pitals.	County Homes and Hospis. Hospis. and Co. Infirm-aries.	Else-where.
	ALL CAUSES ...	1,934 { ...M. ...F.	998 936	79 68	32 24	21 24	45 45	45 54	41 51	80 65	153 122	275 238	227 245	25 23	30 27	193 121	750 765	299 333
1	Typhoid Fever (including Para-typhoid).	6 { ...M. ...F.	4 2	.	.	.	1	. 2	.	2	1	.	.	1	.	3 2	.	.
2	Typhus ...	2 { ...M. ...F.	1 1	1	.	. 1	1 1	.	.
3	Measles ...	5 { ...M. ...F.	1 4	1	2	. 1	1 1	. 3	.
4	Scarlet Fever...	4 { ...M. ...F.	3 1	.	2	1 1	.	.	.	2	1 1	.
5	Whooping-cough { ...M. ...F.
6	Diphtheria ...	14 { ...M. ...F.	8 6	.	5 1	3 4 1	3 4	. 3 2	.
7	Dysentery { ...M. ...F.
8	Influenza ...	123 { ...M. ...F.	65 58	2 5	2	. 2	2 3	4 1	. 2	5 5	14 9	26 24	10 7	1 1	.	9 3	55 54	29 25
9	Encephalitis Lethargica	. { ...M. ...F.
10	Cerebro-spinal Fever ...	2 { ...M. ...F.	1 1	.	.	1 1	1 1	.
11	Tuberculosis of Respiratory System.	135 { ...M. ...F.	68 67	.	.	1 2	22 24	15 18	13 9	9 5	4 6	4 3	.	3 1	9 6	17 24	39 36	1 2
12	Other Tuberculous Diseases	30 { ...M. ...F.	14 16	1 1	2	2 2	3 6	3 2	2 4	.	1 1	.	.	. 1	1 1	8 6	5 8	2
13	Cancer ...	124 { ...M. ...F.	66 58	.	.	1	. 1	.	2 7	8 13	22 14	22 16	11 7	1 6	2	21 7	42 40	2 4
14	Diabetes Mellitus ...	14 { ...M. ...F.	10 4	.	.	.	3	.	1 1	1 1	1	4 1	. 1	.	.	3	7 4	. 1

15	Cerebral Haemorrhage, Etc. (No. M. F. 82).	96 {	45 51
----	--	------	-------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

ABSTRACT V—contd.—No. 18.—Causes of Death in Administrative County of LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1932.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pits.		County Homes and Hospls. District Hospls. and Co. Infirm- aries.	Else- where.
	ALL CAUSES ...	1,381 { ...M. ...F. }	718 663	91 77	36 27	20 13	31 26	20 35	24 32	53 53	105 93	188 144	150 163	26 26	17 8	131 109	544 520	110 153
1	Typhoid Fever (including Para typhoid).	2 { ...M. ...F. }	1 1	.	.	1	.	1	1	.	.
2	Typhus { ...M. ...F. }
3	Measles ...	8 { ...M. ...F. }	5 3	.	2 3	3	1 1	4 2	.
4	Scarlet Fever...	4 { ...M. ...F. }	2 2	.	.	1 1	1 1	1 1	1 1	.
5	Whooping-cough ...	2 { ...M. ...F. }	1 1	1	1	1 1	1
6	Diphtheria ...	6 { ...M. ...F. }	3 3	1	2	2 1	3 2	1	.
7	Dysentery { ...M. ...F. }
8	Influenza ...	72 { ...M. ...F. }	37 35	6	4 3	1	1	1 1	1	1	7 6	9 13	8 9	.	.	1 3	36 32	8 11
9	Encephalitis Lethargica	. { ...M. ...F. }
10	Cerebro-spinal Fever { ...M. ...F. }
11	Tuberculosis of Respiratory System.	87 { ...M. ...F. }	40 47	1	1	2	10 11	8 10	7 12	7 6	4 3	3 2	.	1	7	10 14	23 32	2
12	Other Tuberculous Diseases	37 { ...M. ...F. }	24 13	4	5 2	1 1	8 3	2 1	1 1	1	2	1	1	2 1	1	14 5	7 7	.
13	Cancer ...	102 { ...M. ...F. }	54 48	.	.	1	.	.	5 2	4 6	18 13	18 9	8 9	4 3	1	14 10	36 34	.
14	Diabetes Mellitus ...	5 { ...M. ...F. }	3 2	1	2	3 2	.

ABSTRACT V—*continued*—**No. 19.**—**Causes of Death in Administrative COUNTY BOROUGH OF LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1932.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ...	607 { ...M. ...F.	300 307	53 42	18 27	15 16	11 13	15 21	19 22	38 26	53 51	52 57	26 32	63 26	2 8	68 86	167 187	14 15
1	Typhoid Fever (including Para-typhoid).	2 { ...M. ...F.	1 1	1 1	1 1	.	.
2	Typhus { ...M. ...F.
3	Measles ...	1 { ...M. ...F.	1	1	1	.
4	Scarlet Fever...	5 { ...M. ...F.	2 3	.	3	2	1	.	1 3	.	.
5	Whooping-cough ...	2 { ...M. ...F.	1 1	1 1	1 1	.
6	Diphtheria ...	22 { ...M. ...F.	8 14	1	4 7	1	1	.	5 14	2	.
7	Dysentery { ...M. ...F.
8	Influenza ...	17 { ...M. ...F.	9 8	1	.	1	.	1	2 3	1	3 1	1 3	.	2 1	.	1 1	6 6	.
9	Encephalitis Lethargica	. { ...M. ...F.
10	Cerebro spinal Fever { ...M. ...F.
11	Tuberculosis of Respiratory System.	31 { ...M. ...F.	19 12	.	1	3 5	5 4	6	.	2 1	3	1	.	3 1	.	9 1	7 10	1
12	Other Tuberculous Diseases	5 { ...M. ...F.	2 3	.	1	2 2	2	.	1 1	1	.
13	Cancer ...	46 { ...M. ...F.	21 25	2	3	4 6	13 6	2 5	2 3	6 1	.	6 6	9 18	.
14	Diabetes Mellitus ...	2 { ...M. ...F.	2	.	.	.	1	1	1	.	.	1	.

ABSTRACT V—continued—No. 20.—Causes of Death in Administrative County of TIPPERARY N.R., by Sexes, Ages, and Places of Occurrence during the year 1932.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospla.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES ...	902 { ...M. F. }	463 439	49 31	20 10	8 13	15 19	16 17	21 29	48 33	74 69	130 106	82 112	26 16	13 13	76 73	348 337	82 103
1	Typhoid Fever (including Para-typhoid).	1 { M. F. }	1	1	1	.	.	.
2	Typhus { M. F. }
3	Measles ...	3 { M. F. }	2 1	.	1 1	1 1	2 1	.
4	Scarlet Fever...	. { M. F. }
5	Whooping-cough { M. F. }
6	Diphtheria ...	5 { M. F. }	1 4	.	1 2	2	2	1 2	.
7	Dysentery { M. F. }
8	Influenza ...	26 { M. F. }	11 15	1	1	2 1	.	2 1	1	1	3	5 6	2	.	.	1 2	10 13	1 4
9	Encephalitis Lethargica	. { M. F. }
10	Cerebro-spinal Fever ...	1 { M. F. }	1	.	.	.	1	1	.	.
11	Tuberculosis of Respiratory System.	56 { M. F. }	32 24	.	.	2 2	3 8	5 2	10 6	8 3	1 2	3 1	.	7 4	3	6 2	16 18	4 1
12	Other Tuberculous Diseases	18 { M. F. }	9 9	1	1	1 2	2 2	1 2	3 2	.	1	.	.	1 1	1 1	4 2	3 5	.
13	Cancer ...	68 { M. F. }	40 28	.	1	.	.	1	1	5 4	11 9	16 10	6 3	1	1	10 5	30 21	2 1
14	Diabetes Mellitus ...	6 { M. F. }	3 3	1 2	1	1	1	.	1 1	1 2	.

[illegible]

ABSTRACT V—continued—No. 21.—Causes of Death in Administrative County of TIPPERARY S.R., by Sexes, Ages, and Places of Occurrence during the year 1932.

114

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.							
			All Ages.	Under 1 year.	1-5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and District Hospls. and Co. Infirm- aries.	Else- where.	Un- certified Deaths
	ALL CAUSES ...	1191 { ...M. ...F.}	605 586	61 49	20 13	14 13	19 27	17 29	32 31	59 52	92 83	179 155	112 134	22 17	19 16	154 68	410 485	79 86
1	Typhoid Fever (including Para- typhoid).	3 { ...M. ...F.}	2 1	1	.	.	1	2 1	.	.
2	Typhus { ...M. ...F.}
3	Measles ...	5 { ...M. ...F.}	2 3	1 .	1 1	2 3	.
4	Scarlet Fever...	. { ...M. ...F.}
5	Whooping-cough ...	8 { ...M. ...F.}	3 5	2 .	2 3	1	3 5	.
6	Diphtheria ...	8 { ...M. ...F.}	6 2	.	4 .	2 1	1	.	.	.	4	.	2 2	.
7	Dysentery { ...M. ...F.}
8	Influenza ...	21 { ...M. ...F.}	13 8	2 2	.	.	1 .	.	1	1	2 3	6 1	1 1	.	1	.	12 8	3
9	Encephalitis Lethargica	. { ...M. ...F.}
10	Cerebro-spinal Fever { ...M. ...F.}
11	Tuberculosis of Respiratory System.	73 { ...M. ...F.}	31 42	.	.	1	7 13	6 14	9 7	5 2	3	1	.	1 4	.	12 12	16 25	1
12	Other Tuberculous Diseases	23 { ...M. ...F.}	11 12	1 .	3 1	4 4	3 .	1	1	1	1	1	.	2	1	4 3	5 8	.
13	Cancer ...	109 { ...M. ...F.}	57 52	1 1	2 3	10 13	24 13	14 17	6 5	1 1	3 1	19 11	34 39	1 2
14	Diabetes Mellitus ...	10 { ...M. ...F.}	7 3	4 1	.	3 1	.	.	.	3 1	4 2	1

ABSTRACT V—continued—No. 22—Causes of Death in Administrative County of WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1932.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	75 years and up	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.		Else-where.	
	ALL CAUSES ...	767 { ...M. ...F.}	410 357	27 24	9 12	18 8	18 9	11 13	18 25	35 28	69 54	112 90	93 94	6 12	16 9	103 55	285 281	50 69
1	Typhoid Fever (including Para-typhoid).	1 { ...M. ...F.}	1	.	.	1	1	.	.
2	Typhus ...	1 { ...M. ...F.}	1	1	1	.	.
3	Measles ...	2 { ...M. ...F.}	1 1	1	1	.	.
4	Scarlet Fever...	3 { ...M. ...F.}	3	.	1	2	2	1	.
5	Whooping-cough ...	8 { ...M. ...F.}	3 5	1 2	1 3	1	1 1	2 4	.
6	Diphtheria ...	2 { ...M. ...F.}	2	.	1	1	2	.	.
7	Dysentery { ...M. ...F.}
8	Influenza ...	31 { ...M. ...F.}	15 16	1	.	1 1	.	.	2	3 1	2 4	4 5	2 5	.	3 1	5 1	7 14	.
9	Encephalitis Lethargica	1 { ...M. ...F.}	1	1	.
10	Cerebro-spinal Fever { ...M. ...F.}
11	Tuberculosis of Respiratory System.	42 { M. F.}	26 16	.	2	7 3	4 3	1 2	6 3	4 2	1 2	1 2	1	2	4	7 2	13 14	.
12	Other Tuberculous Diseases	16 { ...M. ...F.}	7 9	.	1	1 2	4 3	.	2	2	1	3 3	4 5	1
13	Cancer ...	61 { ...M. ...F.}	32 29	.	1	.	.	1	1 4	3 8	12 10	11 5	5	3	.	9 6	23 20	.
14	Diabetes Mellitus ...	5 { ...M. ...F.}	2	1	.	1	2	.

ABSTRACT V—continued—No. 23—Causes of Death in WATERFORD COUNTY BOROUGH, by Sexes, Ages, and Places of Occurrence during the year 1932.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infir-maries.		Else-where.	
	ALL CAUSES ...	490 {	235 255	57 35	20 37	6 7	9 9	5 14	17 17	16 20	33 26	37 59	35 31	6 7	8 6	61 57	160 185	4 6
1	Typhoid Fever (including Para-typhoid).	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
2	Typhus ...	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
3	Measles ...	25 {	8 17	2 3	6 14	•	•	•	•	•	•	•	•	•	•	•	8 17	•
4	Scarlet Fever...	1 {	1	•	1	•	•	•	•	•	•	•	•	•	•	•	1	•
5	Whooping-cough ...	7 {	5 2	3	2 2	•	•	•	•	•	•	•	•	•	•	•	5 2	•
6	Diphtheria ...	4 {	•	•	2	2	•	•	•	•	•	•	•	•	•	•	1	•
7	Dysentery ...	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
8	Influenza ...	20 {	8 12	1 1	1 •	2	•	•	2 2	1 5	•	•	1 1	•	2 1	1 1	5 10	•
9	Encephalitis Lethargica	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
10	Cerebro-spinal Fever ...	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
11	Tuberculosis of Respiratory System.	25 {	12 13	•	•	1 •	4 3	2 6	3 3	1	1	•	•	•	1 1	2 2	9 10	•
12	Other Tuberculous Diseases	9 {	3 6	1	3	2	1	•	•	•	•	•	•	•	•	8 3	3	•
13	Cancer ...	37 {	15 22	•	•	•	•	•	4	2 3	5 4	6 8	2 3	1 2	1	6 7	8 12	•
14	Diabetes Mellitus	3 {	2	•	•	•	•	•	1	1	1	•	•	•	1	1	1	•

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infirm-aries.		Else-where.	
	ALL CAUSES ...	7,246 {	3,619 3,627	252 266	126 136	78 91	171 167	155 169	158 162	233 226	488 451	917 899	1,041 1,126	115 106	117 66	575 450	2,812 3,095	1,316 1,522
1	Typhoid Fever (including Para-typhoid),	15 {	6 9	.	.	2	1	.	1	3	1	1	.	.	1	4 5	1 4	.
2	Typhus ...	2 {	1 1	1	1	1	1	.
3	Measles ...	71 {	28 43	10 6	9 25	4 6	2 3	3 1	2	6 13	22 30	4 9
4	Scarlet Fever...	5 {	1 4	1	3	.	.	.	1	3	1	.
5	Whooping-cough	25 {	13 12	5 8	6 3	2 1	1	12 12	6 8
6	Diphtheria ...	62 {	35 27	2 1	19 11	10 10	3 5	1	1	.	23 14	12 12	2 3
7	Dysentery {
8	Influenza ...	354 {	153 201	7 6	9 13	6	6 6	3 9	8 7	7 10	27 37	62 75	24 32	1 1	5 3	5 4	142 193	71 105
9	Encephalitis Lethargica	7 {	4 3	.	1	1	1 1	1	1 1	1	1	4 1	.
10	Cerebro-spinal Fever ...	3 {	2 1	.	1	1	1	1 1	1	.
11	Tuberculosis of Respiratory System.	422 {	212 210	.	1	4 9	64 76	55 57	40 30	22 18	16 12	11 6	1	40 40	18 8	35 40	119 122	29 27
12	Other Tuberculous Diseases	124 {	64 60	5	2 4	10 7	10 19	14 7	14 6	5 4	8 6	1 2	.	5 4	8 2	26 26	25 28	2
13	Cancer ...	545 {	304 239	.	1	2	2 3	3 1	8 12	45 42	93 74	119 70	34 31	13 13	7 5	69 42	215 179	22 17
14	Diabetes Mellitus ...	13 {	17 25	.	1	3	1	1	2 2	1 5	5 4	1 3	1 1	1	1	3 3	13 27	2 2

16	Heart Disease	...	M. F.	793	393 400	.	.	2	9	14	12	38	92	133 151	93 82	5	13	66	309 334	41 58
17	Other Circulatory Diseases	...	M. F.	96	16 59	1	2	.	.	2	2	3	10 16	17 18	14 7	1	2	13 9	31 38	1
18	Bronchitis	...	M. F.	335	184 151	12 10	6	4	4	1	2	6	28 22	64 68	59 34	1	8	22 9	153 141	69 53
19	Influenza (All Forms)	...	M. F.	271	292 169	29 29	29	29	9	7	10	16	31 17	17 12	17 28	4	8	26 22	164 113	22 17
20	Other Respiratory Diseases	...	M. F.	100	51 49	1 1	1	2	3	2	4	7	5 9	11 18	9 6	2	1	12 6	36 39	6 19
21	Gastric and Duodenal Ulcer	...	M. F.	47	27 14	.	.	1	1	4	6	5	12 2	1 2	1	6	1	12 5	14 16	1 2
22	Diarrhea and Enteritis (under 2 years.)	M. F.	36	21 15	19 10	2 3	1	.	16 14	.	2
23	Appendicitis	...	M. F.	51	32 19	2 4	2	4	8	3	2	3	4	2 1	4	6	.	25 12	1 4	1
24	Cirrhosis of the Liver	...	M. F.	14	9 5	.	1	1	4 3	3 1	.	.	.	3 5	1 5	.
25	Other Diseases of Liver, Etc.	M. F.	26	9 17	9 17	1	.	1	.	2	.	2	2 1	2 7	2 1	6	.	3 8	9 8	1
26	Other Digestive Diseases	...	M. F.	148	74 74	8 4	3	4	2	4	4	6	13 13	18 23	11 5	1	1	17 13	55 54	15 15
27	Acute and Chronic Nephritis	...	M. F.	167	102 65	.	1	2	2	6	8	6	19 18	35 22	24 7	2	1	32 16	69 47	14 6
28	Puerperal Sepsis	16	16	11	4	1	.	.	.	1	.	7 7	8 18	1
29	Other Puerperal Causes	26	26	.	.	.	3	9	14	1	.	7 7	18 18	1
30	General Debility, Etc. (Nos. 157-161).	M. F.	196	102 94	101 91	1 1	.	2	8	.	19 16	75 71	49 52
31	Senility	...	M. F.	1,903	855 1,048	183 222	672 826	1	15	26 31	814 1,019	723 926
32	Suicide	...	M. F.	22	17 5	.	.	.	1	1	2	5	3	1 1	1	.	2	1 1	14 4	.
33	Other Violence	...	M. F.	133	94 39	2 3	7	8	14	9	9	16	11 5	18 7	5 8	4	.	27 12	63 25	4
34	Other Defined Causes	...	M. F.	546	291 255	48 37	13 19	18	26	18	18	24	35 35	61 36	27 12	13	21	66 51	191 171	65 79
35	Causes ill-defined or unknown	...	M. F.	212	115 97	2 2	15 3	1	3	1	1	8	37 38	45 31	7 1	.	2	1 1	113 96	169 84

ABSTRACT V—continued—No. 24—Causes of Death in Administrative County of GALWAY, by Sexes, Ages, and Places of Occurrence during the year 1932.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and (Co. Infir-maries.	Else-where.
	ALL CAUSES ...	2,550 { ...M. ...F.	1,193 1,157	85 98	54 59	32 37	52 55	59 67	47 45	82 69	151 113	260 238	371 376	37 39	44 23	230 176	882 919	405 465
1	Typhoid Fever (including Paratyphoid).	3 { ...M. ...F.	1 2	2	1	.	.	.	1	1	1	.
2	Typhus { ...M. ...F.
3	Measles ...	38 { ...M. ...F.	14 24	4 5	5 11	2 2	2 1	1 1	1	3 11	11 13	2 2
4	Scarlet Fever...	. { ...M. ...F.
5	Whooping-cough ...	4 { ...M. ...F.	1 3	2 1	1 1	1	3	2
6	Diphtheria ...	39 { ...M. ...F.	19 20	1 1	10 7	7 9	1 3	1	.	15 10	4 9	1 3
7	Dysentery { ...M. ...F.
8	Influenza ...	115 { ...M. ...F.	54 61	3 5	8 5	2	1 3	2 2	4 4	1 3	10 9	12 14	13 14	1	1	3	49 60	25 36
9	Encephalitis Lethargica	1 { ...M. ...F.	1	.	.	.	1	1	.	.	.
10	Cerebro-spinal Fever ...	3 { ...M. ...F.	2 1	.	1	1	1	1 1	1	.
11	Tuberculosis of Respiratory System.	146 { M. F.	74 72	.	.	1 1	20 23	20 24	13 12	12 8	4 3	4 1	.	14 18	9 3	9 15	42 36	11 8
12	Other Tuberculous Diseases	43 { ...M. ...F.	21 22	2	3	5 2	3 6	6 5	2 1	2 2	2 1	1	.	2 2	1	11 11	7 9	2
13	Cancer ...	157 { ...M. ...F.	98 59	.	.	.	1 3	2	2 2	11 7	28 18	39 22	15 7	5 2	1	29 17	63 40	5 2
14	Diabetes Mellitus ...	11 { ...M. ...F.	3 8	.	.	.	1	1	.	1 1	2 3	1	1	.	.	1 2	2 6	1

15	Cerebral Hemorrhage, Etc. (No. M. 82).	101 {	12 62	1	1	2	2	1	1	15	1	16	.	3	10	49	17
16	Heart Disease ...	260 {	125 135	.	.	1	1	4	1	1	11	11	36	37	34	3	3	22	97	14	
17	Other Circulatory Diseases ...	31 {	20 11	1	.	.	.	2	1	.	.	.	4	8	4	1	2	6	12	.	
18	Bronchitis ...	83 {	56 27	3	4	2	1	1	7	17	20	2	.	7	47	19	
19	Pneumonia (All Forms) ...	131 {	69 62	9	8	1	5	4	6	7	7	2	5	16	6	4	1	17	49	4	
20	Other Respiratory Diseases ...	34 {	17 17	1	1	2	.	1	1	3	3	.	4	5	3	.	.	7	10	5	
21	Gastric and Duodenal Ulcer ...	14 {	9 5	.	.	1	.	3	1	2	1	1	1	1	1	.	.	3	4	1	
22	Diarrhea and Enteritis (under 2 M. years).	14 {	4 10	4	1	4	.	
23	Appendicitis ...	11 {	7 4	.	.	2	2	1	.	1	.	.	.	1	1	1	1	6	1	.	
24	Cirrhosis of the Liver ...	4 {	4	.	1	3	.	.	.	2	2	.	
25	Other Diseases of Liver, Etc. ...	10 {	3 7	.	.	1	.	2	.	1	1	2	.	2	1	.	.	.	3	1	
26	Other Digestive Diseases ...	53 {	34 19	5	2	2	.	1	1	4	6	2	2	5	7	1	.	10	22	6	
27	Acute and Chronic Nephritis ...	64 {	39 25	.	.	1	1	3	4	3	5	5	6	16	8	.	.	16	23	5	
28	Puerperal Sepsis ...	5	5	5	1	3	1	.	
29	Other Puerperal Causes ...	10	10	.	.	.	1	5	4	2	2	8	1	
30	Congenital Debility, Etc. (Nos. M. 157-161).	73 {	33 40	32	1	.	1	2	11	20	12	
31	Senility ...	605 {	284 321	47	237	7	1	1	276	252	
32	Suicide ...	9 {	7 2	.	.	.	1	1	.	3	2	1	.	1	.	.	1	.	6	.	
33	Other Violence ...	43 {	30 13	1	4	1	5	2	6	5	2	2	2	5	1	.	.	11	17	.	
34	Other Defined Causes ...	187 {	99 88	19	4	8	5	5	5	12	15	7	15	18	8	3	9	29	58	17	
35	Causes ill-defined or unknown ...	45 {	24 21	2	5	1	1	1	.	2	8	8	8	6	.	.	1	.	23	21	
				.	2	2	.	.	.	2	8	8	8	7	.	.	.	1	20	19	

[illegible]

ABSTRACT V —continued—No. 26—Causes of Death in Administrative County of MAYO, by Sexes, Ages, and Places of Occurrence during the year 1932.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES ...	2,036 {	992 1,044	69 46	36 36	21 27	64 59	50 48	42 42	60 60	129 126	221 239	300 361	30 22	27 16	127 101	808 902	407 501
1	Typhoid Fever (including Para-typhoid).	4 {	1 3	.	.	2	.	.	1	.	1	1 1	2	.
2	Typhus ...	1 {	1	1	1	.	.
3	Measles ...	11 {	5 6	3	1 3	.	2	1	1	3 2	2 4	1 1
4	Scarlet Fever...	5 {	1 4	1	3	.	.	.	1	3	1 1	.
5	Whooping-cough ...	11 {	5 6	3 4	2 2	5 6	2 3
6	Diphtheria ...	11 {	9 2	.	7 1	2 1	5 1	4 1	1
7	Dysentery
8	Influenza ...	74 {	37 37	2	3	2	3	2	2 1	5	6 8	14 11	5 7	.	2	.	35 37	20 26
9	Encephalitis Lethargica	2 {	1 1	.	1	.	.	1	1 1	.
10	Cerebro-spinal Fever
11	Tuberculosis of Respiratory System.	133 {	68 65	.	1	1 5	27 29	20 17	9 6	4 3	5 4	2	.	17 15	3 2	11 10	37 38	12 15
12	Other Tuberculous Diseases	46 {	24 22	2	1 1	4 2	3 7	5 2	6 3	1 1	4 3	1	.	1	4 2	3 3	11 12	.
13	Cancer ...	137 {	84 73	.	1	.	.	.	3 3	13 10	28 23	32 22	8 14	2 1	3	13 7	65 65	7 5
14	Diabetes Mellitus ...	13 {	4 9	.	.	2	1	.	1	1 2	.	2 2	.	1	.	1 1	2 3	1

15	Cerebral Haemorrhage, Etc. (No. 82).	75 {	10	32	11	3	2	3	32	11
			35	56	6	4	1	1	56	12
16	Heart Disease	192 {	98	82	19	11	5	11	82	24
			94	79	14	10	4	10	79	24
17	Other Circulatory Diseases	34 {	12	10	7	2	1	2	10	1
			22	18	4	3	1	3	18	4
18	Bronchitis	113 {	53	46	14	5	2	5	46	25
			60	56	15	4	1	4	56	26
19	Pneumonia (All Forms)	100 {	52	49	11	3	1	3	49	15
			48	43	12	3	1	3	43	9
20	Other Respiratory Diseases	25 {	14	10	1	1	1	1	10	3
			11	11	2	1	1	1	11	3
21	Gastric and Duodenal Ulcer	9 {	8	8	1	1	1	1	8	1
			1	1	1	1	1	1	1	1
22	Diarrhoea and Enteritis (under 2 years).	8 {	6	6	1	1	1	1	6	1
			2	2	1	1	1	1	2	1
23	Appendicitis	21 {	12	1	1	1	1	1	1	1
			9	3	1	1	1	1	3	1
24	Cirrhosis of the Liver	5 {	2	1	1	1	1	1	1	1
			3	3	1	1	1	1	3	1
25	Other Diseases of Liver, Etc.	8 {	3	3	1	1	1	1	3	1
			5	5	1	1	1	1	5	1
26	Other Digestive Diseases	41 {	17	14	2	2	2	2	14	1
			24	18	6	4	4	4	18	7
27	Acute and Chronic Nephritis	31 {	19	17	3	2	2	2	17	3
			12	11	6	1	1	1	11	2
28	Puerperal Sepsis	6 {	6	4	1	1	1	1	4	1
			5	3	1	1	1	1	3	1
29	Other Puerperal Causes	5 {	5	3	1	1	1	1	3	1
			25	21	1	1	1	1	21	10
30	Congenital Debility, Etc. (Nos. 157-161).	44 {	19	14	1	1	1	1	14	10
			250	239	10	10	1	10	239	219
31	Senility	590 {	340	324	63	13	3	13	324	301
			1	3	1	1	1	1	3	1
32	Suicide	6 {	1	3	1	1	1	1	3	1
			2	2	1	1	1	1	2	1
33	Other Violence	45 {	33	24	6	3	3	3	24	3
			12	7	2	2	2	2	7	1
34	Other Defined Causes	161 {	79	68	19	5	5	5	68	29
			82	72	14	4	4	4	72	29
35	Causes ill-defined or unknown	49 {	25	25	8	8	8	8	25	18
			24	24	11	11	11	11	24	19

ABSTRACT V—continued—No. 27—Causes of Death in Administrative County of ROSCOMMON, by Sexes, Ages, and Places of Occurrence during the year 1932.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.		Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES ...	1,073 { ...M. ...F.}	536 537	31 20	15 15	13 7	24 16	15 21	29 27	30 36	87 84	138 163	154 148	13 12	26 14	90 79	407 432	194 217
1	Typhoid Fever (including Para-typhoid).	1 { ...M. ...F.}	1	1	1	.
2	Typhus ...	1 { ...M. ...F.}	1	1	1	.
3	Measles ...	3 { ...M. ...F.}	1 2	.	2	1	1 2	1
4	Scarlet Fever...	. { ...M. ...F.}	1
5	Whooping-cough ...	4 { ...M. ...F.}	4	1	2	1	4	3
6	Diphtheria ...	7 { ...M. ...F.}	4 3	1 1	1 1	1 1	1 2	1 3	3	.
7	Dysentery { ...M. ...F.}
8	Influenza ...	70 { ...M. ...F.}	30 40	1 1	1 2	1	1	1 3	2 1	1 1	5 11	15 16	3 4	.	1	1	29 38	10 12
9	Encephalitis Lethargica	. { ...M. ...F.}
10	Cerebro-spinal Fever { ...M. ...F.}
11	Tuberculosis of Respiratory System.	58 { ...M. ...F.}	34 24	.	.	1 2	10 8	7 4	9 2	2 3	3 3	2 2	.	3	4 1	7 6	20 17	4 1
12	Other Tuberculous Diseases	9 { ...M. ...F.}	7 2	.	1	1	1	.	5 1	2	3 1	2 1	.
13	Cancer ...	74 { ...M. ...F.}	32 42	1 1	5 10	13 13	12 13	1 5	1 2	2 2	11 14	18 24	2 2
14	Diabetes Mellitus ...	6 { ...M. ...F.}	4 2	1	1	1	1	.	.	1	3 2	1

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.	
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.		Else-where.
	ALL CAUSES ...	997 {	513 484	46 26	12 21	5 14	19 22	19 16	25 25	35 33	62 60	117 139	20 24	13 6	78 50	402 404	168 181
1	Typhoid Fever (including Para-typhoid).	. {
2	Typhus {
3	Measles ...	17 {	7 10	3 1	3 5	1 4	7 10	1 5
4	Scarlet Fever...	. {
5	Whooping-cough ...	1 {	1	.
6	Diphtheria ...	3 {	2 1	.	1 1	.	.	1	1	1 1	.
7	Dysentery {
8	Influenza ...	43 {	19 24	1	.	.	2	2	.	3	2 4	13 10	.	1 1	1	18 22	10 12
9	Encephalitis Lethargica	3 {	2 1	.	.	.	1	.	1	1	2	.
10	Cerebro-spinal Fever {
11	Tuberculosis of Respiratory System.	45 {	20 25	.	.	1 1	6 9	5 6	5 3	1 3	2	2 1	4 7	1	7 4	8 14	1 1
12	Other Tuberculous Diseases	19 {	9 10	.	.	1 1	2 4	2	1 1	1 1	2 2	.	1 1	1	3 4	4 5	.
13	Cancer ...	98 {	62 36	.	.	1	.	.	4	11 10	16 9	6 5	1 5	1	13 3	47 28	5 3
14	Diabetes Mellitus ...	8 {	4 4	.	1	.	.	.	1 1	2	2	1	.	.	.	4 4	1

ABSTRACT V—continued—Causes of Death in PROVINCE OF ULSTER, by Sexes, Ages, and Places of Occurrence during the year 1932.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infirm-aries.	Else-where.		
	ALL CAUSES ...	4,247 { ...M. ...F.}	2,173 2,074	165 108	63 73	50 60	75 105	84 81	86 99	132 169	343 278	641 575	534 535	51 34	52 39	323 220	1,747 1,781	625 705
1	Typhoid Fever (including Para-typhoid).	7 { ...M. ...F.}	4 3	.	.	2	1 1	1	1	.	1	2 2	2 1	.
2	Typhus { ...M. ...F.}
3	Measles ...	28 { ...M. ...F.}	12 16	6 4	3 8	2 2	1 1	1	1 2	11 14	3 5
4	Scarlet Fever...	7 { ...M. ...F.}	3 4	.	1	2	.	1 2	1	1 1	2 3	.
5	Whooping-cough ...	30 { ...M. ...F.}	14 16	9 4	5 9	2	1	14 16	2 3
6	Diphtheria ...	19 { ...M. ...F.}	8 11	1	1 5	4 4	1 1	.	1	5 5	3 6	.
7	Dysentery { ...M. ...F.}
8	Influenza ...	231 { ...M. ...F.}	108 123	2 4	2 2	1 4	2 5	3 6	3 2	10 8	22 24	40 53	23 15	1	3	10 13	95 109	38 58
9	Encephalitis Lethargica	3 { ...M. ...F.}	2 1	1 1	.	1	2 1	.
10	Cerebro-spinal Fever { ...M. ...F.}
11	Tuberculosis of Respiratory System.	219 { ...M. ...F.}	103 116	.	.	1 5	33 39	22 22	20 21	13 13	11 11	3 5	.	13 10	16 11	19 21	55 74	6 10
12	Other Tuberculous Diseases	78 { ...M. ...F.}	38 40	1	3 1	8 6	6 15	9 7	1 4	3 4	3 1	4 1	1	2 3	1 3	16 10	19 24	1 2
13	Cancer ...	301 { ...M. ...F.}	162 139	.	.	2	1 1	2	8 13	16 31	50 39	63 34	22 19	6 3	1	26 16	130 119	13 3
14	Diabetes Mellitus ...	22 { ...M. ...F.}	15 7	.	.	.	1	1	.	1	4	6	2	.	.	3	12	4

15	Cerebral Hemorrhage, etc. (No. 82).	M. F.	267	120	147	1	.	3	2	3	4	11	26	32	39	32	30	29	1	1	8	138	48
16	Heart Disease	...M. F.	595	336	259	2	1	7	3	3	9	14	74	149	62	74	56	71	6	6	48	282	2
17	Other Circulatory Diseases	...M. F.	73	36	37	1	2	4	18	11	18	13	1	.	9	27	10	
18	Bronchitis	...M. F.	254	104	150	11	7	2	8	1	1	1	.	.	1	5	16	47	20	34	20	1	.	8	95	32	
19	Pneumonia (All Forms)	...M. F.	235	141	94	26	8	4	12	6	4	2	8	1	1	10	24	34	17	10	17	5	2	18	118	15	
20	Other Respiratory Diseases	...M. F.	76	37	39	2	7	1	1	2	.	1	1	5	4	6	8	9	3	6	4	4	2	1	29	3	
21	Gastric and Duodenal Ulcer	...M. F.	56	29	7	1	2	1	7	3	6	6	3	2	.	.	.	13	14	1	
22	Diarrhea and Enteritis (under 2 years.)	M. F.	70	13	7	10	7	.	3	1	.	1	12	7	
23	Appendicitis	...M. F.	24	12	12	1	5	2	2	2	.	1	2	1	2	.	.	2	.	9	1	1	
24	Cirrhosis of the Liver	...M. F.	8	5	3	.	.	.	1	.	.	.	1	.	.	1	2	1	.	1	1	.	.	.	4	.	
25	Other Diseases of Liver, Etc.	...M. F.	11	3	8	1	.	.	1	2	3	1	2	.	.	.	11	1	1	
26	Other Digestive Diseases	...M. F.	105	52	53	4	1	7	1	1	2	6	4	2	5	6	9	12	7	7	7	3	1	20	29	4	
27	Acute and Chronic Nephritis	...M. F.	116	61	55	.	.	.	1	.	1	1	3	3	4	4	10	34	8	7	8	1	.	6	54	9	
28	Puerperal Sepsis	...F.	11	11	6	6	5	1	.	7	3	6	
29	Other Puerperal Causes	...F.	13	13	3	.	6	6	4	5	8	.	
30	Congenital Debility, Etc. (Nos. 157-161).	M. F.	138	77	61	75	56	1	1	3	3	1	.	9	64	34	
31	Senility	...M. F.	777	357	420	73	284	315	15	6	1	15	335	262	
32	Suicide	...M. F.	15	13	2	1	1	1	1	4	1	1	5	1	.	.	.	1	.	13	1	
33	Other Violence	...M. F.	82	55	27	1	.	7	5	4	3	2	7	.	5	6	9	9	3	2	4	.	.	14	37	1	
34	Other Defined Causes	...M. F.	328	195	133	16	6	12	11	12	10	10	8	9	9	15	41	61	17	7	2	1	16	51	126	22	
35	Causes ill-defined or unknown	...M. F.	118	58	60	1	1	8	1	1	2	.	1	1	3	6	21	20	1	.	1	57	56

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infir-maries.	Else-where.
	ALL CAUSES ...	1,219 { ...M. ...F.	602 617	41 26	10 16	10 18	13 29	24 26	33 29	38 42	130 106	171 169	132 156	23 14	23 21	99 68	457 514	147 200
1	Typhoid Fever (including Paratyphoid).	2 { ...M. ...F.	2	.	.	1	1	1	1	.
2	Typhus { ...M. ...F.
3	Measles ...	2 { ...M. ...F.	1 1	1	.	1	1 1	1 1
4	Scarlet Fever...	2 { ...M. ...F.	1 1	1	1	1	.
5	Whooping-cough ...	5 { ...M. ...F.	2 3	.	2 1	1	1	2 3	.
6	Diphtheria ...	5 { ...M. ...F.	3 2	1	1	1	1	.	.	1	2 1	1 1	.
7	Dysentery { ...M. ...F.
8	Influenza ...	60 { ...M. ...F.	26 34	1 2	1	3	1 2	2 3	1	4 2	3 5	10 14	3 3	.	.	6 7	20 27	6 14
9	Encephalitis Lethargica	1 { ...M. ...F.	1	1	1	.
10	Cerebro-spinal Fever { ...M. ...F.
11	Tuberculosis of Respiratory System.	67 { ...M. ...F.	32 35	.	.	3	7 11	7 5	8 9	4 3	4 3	2 1	.	6 4	9 6	3 6	14 19	1 4
12	Other Tuberculous Diseases	13 { ...M. ...F.	5 8	.	.	2 1	1	2	.	1 3	1 1	.	.	.	2	1 1	4 3	1 .
13	Cancer ...	93 { ...M. ...F.	52 41	1	4 7	4 3	22 14	17 12	5 4	4 1	.	8 6	40 34	4 2
14	Diabetes Mellitus ..	9 { ...M. ...F.	8 1	.	.	.	1 1	1	.	1	2	3	.	.	.	3	5 1	.

No.	Disease	Age	Sex	Marital	Occupation	Duration	Previous	Family	Season	Place	Year	Total	Male	Female	Infants	Children	Adults	Elderly	Unknown
13	Cerebral Hemorrhage, Etc. (No. M. 82).	66	M.			27						36	36						
16	Heart Disease	190	M.			111						20	20						
17	Other Circulatory Diseases	17	M.			4						3	3						
18	Bronchitis	89	M.			28						59	59						
19	Pneumonia (All Forms)	60	M.			36						27	27						
20	Other Respiratory Diseases	17	M.			9						1	1						
21	Gastric and Duodenal Ulcer	10	M.			10						3	3						
22	Diarrhea and Enteritis (under 2 M. years).	3	M.			2						1	1						
23	Appendicitis	3	M.			1						1	1						
24	Cirrhosis of the Liver	2	M.			2						1	1						
25	Other Diseases of Liver, Etc.	2	M.			2						2	2						
26	Other Digestive Diseases	26	M.			11						9	9						
27	Acute and Chronic Nephritis	39	M.			17						16	16						
28	Puerperal Sepsis	6	F.			6						2	2						
29	Other Puerperal Causes	5	F.			5						4	4						
30	Congenital Debility, Etc. (Nos. M. 157-161)	46	M.			26						17	17						
31	Senility	233	M.			103						97	97						
32	Suicide	7	M.			7						7	7						
33	Other Violence	15	M.			8						1	1						
34	Other Defined Causes	87	M.			49						29	29						
35	Causes ill-defined or unknown	37	M.			16						16	16						

ABSTRACT V—contd.—No. 30.—Causes of Death in Administrative County of DONEGAL, by Sexes, Ages, and Places of Occurrence during the year 1932.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infir-maries.	Else-where.
	ALL CAUSES ...	2,077 { ...M. ...F.	1,070 1,007	86 56	35 41	31 31	44 53	44 33	34 43	59 81	129 103	314 279	294 287	12 7	21 9	129 97	908 894	371 390
1	Typhoid Fever (including Para-typhoid).	4 { ...M. ...F.	2 2	.	.	1 1	1 1	.	.1	1 2	1 .	.
2	Typhus { ...M. ...F.
3	Measles ...	17 { ...M. ...F.	6 11	2 3	2 3	1 1	1 1	.1	1 2	3 9	2 3
4	Scarlet Fever...	1 { ...M. ...F.	1 3	.	1	.2	.	.1	1 3	.
5	Whooping-cough ...	24 { ...M. ...F.	11 13	8 4	3 8	.1	11 13	8 8
6	Diphtheria ...	9 { ...M. ...F.	4 5	.	1 3	3 2	2 2	2 3	.
7	Dysentery { ...M. ...F.
8	Influenza ...	128 { ...M. ...F.	58 70	1 2	1 2	1 1	.2 1	1 1	2 2	5 4	11 13	20 32	16 11	.1	3 3	3 3	52 66	26 39
9	Encephalitis Lethargica	2 { ...M. ...F.	1 11	.	1	1 1	.
10	Cerebro-spinal Fever { ...M. ...F.
11	Tuberculosis of Respiratory System.	114 { ...M. ...F.	54 60	.	.	1 2	20 23	13 11	9 9	6 8	5 3	.4	.	1	5 3	16 14	32 43	6 6
12	Other Tuberculous Diseases	41 { ...M. ...F.	22 19	1	3	4 4	4 8	7 3	.2	1	.	2 1	.1	1	1	11 5	9 14	1 1
13	Cancer ...	143 { ...M. ...F.	80 63	.	.	2	1	.1	2 4	6 16	21 17	35 14	13 11	1 2	.	10 4	69 57	8 1
14	Diabetes Mellitus ...	9 { ...M. ...F.	4 51	.	.1	1 1	2 2	1	.	.	.1	4 4	3

ABSTRACT V—contd.—No. 31.—Causes of Death in Administrative County of MONAGHAN, by Sexes, Ages, and Places of Occurrence during the year 1932.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.							PLACES OF OCCURRENCE.					Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.		Mental Hos-pitals.	County Homes and District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES ...	951 { ...M. ...F.	501 450	38 26	18 16	9 11	18 23	16 22	19 18	35 46	84 69	156 127	108 92	16 13	8 9	95 55	382 373	107 115
1	Typhoid Fever (including Para-typhoid).	1 { ...M. ...F.	1	1	1	.
2	Typhus { ...M. ...F.
3	Measles ...	9 { ...M. ...F.	5 4	3 1	1 3	1	5 4	1
4	Scarlet Fever...	1 { ...M. ...F.	1	1	1	.	.
5	Whooping-cough ...	1 { ...M. ...F.	1	1	1	.
6	Diphtheria ...	5 { ...M. ...F.	1 4	.	1	2	.	.	1	1 2	2	.
7	Dysentery { ...M. ...F.
8	Influenza ...	43 { ...M. ...F.	24 19	.	.	.	1 1	2	.	1 2	8 6	10 7	4 1	.	.	1 3	23 16	6 5
9	Encephalitis Lethargica	. { ...M. ...F.
10	Cerebro-spinal Fever { ...M. ...F.
11	Tuberculosis of Respiratory System.	38 { ...M. ...F.	17 21	.	.	.	6 5	2 6	3 3	3 2	2 3	1	.	6 6	2 2	1	9 12	2
12	Other Tuberculous Diseases	24 { ...M. ...F.	11 13	.	1	1	2 6	2 2	1 2	1 1	2	1	.	1 1	1	4 4	6 7	.
13	Cancer ...	65 { ...M. ...F.	39 26	.	.	.	1	.	2 2	6 12	7 8	11 8	4 4	1	1	8 6	21 28	1
14	Diabetes Mellitus ...	4 { ...M. ...F.	3 1	1	1	1	.	.	1	3	1

[illegible]

ABSTRACT VI.—CAUSES OF DEATH, &c., during the year 1932, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	SAORSTÁT ÉIREANN.		PROVINCE OF LEINSTER.		PROVINCE OF MUNSTER.		PROVINCE OF CONNAUGHT.		PROVINCE OF ULSTER (part of).	
		Total U.D.'s.*	Total R.D.'s.	Total U.D.'s.*	Total R.D.'s.	Total U.D.'s.*	Total R.D.'s.	Total U.D.'s.	Total R.D.'s.	Total U.D.'s.	Total R.D.'s.
1	ALL CAUSES	6,590 6,996	15,211 14,187	4,296 4,581	4,635 4,229	1,893 1,973	5,185 4,699	261 307	3,358 3,320	140 135	2,033 1,939
2	Typhoid fever (including paratyphoid)	14 9	38 21	10 6	12 3	4 1	16 8	1 1	6 8	1 1	1 2
3	Typhus	2 3	3 3	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2
4	Measles	61 58	51 80	39 30	11 16	10 18	12 15	9 9	19 31	3 1	9 15
5	Scarlet Fever	18 18	32 24	15 13	15 10	3 4	13 7	1 1	1 3	1 1	3 4
6	Whooping-cough	89 92	55 58	69 73	17 17	18 18	13 14	2 1	11 11	1 1	11 11
7	Diphtheria	85 91	98 109	56 56	32 35	20 32	32 39	8 3	27 24	1 1	7 11
8	Dysentery	2 1	1 1	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2
9	Influenza	130 191	636 698	73 124	184 193	41 49	207 199	7 14	146 187	9 1	99 119
10	Encephalitis lethargica	3 8	12 9	3 5	2 3	2 3	4 2	2 2	4 3	2 1	2 1
11	Cerebro-spinal fever	6 1	6 4	6 1	2 2	2 2	2 1	2 1	2 1	2 1	2 1
12	Tuberculosis of respiratory system	553 522	877 906	381 346	282 300	153 142	299 314	12 19	200 191	7 15	96 101
13	Other tuberculous diseases	133 166	271 248	85 111	90 91	37 40	90 72	6 11	58 49	5 4	33 36
14	Cancer	547 550	1,223 992	350 366	359 299	162 152	433 347	23 23	281 216	12 9	150 130
15	Diabetes mellitus	38 29	91 81	28 21	27 25	8 7	34 24	2 2	15 26	1 1	15 6
16	Cerebral hamorrhage, etc. (No. 82)	317 500	761 925	191 341	275 338	104 139	239 277	15 13	134 170	7 7	113 140
17	Heart disease	908 1,095	2,190 1,943	543 722	763 644	313 310	750 703	37 43	356 357	15 20	321 239
18	Other circulatory diseases	122 117	188 172	87 78	51 46	28 31	62 41	5 2	41 48	2 3	31 34

No.	CAUSES OF DEATH, ETC.	CARLOW COUNTY		DUBLIN COUNTY.				TOTAL U.D.'s.	TOTAL R.D.'s.	CITY OF DUBLIN (5)
		U.D.	R.D.	Urban Districts.		Rural S.R. Districts.				
				Dun-laoghaire (4)	Howth (3)	Bal-rothery (2)	Dublin (3)			
	ALL CAUSES ...	54 65	237 198	226 278	31 32	136 142	208 185	106 107	257 310	3,150 3,349
1	Typhoid fever (including paratyphoid)	9 5
2	Typhus	2
3	Measles	21 18
4	Scarlet fever	11 13
5	Whooping-cough	60 61
6	Diphtheria	37 45
7	Dysentery	2
8	Influenza	41 81
9	Encephalitis lethargica	3 3
10	Cerebro-spinal fever	6 1
11	Tuberculosis of respiratory system	291 266
12	Other tuberculous diseases	58 88
13	Cancer	213 241
14	Diabetes mellitus	19 15
15	Cerebral hæmorrhage, etc. (No. 82)	140 242
16	Heart disease	366 505

[illegible]

ABSTRACT VI—continued—CAUSES OF DEATH, &c., during the Year 1932, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	KILDARE COUNTY					KILKENNY COUNTY					Total R.D.'s.			
		Urban Districts		Rural S.R.D.'s.			Total U.D.'s.	Total R.D.'s.	Urban District K'keny (11)	Rural S.R.D.'s.					
		Athy (6)	Naas (8)	Athy (6)	Cel-bridge (7)	Naas (8)				Callan (9)	Castle-comer (10)		K'keny (11)	Thomastown (12)	Uringford (13)
	ALL CAUSES	23 24	29 21	107 87	75 50	224 188	52 45	406 325	62 84	70 62	72 60	92 86	254 205	29 28	517 441
1	Typhoid fever (including paratyphoid) ... {M. F.	.	.	1	1	.	1	4
2	Typhus ... {M. F.
3	Measles ... {M. F.	3 1	2 2	2	.	1	.	5 4
4	Scarlet fever ... {M. F.	.	.	.	1	2 2	.	3 2	1	.	.	3 2	2	.	5 3
5	Whooping-cough ... {M. F.	1	.	.	1	1	1	1 1	1	.	1
6	Diphtheria ... {M. F.	.	1	1	1	1	1	1 2	3 1	1 2	2 1	.	2	.	5 3
7	Dysentery ... {M. F.
8	Influenza ... {M. F.	1 1	1	3	2	5 6	2 1	10 6	2 2	2	.	4 11	9 8	7 5	20 26
9	Encephalitis lethargica ... {M. F.
10	Cerebro-spinal fever ... {M. F.
11	Tuberculosis of respiratory system ... {M. F.	3 6	2	7 5	3 5	12 18	3 8	22 28	4 8	1 4	4 3	4 2	15 13	1	25 22
12	Other tuberculous diseases ... {M. F.	.	.	3 4	5 4	3 9	.	11 17	1 1	3 1	2 4	.	3 3	1	8 10
13	Cancer ... {M. F.	2 1	3	12 5	6 4	27 15	5 1	45 24	9 9	5 1	3	9 3	11 14	1 1	29 19
14	Diabetes mellitus ... {M. F.	.	.	1 1	1	.	.	1 2	1	.	.	1	1	1	3
15	Cerebral hæmorrhage, etc. (No. 82) ... {M. F.	1	3	3 8	4 6	12 9	1 4	19 23	4 5	1 14	6 6	2 2	17 13	4 2	30 37
16	Heart disease ... {M. F.	7 3	6 2	23 11	13 8	41 34	13 5	77 43	7 7	13 13	18 13	17 12	37 25	2 2	87 65

[illegible]

ABSTRACT VI—continued—CAUSES OF DEATH, &c., during the Year 1932, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	LAOIGHIS COUNTY				LONGFORD COUNTY				TOTAL U.D.'s.	TOTAL R.D.'s.	
		Rural S.R.D.'s.		TOTAL R.D.'s.	Urban Districts		Rural S.R.D.'s.		TOTAL U.D.'s.			
		Abbey- leix (14)	Mount- mellick (15)		Granard U.D. (17)	Longford U.D. (18)	Bally- mahon (16)	Granard (17)				Longford (18)
	ALL CAUSES	159 186	239 181	398 367	9 11	22 15	54 60	77 74	98 91	31 26	229 225	
1	Typhoid fever (including paratyphoid) ... { M. F.	.	1	1	2	.	2	
2	Typhus { M. F.	
3	Measles { M. F.	1	.	1	.	1	.	.	1 3	1	1 3	
4	Scarlet fever { M. F.	
5	Whooping-cough { M. F.	.	2	2	
6	Diphtheria { M. F.	2 4	1 1	3 5	.	.	1 1	.	1	.	1 2	
7	Dysentery { M. F.	
8	Influenza { M. F.	8 7	9 7	17 14	2 1	.	1 5	12 18	7 11	2 2	20 34	
9	Encephalitis lethargica { M. F.	
10	Cerebro-spinal fever { M. F.	1	.	1	
11	Tuberculosis of respiratory system ... { M. F.	12 16	17 15	29 31	.	4 1	2 2	3 2	2 4	4 1	7 8	
12	Other tuberculous diseases { M. F.	3 4	7 2	10 6	.	.	3 1	3 1	2 3	2	5 7	
13	Cancer { M. F.	10 14	22 9	32 23	2	4 1	4 3	5 4	2 1	6 1	11 8	
14	Diabetes mellitus { M. F.	2	1	2 1	.	1	2	.	.	1	2	
15	Cerebral hemorrhage, etc. (No. 82) ... { M. F.	9 17	16 11	25 28	1	.	4 6	8 14	9 7	1	21 27	
16	Heart disease { M. F.	33 34	39 23	72 57	1 1	4 2	8 7	13 4	14 3	3 3	35 14	

20	Other respiratory diseases	{M. F.}	4	11	18	1	.	.	3	5	7	1	15
21	Gastric and duodenal ulcer	{M. F.}	2	3	5	1	1	1	1	3	1	1	5
22	Diarrhea and enteritis (under 2 years)	{M. F.}	2	2	2	.	.	.	1	.	1	.	2
23	Appendicitis	{M. F.}	1	2	2	1	.	1
24	Cirrhosis of the liver	{M. F.}	1	.	.	.	2	1	2
25	Other diseases of liver, etc.	{M. F.}	1	2	2
26	Other digestive diseases	{M. F.}	4	5	9	.	.	.	1	.	2	.	3
27	Acute and chronic nephritis	{M. F.}	4	5	9	1	1	1	1	1	1	2	3
28	Puerperal sepsis	F.	3	.	3
29	Other puerperal causes	F.	1	.	1	.	.	.	1	1	.	.	2
30	Congenital debility, etc. (Nos. 157-161)	{M. F.}	13	13	26	.	1	1	2	1	4	1	7
31	Senility	{M. F.}	19	33	52	1	.	.	13	16	23	1	52
32	Suicide	{M. F.}	1	.	1	56
33	Other violence...	{M. F.}	2	5	7	2	1	.	1
34	Other defined causes	{M. F.}	8	22	30	1	3	4	4	.	9	4	13
35	Causes ill-defined or unknown	{M. F.}	13	22	35	1	2	4	4	1	3	3	8
					1	5	9	1	.	.	1	1	11	1	16
					1	2	6	.	.	.	2	1	7	.	13
	Deaths under one year of age	{M. F.}	18	19	37	.	2	5	5	3	5	2	13
	" 65 years and upwards	{M. F.}	15	14	29	1	2	3	3	2	6	3	11
	Unrecorded Deaths	{M. F.}	74	107	181	3	8	32	34	52	56	11	140
					90	91	181	5	3	34	45	45	52	8	131
	Number of Births	{M. F.}	43	43	86	2	1	16	17	28	50	3	94
					47	39	86	1	4	17	41	41	57	5	115
	Population (Census, 1926)	{M. F.}	184	286	470	11	38	64	64	95	122	49	281
					176	263	439	11	45	57	57	76	125	56	258
					22,199	29,341	51,540	1,269	3,685	7,796	12,066	15,031	15,031	1,954	34,893

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1932, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	LOUTH COUNTY						MEATH COUNTY											
		Urban Districts			Rural S.R.D.'s.			Urban Districts			Rural S.R.D.'s.								
		Drog- heda	Dun- dalk	Ardee	Drog- heda	Dun- dalk	TOTAL U.D.'s.	TOTAL R.D.'s.	An Uaimh- nanus	Cean- nanus	Trim	Dun- shaugh- lin	Kells	Navan	Old- castle	Trim	TOTAL U.D.'s.	TOTAL R.D.'s.	
		(20)	(21)	(19)	(20)	(21)			(24)	(23)	(26)	(22)	(23)	(24)	(25)	(26)			
	ALL CAUSES
1	Typhoid fever (including paratyphoid)	{ M. F.
2	Typhus	{ M. F.
3	Measles	{ M. F.
4	Scarlet fever	{ M. F.
5	Whooping-cough	{ M. F.
6	Diphtheria	{ M. F.
7	Dysentery	{ M. F.
8	Influenza	{ M. F.
9	Encephalitis lethargica	{ M. F.
10	Cerebro-spinal fever	{ M. F.
11	Tuberculosis of respiratory system	{ M. F.
12	Other tuberculous diseases	{ M. F.
13	Cancer	{ M. F.
14	Diabetes mellitus	{ M. F.
15	Cerebral hæmorrhage, etc. (N. 82)	{ M. F.
16	Heart disease	{ M. F.

19	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
20	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
21	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
22	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
23	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
24	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
25	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
26	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
27	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
28	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
29	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
30	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
32	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
33	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
34	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
35	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
Deaths under one year of age
" 65 years and upwards
Uncertified Deaths
Number of Births
Population (Census, 1925)

ABSTRACT VI. —continued. —CAUSES OF DEATH, &c., during the Year 1932, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	OFFALY COUNTY						WESTMEATH COUNTY						
		Urban Districts		Rural S.R.D.'s.			TOTAL U.D.'s.	TOTAL R.D.'s.	Urban District	Rural S.R.D.'s.			TOTAL R.D.'s.	
		Birr (27)	Tulla-more (29)	Birr (27)	Edenclerry (28)	Tulla-more (29)				Athlone (30)	Delvin (31)	Mullingar (32)		
	ALL CAUSES	{M. F.	27 29	47 26	142 121	49 34	102 115	74 55	293 270	36 52	91 100	82 73	234 218	407 391
1	Typhoid fever (including paratyphoid) ...	{M. F.	.	.	1	.	.	.	1	.	1	.	2	3
2	Typhus	{M. F.
3	Measles	{M. F.	1	6 3	1	.	1 2	6 4	1 3	.	1	.	1	2
4	Scarlet fever	{M. F.
5	Whooping-cough	{M. F.	1	.	1
6	Diphtheria	{M. F.	1 1	2 1	2 1	.	1	3 2	3 1	1 1	1 1	.	4 1	5 3
7	Dysentery	{M. F.
8	Influenza	{M. F.	.	2 2	8 7	1 2	2 8	2 2	11 17	1 3	2 4	3 5	14 7	19 16
9	Encephalitis lethargica ...	{M. F.	.	.	1	.	.	.	1
10	Cerebro-spinal fever ...	{M. F.	1	1	1
11	Tuberculosis of respiratory system	{M. F.	1	2 1	4 13	2 3	4 3	2 2	10 19	4 4	4 4	6 3	13 21	23 28
12	Other tuberculous diseases	{M. F.	1 3	5	1 3	3	4 3	6 3	8 6	.	2	3	6 9	8 14
13	Cancer	{M. F.	6 6	3 1	10 5	4 2	12 7	8 7	26 14	4 3	7 11	7 2	16 19	30 32
14	Diabetes mellitus ...	{M. F.	.	.	1 1	.	1	.	1	.	1	1 2	1	3 2
15	Cerebral hamorrhage, etc. (No. 82)	{M. F.	2	2 2	9 8	3 4	5 5	2 4	17 17	.	4 13	4 4	9 20	17 37
16	Heart disease ...	{M. F.	3 7	6 2	22 14	12 4	10 23	9 9	44 41	4 9	24 28	14 9	33 27	71 64

20	Other respiratory diseases	{M. F.	1	1	1	1	2	2	4	1	1	1	1	6	8
21	Gastric and duodenal ulcer	{M. F.	1	2	.	3	1	1	2	5
22	Diarrhoea and enteritis (under 2 years)	{M. F.	1	1	1	1	1	1	1	1	2	1	2	1	2
23	Appendicitis	{M. F.	1	3	.	1	.	.	1	1
24	Cirrhosis of the liver	{M. F.	1	1	1	1	2
25	Other diseases of liver, etc.	{M. F.	1	3
26	Other digestive diseases	{M. F.	2	6	2	3	1	5	6	9
27	Acute and chronic nephritis	{M. F.	2	1	1	1	1	3	10	1	5	2	3	10	11
28	Puerperal sepsis	F.	2	4	13	18
29	Other puerperal causes	F.	1	2	13	18
30	Congenital debility, etc. (Nos. 157-161)	{M. F.	1	2	2	2	2	2	13	2	4	2	3	17	22
31	Senility	{M. F.	9	3	3	3	3	23	59	6	16	2	13	25	54
32	Suicide	{M. F.	6	55	3	11	10	23	41	54
33	Other violence...	{M. F.	2	3	.	.	.	1	1	1
34	Other defined causes	{M. F.	4	8	1	2	1	4	5	7
35	Causes ill-defined or unknown	{M. F.	1	3	1	1	4	3	26	4	6	6	6	24	36
											28	3			17	30	
											9	.	.	3	4	7	7
											6	.	.	3	7	10	
	Deaths under one year of age	{M. F.	2	7	14	5	9	7	26	6	3	5	25	33	
	" 65 years and upwards	{M. F.	18	8	84	21	26	54	159	13	54	42	106	202	
					12	8	58	18	20	51	127	19	58	33	88	179	
	Uncertified Deaths	{M. F.	1	4	32	10	5	27	69	2	19	16	34	69	
					3	2	37	4	3	23	64	3	23	15	44	82	
	Number of Births	{M. F.	31	70	169	62	101	159	390	69	96	106	248	450	
					35	54	169	55	89	133	357	73	79	77	266	422	
	Population (Census, 1926)	3,402	4,930	20,949	6,728	8,332	16,553	44,260	7,540	11,461	10,342	27,472	10,278	

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1932, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

		WEXFORD COUNTY										WICKLOW COUNTY								
No.	CAUSES OF DEATH, ETC.	Urban Districts.				Rural S.R.D.'s.				TOTAL U.D.'s.	TOTAL R.D.'s.	Urban Districts			Rural S.R.D.'s.			TOTAL U.D.'s.	TOTAL R.D.'s.	
		Ennis-corthy (33)		Wex-ford (36)		Ennis-corthy (33)	Gorey (34)	New-Ross (35)				Wex-ford (36)	Ark-low (38)	Bray (38)	Wick-low (38)	Baltin-glass (37)	Rath-drum (38)			Shill-clagh (39)
	ALL CAUSES	37 35	52 44	100 110	210 170	117 125	130 117	167 166	189 189	624 578	32 37	60 78	22 25	102 80	182 173	50 67	114 140	334 320		
1	Typhoid fever (including paratyphoid)	1	.	.	.	1		
2	Typhus		
3	Measles	.	1	2 3	.	.	.	2	2 4	2	1	1	.		
4	Scarlet fever	.	.	.	1	1	.	.	.	1	2	.	.	3		
5	Whooping-cough	.	.	1	1	.	1	.	1	1	.	1	1	.	1	1	1	2		
6	Diphtheria	1	1	.	.	.	1	.	2	1	1	.	1		
7	Dysentery...		
8	Influenza	2	1 2	3 2	7 9	8 8	2 5	2 3	4 6	19 25	2 2	2	5	4 1	9 11	8 7	4 7	21 19		
9	Encephalitis lethargica	.	.	.	1	.	.	1	.	1		
10	Cerebro-spinal fever		
11	Tuberculosis of respiratory system	4 6	14 5	6 7	14 17	6 8	8 8	10 18	24 18	38 51	3 1	8 5	2 2	7 9	12 8	1 7	13 8	20 24		
12	Other tuberculous diseases	.	3	2 5	4	4 2	2	4	5 5	8 8	2 1	3 2	.	2	2 4	1	5 3	5 4		
13	Cancer	2	6 6	4 10	8 9	7 12	8 6	5 14	12 16	28 41	5 2	4 10	3 1	5 4	13 16	1 5	12 13	19 25		
14	Diabetes mellitus	.	.	2	1 1	1 1	1	1	2	3 3	1	1	.	2	2	1	2	4 1		
15	Cerebral hemorrhage, etc. (No. 82)	1 6	1	4 6	13 7	3 7	8 8	11 11	5 13	35 33	1 6	2 7	1 2	12 4	21 13	4 5	4 15	37 22		
16	Heart disease	9 5	8 11	12 17	39 26	19 21	32 14	33 26	29 33	123 87	3 2	9 15	4 2	16 15	19 22	4 5	16 19	39 12		

[illegible]

CLARK COUNTY

[illegible]

19	Pneumonia (all forms)	...	{M. F.}	1	5	1	4	7	3	5	12	12	6	45
20	Other respiratory diseases	...	{M. F.}	1	2	1	1	4	4	1	8	8	7	26
21	Gastric and duodenal ulcer	...	{M. F.}	3	1	3	2	...	2	2	1	13
22	Diarrhoea and enteritis (under 2 years)...	{M. F.}	1	...	1	2	1	9
23	Appendicitis	...	{M. F.}	...	1	1	1	...	1	1	...	3
24	Cirrhosis of the liver	...	{M. F.}	4
25	Other diseases of liver, etc....	...	{M. F.}	...	1	1	1	3
26	Other digestive diseases	...	{M. F.}	1	2	1
27	Acute and chronic nephritis	...	{M. F.}	2	...	2	...	2	3	3	...	9
28	Puerperal sepsis	...	F.	11
29	Other puerperal causes	...	F.	2	1	1	...	1	22
30	Congenital debility, etc. (Nos. 157-161)	{M. F.}	1	1	4	3	2	1	4	6	5	6
31	Senility	...	{M. F.}	1	4	5	4	16	33	13	42	35	5	148
32	Suicide	...	{M. F.}	...	1	21	29	14	27	47	9	153
33	Other violence	...	{M. F.}	1	1
34	Other defined causes	...	{M. F.}	4	...	1	5	3	11
35	Causes ill-defined or unknown	...	{M. F.}	1	2	2	5	...	2
<hr/>														
Deaths under one year of age				...	5	2	2	3	4	2	8	12	7	33
" 65 years and upwards				...	5	1	1	4	...	1	4	11	8	24
Uncertified Deaths				...	13	12	16	50	53	21	84	109	27	345
Number of Births				...	13	16	18	46	49	26	63	90	29	308
Population (Census, 1926)				...	2	4	6	21	36	13	38	37	5	155
				9	13	18	34	13	31	62	3	180
				...	35	21	25	121	131	60	163	187	101	711
				...	52	27	28	91	94	51	168	169	132	628
				...	3,345	3,495	4,109	13,214	15,137	7,415	19,297	23,534	8,863	86,201

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1932, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	CORK COUNTY												Rural S.R.D.'s						
		Urban Districts												Bandon (47)	Bantry (48)	Castle- town (49)	Clona- killy (50)	Cork (51)	Dun- manway (52)	
		Clona- killy (50)	Cobh (51)	Ferry- moor (53)	Kinsale (55)	Ma- croom (56)	Mallow (57)	Midle- ton (58)	Passage West (51)	Skib- bereen (60)	Yong- hal (62)									
1	ALL CAUSES ... {M. F.	14 23	48 51	33 37	21 25	17 19	36 34	17 14	14 24	24 24	25 36			125 105	63 84	49 49	92 103	353 295	74 83	
2	Typhoid fever (including paratyphoid) {M. F.	1	1	.	.	1	.
3	Typhus ... {M. F.	1
4	Measles ... {M. F.	1	.	.
5	Scarlet fever ... {M. F.
6	Whooping-cough ... {M. F.	1	1	.	.	3	2	.	.
7	Diphtheria ... {M. F.	1	1	1	2	.	.	.	2	.	.
8	Dysentery ... {M. F.
9	Influenza ... {M. F.	.	1 2	1	1	1	1	1	1	1	1	1	1	3	4	4	5	8	2	1
10	Encephalitis lethargica ... {M. F.	1	.	.	1	.	.	.
11	Cerebro-spinal fever ... {M. F.
12	Tuberculosis of respiratory system ... {M. F.	2 3	1 6	6 1	1 2	1 1	2 6	1 2	1 4	3	4	.	.	6 5	3 6	5 3	6 9	29 28	2 6	.
13	Other tuberculous diseases ... {M. F.	1	1	1	1	.	1	1	2	3	3	1	8	3	.
14	Cancer ... {M. F.	1 5	5 2	2 3	4 6	4	7 3	3	2	4	1	5	.	8	6	5	8	31	8	.
15	Diabetes mellitus ... {M. F.	1	1	.	1	1	1	1	1
16	Cerebral hamorrhage, etc. (No. 82) ... {M. F.	1	3 4	1 2	.	1 3	4 2	2 1	4	2	1	.	.	12	1	1	3	19	3	5
17	Heart disease ... {M. F.	2	12 11	1 3	4 5	3 5	6 1	3 1	4 6	3 5	11 15	.	.	20	7	6	15	67	7	17
18	Other circulatory diseases ... {M. F.	1	1	1	2	.	.	4	3	1	3	5	1	.

19	Pneumonia (all forms) ...	{ M. F. }	...	1 1	5 4	2 6	4 2	2 1	1 3	1 3	1 5	2 .	8 11	6 3	2 .	3 3	29 17	1 3
20	Other respiratory diseases	{ M. F. }	4 2	.	.	.	3 .	1 1	.	.	3 .	1 1	1 3	4 8	2 5	.
21	Gastric and duodenal ulcer	{ M. F. }	2 1	1 .	3 1	1 .	6 2	.	.
22	Diarrhoea and enteritis (under 2 years)	{ M. F. }	...	1 .	1 .	1 2	.	.	2 .	1	1 .	.	3 3	.	.
23	Appendicitis ...	{ M. F. }	1 .	.	2 1	.	1 1	1 2	.	.
24	Cirrhosis of the liver ...	{ M. F. }	1
25	Other diseases of liver, etc.	{ M. F. }	1 .	.	2 2	1 2	1 2
26	Other digestive diseases ...	{ M. F. }	...	1 .	4 .	2 1	.	.	2 .	1 1	1 .	.	2 1	1 .	1 .	5 10	1 3	1 3
27	Acute and chronic nephritis	{ M. F. }	...	2 1	2 .	1 .	.	.	1 1	1 .	.	1 1	5 1	1 .	2 3	13 10	3 2	3 2
28	Puerperal sepsis ...	F.	...	1	1 .	.	.	2 .	.	.
29	Other puerperal causes ...	F.	1 2	1 2	1 2
30	Congenital debility, etc. (Nos. 157-161)	{ M. F. }	...	1 .	3 4	4 2	.	.	1 2	1 1	2 .	3 .	6 2	4 2	1 .	3 2	19 10	2 4
31	Senility ...	{ M. F. }	...	1 5	2 4	7 8	2 4	.	2 4	1 .	5 5	2 2	17 18	13 26	11 15	23 29	16 12	16 12
32	Suicide ...	{ M. F. }	1 .	.	1 .	.	.	3 .	2 .
33	Other violence ...	{ M. F. }	2 .	.	.	1 1	1 .	1 .	.	2 1	2 1	1 .	15 6	4 .	4 .
34	Other defined causes ...	{ M. F. }	...	3 .	3 5	3 1	2 4	.	4 3	3 .	1 1	2 1	9 6	5 7	7 5	32 16	10 6	10 6
35	Causes ill-defined or unknown	{ M. F. }	2 .	1 .	.	2 .	.	1 .	.	3 2	3 3	1 .	3 4	1 2	1 2
Deaths under one year of age				3	6	7	4	1	5	1	1	1	7	5	3	11	40	5
" 65 years and upwards				7	17	8	10	9	16	5	11	11	55	32	23	45	135	38
Uncertified Deaths ...				1	1	1	6	1	5	4	8	1	22	19	13	26	20	23
Number of Births ...				34	74	43	21	17	47	25	19	52	123	105	81	116	397	113
Population (Census, 1926) ...				2,770	7,077	4,510	2,747	2,413	4,562	2,732	2,627	5,339	15,233	11,322	9,362	12,925	45,994	11,377

CORK COUNTY—continued.														
No.	CAUSES OF DEATH, ETC.	Rural S.R.D.'s.										TOTAL U.D.'s.	TOTAL R.D.'s.	CORK COUNTY BOROUGH (63)
		Fernoy (53)	Kan- turk (54)	Kin- sale (55)	Ma- croom (56)	Mallow (57)	Middle- ton (58)	Mill- street (59)	Skibber- een (60)	Skull (61)	Youghal (62)			
1	ALL CAUSES {M. F.}	149 151	142 140	75 78	108 92	172 143	118 99	62 56	132 94	47 56	31 33	249 287	1,792 1,661	631 606
2	Typhoid fever (including paratyphoid) {M. F.}	1	3	1	.	.	.	1 1	1	.	.	.	8 4	1
3	Typhus {M. F.}
4	Measles {M. F.}	1 1	.	.	.	1	.	1 3	1
5	Scarlet fever {M. F.}	.	1	.	.	4 4	5 4	1
6	Whooping-cough {M. F.}	1 1	.	1	.	.	.	1 1	1	.	.	.	9 8	9 9
7	Diphtheria {M. F.}	.	3 1	1	.	5 9	.	2 2	1	.	.	2 2	15 20	6 11
8	Dysentery... .. {M. F.}	.	1	1	.
9	Influenza {M. F.}	2 4	5 9	9 7	2 1	7 4	6 9	2 1	3 5	1 1	.	6 7	60 59	4 5
10	Encephalitis lethargica {M. F.}	1 1	.	1	4 1	3
11	Cerebro-spinal fever {M. F.}
12	Tuberculosis of respiratory system {M. F.}	6 12	7 8	3 9	6 6	7 13	7 2	1 3	10 3	2 2	3 4	18 29	103 119	58 54
13	Other tuberculous diseases {M. F.}	3 1	1	1	1	1 1	1 1	1	1	1 1	1 1	1 6	28 17	21 11
14	Cancer {M. F.}	14 13	7 5	12 13	13 14	23 8	8 4	3 5	7 3	2	4 1	31 26	156 118	53 41
15	Diabetes mellitus {M. F.}	1 3	.	.	.	1 1	.	.	3	.	1	1 2	5 10	1
16	Cerebral hæmorrhage, etc. (No. 82) {M. F.}	5 8	5 9	3 7	9 6	7 8	9 9	4 5	9 9	1 1	1	14 17	91 97	30 36
17	Heart disease {M. F.}	18 22	14 22	9 5	16 8	33 22	18 22	5 5	17 9	9 12	7 7	49 52	268 270	118 112
17	Other circulatory diseases {M. F.}	4 1	2 3	1 1	2	3	3 2	.	1	.	.	5 6	28 18	11 10

19	Pneumonia (all forms)	{ M. F.	10 6	13 9	2 4	10 9	14 15	10 6	6 2	8 2	3 2	18 25	127 96	11 40
20	Other respiratory diseases	{ M. F.	4 6	3 5	1 1	2 2	8 5	2 1	2 1	3 2	1 2	8 3	51 41	15 9
21	Gastric and duodenal ulcer...	{ M. F.	1 1	1 2	1 1	3 1	3 1	2 1	1 1	2 2	2 2	28 9	3 3	3 3
22	Diarrhoea and enteritis (under 2 years)	{ M. F.	1 2	1 1	1 1	3 3	3 2	2 1	1 1	1 1	1 1	4 3	13 16	26 18
23	Appendicitis	{ M. F.	1 1	1 5	1 1	1 1	1 1	2 1	2 1	2 1	1 1	2 1	12 11	4 6
24	Cirrhosis of the liver	{ M. F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	4 4	1 1
25	Other diseases of liver, etc....	{ M. F.	1 1	2 2	1 1	1 1	2 2	2 1	2 1	2 1	2 1	1 1	8 9	1 6
26	Other digestive diseases	{ M. F.	4 3	3 5	1 4	1 5	2 3	5 7	2 1	7 3	2 2	7 7	39 50	13 14
27	Acute and chronic nephritis	{ M. F.	2 2	5 2	1 1	1 2	9 2	1 1	1 1	4 3	1 1	8 5	50 35	10 11
28	Puerperal sepsis	F.	1	1	1	1	1	1	1	1	1	1	7	3
29	Other puerperal causes	F.	2	1	1	1	1	1	1	1	1	1	10	7
30	Congenital debility, etc. (Nos. 157-161)	{ M. F.	5 2	10 5	1 1	5 1	7 5	3 2	2 2	8 3	1 1	15 15	77 43	29 22
31	Senility	{ M. F.	36 42	34 25	18 12	19 22	9 14	14 17	25 20	25 20	15 20	26 35	291 331	56 53
32	Suicide	{ M. F.	1	1	1	1	1	1	1	2	1	1	10	4
33	Other violence	{ M. F.	3 3	2 3	1 1	2 1	4 2	2 1	2 1	2 1	3 1	3 4	47 22	15 10
34	Other defined causes	{ M. F.	17 7	12 9	5 3	10 5	13 10	13 8	4 4	16 8	4 4	21 20	166 104	66 64
35	Causes ill-defined or unknown	{ M. F.	4 4	3 3	1 1	2 2	2 2	1 1	1 1	1 1	1 1	3 4	23 38	5 5
Deaths under one year of age					10 6	14 8	2 5	10 4	16 11	8 5	8 5	13 5	1 1	26 32	153 97	91 68
" 65 years and upwards					71 81	62 64	42 37	65 53	77 65	56 57	39 34	62 49	27 36	106 120	845 828	197 198
Certified Deaths					26 29	41 35	12 14	29 22	11 14	22 24	10 9	49 42	14 22	9 26	341 369	10 12
Number of Births					189 157	212 203	60 66	114 115	186 170	99 117	85 68	149 130	45 49	355 305	2,099 1,968	904 916
Population (Census, 1926)					22,275	21,421	9,912	16,667	19,906	15,151	9,585	17,429	7,060	37,796	249,461	78,490

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1932, by Administrative Counties, distinguishing Urban Districts, and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	KERRY COUNTY.										TOTAL U.D.'s.	TOTAL R.D.'s.
		Urban Districts			Rural S.R.D.'s.								
		Kill- arney (67)	Lis- towel (68)	Triloe (69)	Caher- civeen (64)	Dingle (65)	Ken- mare (66)	Kill- arney (67)	Lis- towel (68)	Triloe (69)			
	ALL CAUSES ...	31 32	17 18	76 69	128 141	97 75	71 76	211 205	187 157	180 163	124 119	874 817	
1	Typhoid Fever (including Paratyphoid)	M. F.	1 1	1 .	.	1 .	.	1 .	1 .	3 2	
2	Typhus	M. F.	1 .	.	1	1 1	
3	Measles	M. F.	1 .	.	.	1 .	1 .	.	1 .	1 3	
4	Scarlet Fever...	M. F.	1 .	.	1 .	1 .	1 .	.	3 1	
5	Whooping-cough	M. F.	
6	Diphtheria	M. F.	2 2	.	.	.	5 2	.	1 .	7 6	
7	Dysentery	M. F.	
8	Influenza	M. F.	3 4	5 3	2 1	18 19	11 8	17 14	9 9	56 49	
9	Encephalitis Lethargica	M. F.	
10	Cerebro-spinal Fever	M. F.	1 .	.	1 .	.	1 1	
11	Tuberculosis of Respiratory System	M. F.	9 14	11 9	3 3	15 13	13 6	8 13	9 9	59 58	
12	Other Tuberculous Diseases	M. F.	2 2	3 3	1 1	3 1	3 2	2 3	.	14 12	
13	Cancer	M. F.	8 8	9 6	6 5	6 8	12 12	15 12	10 7	56 51	
14	Diabetes Mellitus	M. F.	1 .	2 .	1 .	3 1	1 2	1 1	1 .	9 4	
15	Cerebral Haemorrhage, Etc. (No. 82)	M. F.	8 13	4 4	4 7	9 8	10 11	4 2	6 6	39 45	
16	Heart Disease	M. F.	10 17	6 8	6 5	32 35	30 18	22 16	24 11	106 99	
17	Other Circulatory Diseases	M. F.	2 .	.	.	2 .	1 .	1 .	.	6 .	

19	Pneumonia (All Forms)	{M. F.}	1 1	2 2	5 3	5 10	6 3	4 4	14 10	10 9	14 6	8 6	55 42
20	Other Respiratory Diseases	{M. F.}	1 1	...	8 1	2 4	...	2 3	3 ...	2 2	6 4	4 2	15 16
21	Gastric and Duodenal Ulcer	{M. F.}	1 ...	1 ...	1 ...	4 2	...	2 ...	3 ...	6 2	5 1	3 ...	20 5
22	Diarrhoea and Enteritis (under 2 years)	{M. F.}	3 3	...	3 1	1 2	4 2	1 2	6 8	6 9
23	Appendicitis	{M. F.}	1	2	1 1	1 ...	3 1
24	Cirrhosis of the Liver	{M. F.}	1	1
25	Other Diseases of Liver, etc.	{M. F.}	1 ...	1	1 3
26	Other Digestive Diseases	{M. F.}	1 1	...	1 2	6 2	1 ...	4 3	4 5	7 5	2 3	2 3	24 18
27	Acute and Chronic Nephritis	{M. F.}	...	1 ...	1 3	5 ...	4 1	1 ...	5 2	5 2	5 3	2 1	25 8
28	Puerperal Sepsis	F.	1	2	1 ...	2
29	Other Puerperal Causes	F.	...	1 ...	1 ...	1	1	2	2 ...	4
30	Congenital Debility, etc. (Nos. 157-161)	{M. F.}	1 2	...	5 1	3 3	1 3	2 1	16 5	6 5	5 7	6 3	33 24
31	Senility	{M. F.}	...	3 3	4 8	33 33	26 19	25 30	27 52	29 39	41 49	7 13	181 222
32	Suicide	{M. F.}	...	1	1	1 ...	1 ...	2 2
33	Other Violence	{M. F.}	...	1 ...	2 1	4 ...	1 ...	1 ...	8 3	5 ...	1 1	3 1	22 5
34	Other Defined Causes...	{M. F.}	...	1 2	5 7	12 7	12 8	4 2	18 18	16 13	15 10	11 14	77 58
35	Causes ill-defined or unknown	{M. F.}	1 2	...	2 2	2 3	7 5	4 5	2 8	1 3	17 24
<hr/>															
Deaths under one year of age		{M. F.}	4 6	1 1	11 9	5 6	4 5	5 5	21 13	19 12	9 11	16 16	63 52
" 65 years and upwards		{M. F.}	10 10	8 8	17 25	79 72	45 31	42 47	109 114	98 90	94 86	35 43	467 440
Unrecorded Deaths		{M. F.}	...	3 4	5 6	48 61	33 28	30 31	74 77	57 58	49 67	8 11	291 322
Number of Births		{M. F.}	37 42	29 40	103 116	111 110	110 112	105 96	262 254	262 247	293 282	169 198	1,143 1,071
Population (Census, 1926)		5,328	2,917	10,533	18,224	15,855	11,432	27,929	26,635	30,318	18,778	130,393

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1932, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	LIMERICK COUNTY					LIME- RICK COUNTY BOR- OUGH (75)	TIPPERARY NORTH RIDING					TOTAL U.D.'s.	TOTAL R.D.'s.	
		Rural S.R.D.'s.						Urban Districts			Rural S.R.D.'s.				
		Croom (70)	Kil- mallock (71)	Lim- erick (72)	New- castle (73)	Rath- keale (74)		TOTAL R.D.'s.	Nenagh (77)	Temple more (79)	Thur- les (79)	Nenagh (77)	Roscrea (78)	Thurles (79)	
1	ALL CAUSES ... {M. F.	88 78	191 173	169 166	157 146	113 100	718 663	1 1	131 123	73 94	390 345
2	Typhoid fever (including paratyphoid) {M. F.	1 1
3	Typhus... {M. F.
4	Measles... {M. F.	1	1	1	1	2	5 3	1	.	.	.	1	1	.	2 1
5	Scarlet fever ... {M. F.	1 1	.	.	1	1	2 2	2 3
6	Whooping-cough ... {M. F.	1	.	1	.	.	1 1	1 1
7	Diphtheria ... {M. F.	2 1	1	.	1	1	3 3	8 14	.	.	1 2	.	1	.	1 4
8	Dysentery ... {M. F.
9	Influenza ... {M. F.	6 4	10 8	5 4	8 8	8 11	37 35	9 8	.	.	2 1	4 4	1 4	2	11 13
10	Encephalitis lethargica ... {M. F.
11	Cerebro-spinal fever ... {M. F.	1	.	.	1
12	Tuberculosis of respiratory system {M. F.	5 8	11 9	7 14	11 8	6 8	40 47	19 12	3 1	1	4 7	7 4	7 9	7 3	25 21
13	Other tuberculous diseases ... {M. F.	3 2	8 3	3 5	4 2	6 1	24 13	2 3	.	.	3	3	1 5	2	9 7
14	Cancer ... {M. F.	8 9	19 8	6 8	11 12	10 11	54 48	21 25	2 2	.	9 10	1 3	14 7	7 4	33 24
15	Diabetes mellitus ... {M. F.	2	.	1 1	.	1	3 2	2	.	.	1	1	1 1	2	3 1
16	Cerebral hamorrhage, etc. (No. 82) {M. F.	3 7	8 10	5 14	5 3	6 4	27 38	15 19	2 4	1 3	10 12	5 1	6 14	4 12	23 28
17	Heart disease ... {M. F.	19 11	24 22	27 23	19 25	13 7	102 88	32 35	2 4	1	21 20	9 4	14 23	5 12	57 55
18	Other circulatory diseases ... {M. F.	2	1	1	.	2	6	2	.	.	1	1	3	.	4

19	Pneumonia (all forms)	{ M. F.}	5 4	8 8	19 15	8 7	6 4	46 38	26 16	.	.	1 .	2 2	4 2	5 2	1 7	13 4	3 2	23 15
20	Other respiratory diseases	...	{ M. F.}	. 1	7 4	2 4	7 3	2 1	18 13	4 6	.	1	.	1 .	1 .	1 .	1 1	2 1	1 1	4 3
21	Gastric and duodenal ulcer	...	{ M. F.}	1 .	1 .	1 .	4 .	. 1	7 1	4 2	1 .	1 1	1 .	3 .	.	6 1
22	Diarrhoea and enteritis (under 2 years)	{ M. F.}	5 2	3 2	2 7	3 1	3 1	4 1	17 13	9 8	.	2	.	2 1	.	2 1	1 .	3 1	3 3	6 2
23	Appendicitis	{ M. F.}	.	1 1	. 3	. .	.	2 4	2 1
24	Cirrhosis of the liver	{ M. F.}	.	2 .	1 .	.	.	3 .	1	1 .	1	1 1
25	Other diseases of liver, etc....	...	{ M. F.}	1 2	2 4	. .	1 .	. 2	4 8	. 3	.	.	1	.	2 3	.	.	.	1	2 3
26	Other digestive diseases	{ M. F.}	4 2	8 8	5 3	. 2	4 .	21 15	16 13	.	2	.	1 1	2 .	3 4	2 3	7 2	3 1	14 9
27	Acute and chronic nephritis	...	{ M. F.}	1 1	11 8	7 2	8 4	5 3	32 18	7 6	1 2	.	2	4 1	3 .	3 5	2 1	7 6	7 3	15 12
28	Puerperal sepsis	F.	.	2	.	.	.	2	2
29	Other puerperal causes	F.	1	1	1	1	2	6	6	1	.	.	.	2	1	1	1	1	5
30	Congenital debility, etc. (Nos. 157-161)	{ M. F.}	. 4	15 14	12 5	13 10	13 10	10 6	50 39	11 7	3 6	.	1	8 2	1 1	7 3	3 .	4 2	11 9	15 6
31	Senility	{ M. F.}	6 7	18 25	28 22	25 34	7 18	84 106	28 41	2 3	.	2 1	1 4	10 10	16 25	5 11	17 17	5 8	48 63
32	Suicide	{ M. F.}	.	.	2 .	1 .	1 .	4 .	1 .	.	.	1	.	.	1	.	2	1	3
33	Other violence	{ M. F.}	2 1	2 4	7 2	6 .	3 .	20 7	10 5	. 1	.	.	1 .	3 1	5 1	2 2	1 5	1 1	11 9
34	Other defined causes	{ M. F.}	9 6	21 15	16 13	14 18	10 9	70 61	40 39	5 5	.	2 3	2 4	6 4	16 11	9 3	13 8	9 12	44 26
35	Causes ill-defined or unknown	...	{ M. F.}	1 2	3 2	1 4	3 2	1 1	9 11	8 3 1	2 4	1 2	4 3	.	7 10
Deaths under one year of age																				
" 65 years and upwards																				
Uncertified Deaths ...																				
Number of Births ...																				
Population (Census, 1926) ...																				
										4,524	2,233	4,815	9,213	16,268	7,586	15,006	11,572	18,073		

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1932, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	TIPPERARY SOUTH RIDING										TIPPERARY COUNTY					WATERFORD COUNTY					WATERFORD COUNTY BOROUGH (89)
		Urban Districts				Rural S.R.D.'s.				TOTAL U.D.'s.	TOTAL R.D.'s.	U.D.	Rural S.R.D.'s.				TOTAL R.D.'s.					
		Carrikk-on-Suir (80)	Cashel (81)	Clonmel (83)	Tipperary (84)	Carrikk-on-Suir (80)	Cashel (81)	Clogheen (82)	Clonmel (83)				Tipperary (84)	Dun-garvan (85)	Dun-garvan (85)	Kilmac-thomas (86)		Lis-more (87)	Water-ford (88)			
	ALL CAUSES ... {M. F.}	39 47	15 22	63 68	36 53	11 21	170 147	106 97	32 26	133 105	153 190	452 396	51 41	47 36	76 77	147 125	359 316					
1	Typhoid fever (including paratyphoid). {M. F.}	1	1	.	.	.	2 1	.	1	.	.	1					
2	Typhus ... {M. F.}	1	.	1					
3	Measles ... {M. F.}	2 3	.	.	.	2 3	.	.	1	.	1					
4	Scarlet fever ... {M. F.}	1	3					
5	Whooping-cough ... {M. F.}	3 4	1	.	.	3 4	1	1	.	.	3 3	5 2					
6	Diphtheria ... {M. F.}	1 1	1	.	3	.	3 1	3 1	4					
7	Dysentery ... {M. F.}					
8	Influenza ... {M. F.}	1	5	4 1	1 3	3 2	13 7	13 7	2 3	1 2	5 1	5 7	8 12					
9	Encephalitis lethargica ... {M. F.}					
10	Cerebro-spinal fever ... {M. F.}					
11	Tuberculosis of respiratory system. {M. F.}	2 4	2 2	8 5	4 3	1	6 10	6 9	2	3 6	16 14	15 28	6 2	3 2	4 5	7 6	20 13					
12	Other tuberculous diseases {M. F.}	2 2	1	2 3	2 1	.	2	1 2	1 2	2	7 6	4 6	2 1	1	1 2	2 2	5 8					
13	Cancer ... {M. F.}	1 2	1 5	6 5	5 3	1	14 13	9 8	4 3	16 11	13 15	44 37	4 2	3 1	6 9	14 11	28 27					
14	Diabetes mellitus ... {M. F.}	.	.	.	1 1	1	1	2 1	.	3	1 1	6 2	1	1 1	1	1	2 2					
15	Cerebral hamorrhage, etc. (No. 82). {M. F.}	4 3	2 4	7 7	3 8	1	7 12	1 4	2 1	6 10	16 22	17 27	3 7	2 4	4 3	14 9	23 18					
16	Heart disease ... {M. F.}	4 7	1 2	8 13	6 11	1 4	35 24	26 23	8 2	19 12	19 33	89 65	9 8	3 3	9 12	36 22	65 61					
																	7					

19	Pneumonia (all forms) ...	{ M. F. }	4	1	1	3	1	8	4	1	26	9	8	19	2	1	10	0	1	19	14
20	Other respiratory diseases	{ M. F. }	1	1	1	3	1	4	4	1	8	4	4	10	1	1	2	1	2	3	3
21	Gastric and duodenal ulcer	{ M. F. }	1	1	1	3	1	2	3	1	5	2	2	1	1	3	1	1	3	1	1
22	Diarrhoea and enteritis (under 2 years).	{ M. F. }	6	3	1	7	3	1	1	1	11	7	4	5	1	1	1	1	1	13	11
23	Appendicitis ...	{ M. F. }	1	1	1	2	1	2	2	1	2	1	1	1	1	1	1	1	1	3	4
24	Cirrhosis of the liver ...	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
25	Other diseases of liver, etc.	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
26	Other digestive diseases	{ M. F. }	1	1	1	3	1	2	2	1	5	5	3	3	1	1	1	1	1	11	7
27	Acute and chronic nephritis	{ M. F. }	2	1	1	11	3	3	3	1	21	6	4	9	3	1	6	1	1	11	4
28	Puerperal sepsis ...	F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6
29	Other puerperal causes	F.	1	1	1	2	1	2	2	1	8	2	2	8	1	1	2	1	1	1	6
30	Congenital debility, etc. (Nos. 157-161).	{ M. F. }	1	2	3	5	3	3	9	10	18	10	14	11	2	5	3	1	15	15	14
31	Senility ...	{ M. F. }	2	2	3	22	24	4	30	8	76	25	25	73	5	17	15	14	57	13	16
32	Suicide ...	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
33	Other violence...	{ M. F. }	1	2	1	3	4	1	4	4	10	4	4	5	2	1	5	2	10	10	6
34	Other defined Causes	{ M. F. }	1	2	1	16	14	2	14	8	40	10	10	39	9	10	11	8	34	19	28
35	Causes ill-defined or unknown.	{ M. F. }	1	1	1	4	6	2	3	1	9	1	1	9	2	2	2	2	5	2	1
Deaths under one year of age		{ M. F. }	7	6	3	15	11	4	16	21	40	21	22	27	3	8	7	3	24	57	35
" 65 years and upwards		{ M. F. }	12	15	6	87	80	15	77	55	236	21	25	201	21	38	84	40	184	72	90
Uncertified Deaths		{ M. F. }	1	3	1	23	30	2	28	2	77	2	8	78	2	13	20	6	48	4	6
Number of Births		{ M. F. }	69	49	26	214	201	18	188	223	584	39	50	486	39	76	142	85	354	345	350
Population (Census, 1926) ...			4,657	2,953	2,236	23,047	12,348	4,721	16,797	22,221	59,149	5,207	13,080	6,321	10,802	16,505	46,708	26,647			

ABSTRACT VI. —continued.—CAUSES OF DEATH, &c., during the year 1932, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.		CAUSES OF DEATH, ETC.	GALWAY COUNTY												TOTAL U.D.'s.	TOTAL R.D.'s.
			Urban Districts		Rural S.R.D.'s.											
			Ballin- asloe (90)	Galway (92)	Ballin- asloe (90)	Clifden (91)	Galway (92)	Glenna- maddy (93)	Gort (94)	Lough- rea (95)	Mount- bellew (96)	Ought- eraud (97)	Por- tumna (98)	Tham (99)		
	ALL CAUSES
1	Typhoid fever (including paratyphoid)	{M. F.}	18 20	113 124	107 103	76 92	150 144	81 76	74 76	147 113	64 50	102 126	56 53	205 180	131 144	1,062 1,013
2	Typhus ...	{M. F.}	1													
3	Measles ...	{M. F.}	1	4 3	1 3	2 4	1		6	1 1	1 1	1 4	2 1	1	5 3	9 21
4	Scarlet fever ...	{M. F.}														
5	Whooping-cough ...	{M. F.}		1 1			1		1						1 1	2
6	Diphtheria ...	{M. F.}	1	4 1	2 6		4 4	2 1	1		1	4 1		2 1	4 2	15 18
7	Dysentery ...	{M. F.}														
8	Influenza ...	{M. F.}		4 9	5 6	1 4	9 8	4 1	1	13 6	2	8 18	2 3	5 6	4 9	50 52
9	Encephalitis lethargica ...	{M. F.}					1									1
10	Cerebro-spinal fever ...	{M. F.}			1		1 1									2 1
11	Tuberculosis of respiratory system ...	{M. F.}	3	4 8	4 3	6 6	10 7	5 1	8 5	11 7	3 1	5 15	4 4	14 10	4 11	70 61
12	Other tuberculous diseases ...	{M. F.}		1 5	2 1	2 1	3 2	2 1	3 1	4 4	1	1 2	2 3	1 1	1 5	20 17
13	Cancer ...	{M. F.}	2 2	8 4	10 5	10 1	9 5	7 4	5 6	9 8	4 4	6 2	4 1	24 17	10 6	88 53
14	Diabetes mellitus ...	{M. F.}		1		1	1		1			1 1	2	3	1	2 8
15	Cerebral hæmorrhage, etc. (No. 82) ...	{M. F.}	1 1	4 6	4 8	3 2	7 6	3 1	3 1	6 9	2 1	1	2 6	9 19	5 7	37 55
16	Heart disease ...	{M. F.}	4 5	13 22	18 13	6 5	15 8	9 6	9 10	10 14	6 4	13 19	6 7	16 22	17 27	108 108
17	Other circulatory diseases ...	{M. F.}		5		2			1	5		2	1	4	5	13

19	Pneumonia (all forms) ...	{M. F.}	...	3	15	4	6	8	2	6	1	1	4	8	4	3	8	11	18	51	
20	Other respiratory diseases	{M. F.}	9	2	8	.	6	1	1	.	2	7	2	8	7	6	9	53	
21	Gastric and duodenal ulcer	{M. F.}	3	2	.	.	2	2	.	3	1	1	1	1	.	4	3	14	
22	Diarrhoea and enteritis (under 2 years)	{M. F.}	3	1	.	.	1	1	1	.	.	2	1	.	2	1	1	14	
23	Appendicitis ...	{M. F.}	8	1	1	1	3	8	
24	Cirrhosis of the liver ...	{M. F.}	1	.	.	.	1	1	.	.	.	1	.	.	.	1	.	7	
25	Other diseases of liver, etc.	{M. F.}	4	
26	Other digestive diseases ...	{M. F.}	3	
27	Acute and chronic nephritis	{M. F.}	...	1	6	4	1	1	7	3	2	1	1	2	1	4	1	6	6	28	
28	Puerperal sepsis ...	F.	4	2	2	4	8	4	.	.	.	7	2	1	4	4	4	13	
29	Other puerperal causes ...	F.	1	2	1	1	1	1	35	
30	Congenital debility, etc. (Nos. 157-161)	{M. F.}	...	1	7	2	6	3	5	3	1	6	1	2	2	3	2	4	8	25	
31	Senility	{M. F.}	...	3	5	4	4	32	
32	Suicide ...	{M. F.}	7	28	27	17	33	53	35	37	20	38	23	20	11	52	7	277	
33	Other violence ...	{M. F.}	...	1	8	46	9	312	
34	Other defined causes	{M. F.}	1	1	1	1	1	1	2	2	5	3	5	10	3	2	1	6	
35	Causes ill-defined or unknown	{M. F.}	1	1	1	9	3	3	1	1	4	1	4	.	3	1	24	
<hr/>																					
Deaths under one year of age				2	25	5	6	9	10	4	3	7	5	9	3	9	3	7	27	58	
" 65 years and upwards				2	25	10	3	10	5	5	4	11	3	9	11	5	5	9	27	71	
Uncertified Deaths ...				10	41	61	37	66	51	39	39	86	40	50	50	30	26	120	51	580	
				8	38	53	55	87	48	40	40	57	29	62	26	111	111	46	46	568	
<hr/>																					
Number of Births ...				34	183	132	98	221	96	93	93	155	90	139	78	278	278	217	401	1,380	
Population (Census, 1926) ...				29	186	127	105	211	108	84	84	165	80	140	83	269	269	215	215	1,372	1,372
				5,245	14,227	9,819	13,760	20,067	11,639	10,750	19,257	12,652	14,494	8,356	19,472	149,894	149,894	19,472	149,894	149,894	

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1932, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	LEITRIM COUNTY						MAYO COUNTY								TOTAL U.D.'s.	TOTAL R.D.'s.
		Rural S.R.D.'s.			TOTAL R.D.'s.	Urban Districts			Rural S.R.D.'s.								
		Carrick-on-Shan. (100)	Manor-hamilton (101)	Mohill (102)		Ballina (103)	Castle-bar (106)	West-port (109)	Ballinrobe (104)	Belmullet (105)	Castle-bar (106)	Claremorris (107)	Swineford (108)	West-port (109)			
1	ALL CAUSES ... {M. F.}	63 72	170 183	152 150	385 405	29 33	16 14	16 28	145 133	118 114	81 76	127 110	118 152	199 222	143 162	61 75	931 969
2	Typhoid fever (including paratyphoid) {M. F.}	1	2 3	1	3 4	1	.	.	1 3
3	Typhus ... {M. F.}	1	.	.	1
4	Measles ... {M. F.}	1	1	.	1 1	.	.	1	.	3	3 2	.	.	1	1	.	5 5
5	Scarlet fever ... {M. F.}	1	.	1 1	.	.	.	2	.	.	1	1 3
6	Whooping-cough ... {M. F.}	.	3 2	.	3 2	1	.	.	1 1	2 1	1 4	.	4 6
7	Diphtheria ... {M. F.}	.	1 1	.	1 1	2	1	.	.	1	.	3	1	2 1	.	3	6 2
8	Dysentery ... {M. F.}
9	Influenza ... {M. F.}	3	9 26	4 10	13 39	2 1	.	1	12 11	4 3	9 6	1 4	2	4 3	2 9	3 1	34 36
10	Encephalitis lethargica ... {M. F.}	1	.	.	1	1	1 1
11	Cerebro-spinal fever ... {M. F.}
12	Tuberculosis of respiratory system ... {M. F.}	2 3	7 12	7 9	16 24	3 1	2	1	10 9	11 7	5 8	7 4	7 3	11 15	11 18	6 1	62 64
13	Other tuberculous diseases ... {M. F.}	1 2	2 2	.	3 4	1 3	2	1 1	4 1	3	1	2 4	5 3	4 4	2 5	4 4	20 18
14	Cancer ... {M. F.}	5 4	13 15	10 10	28 29	1 1	3 4	1 4	16 6	7 11	3 1	11 5	11 13	17 16	14 12	5 9	79 64
15	Diabetes mellitus ... {M. F.}	1 1	1 2	.	2 3	1	.	.	.	1 1	.	2	2 2	2	2	1	3 9
16	Cerebral hamorrhage, etc. (No. 82) ... {M. F.}	3 9	13 17	6 12	22 38	2 1	1 3	2	4 5	4 3	3 4	2 1	7 3	4 9	11 5	5 5	35 30
17	Heart disease ... {M. F.}	5 5	19 21	16 17	40 43	2 2	2 1	3 4	20 16	11 17	9 5	6 8	11	25 15	11 15	7 7	91 87
18	Other circulatory diseases ... {M. F.}	3	3	.	6	.	.	.	2	3 4	1	1	2 4	2 1	1 3	.	12 22

19	Pneumonia (all forms) ...	{ M. F. }	4 2	14 5	13 12	31 19	4	1	3 5	5 6	3 2	14 3	4 11	3 10	10 5	6 42
20	Other respiratory diseases	{ M. F. }	1 .	4 6	1 1	6 7	1 .	1	2 2	6 1	2 2	2 .	1 .	2 2	1 .	13 10
21	Gastric and duodenal ulcer	{ M. F. }	1 .	1 1	1 .	1 3	1 .	.	3	.	.	2 .	2 .	1 1	1 .	7 1
22	Diarrhoea and enteritis (under 2 years)	{ M. F. }	.	2	.	2	1	.	1	1	.	.	1	2 1	1 .	5 2
23	Appendicitis ...	{ M. F. }	2	.	1 2	3 2	1 1	.	2 1	1	.	2 2	3 1	1 1	2 3	11 8
24	Cirrhosis of the liver	{ M. F. }	.	.	2	2	1 1	1	1	2 3
25	Other diseases of liver, etc.	{ M. F. }	.	1 1	.	1 1	.	.	1	.	1	2	2	.	2	3 5
26	Other digestive diseases	{ M. F. }	1 1	5 4	4 3	10 8	1	2	2 7	2 1	1	3 5	2 3	1	6 4	16 21
27	Acute and chronic nephritis	{ M. F. }	1	10 3	9 1	19 5	1 2	1	4 1	6 1	2 1	1 1	2	3 2	2 1	18 9
28	Puerperal sepsis ...	F.	1	1	.	1	2	.	1	6
29	Other puerperal causes	F.	.	.	1	1	.	.	3	.	.	.	1	1	.	5
30	Congenital debility, etc. (Nos. 157-161)	{ M. F. }	1 1	3 6	4 2	8 9	1 2	1	2 5	3	1 4	1	7 1	8 4	1 2	23 16
31	Senility	{ M. F. }	17 26	36 29	33 40	86 95	1 4	2 3	26 42	28 34	19 23	42 46	26 58	63 83	42 46	246 332
32	Suicide ...	{ M. F. }	.	1	.	1	.	.	1	1	.	.	1	1	1	4 2
33	Other violence	{ M. F. }	.	3 2	7	10 2	1 3	1	6	2	4	5 1	3 3	6 3	4 2	30 9
34	Other defined causes	{ M. F. }	3 7	8 12	10 8	21 27	5 4	2 4	12 7	10 9	5 9	11 11	13 11	9 16	10 9	70 73
35	Causes ill-defined or unknown	{ M. F. }	4 1	4 7	9 7	17 15	.	.	1 1	1 2	5	4 5	5 6	5 4	4 5	25 23
Deaths under one year of age			2 2	8 9	11 5	21 16	4 4	2 2	8 6	9 1	7 9	6 3	8 2	16 11	7 7	61 39
" 65 years and upwards			38 42	101 104	85 78	224 224	8 11	6 11	75 87	61 73	42 37	70 70	57 96	112 129	86 80	503 572
Uncertified Deaths ...			21 28	57 70	64 60	142 138	1 8	1 1	54 69	42 49	55 50	71 78	32 60	89 109	60 75	403 490
Number of Births ...			77 72	147 149	189 177	413 398	61 65	29 33	222 186	163 145	149 164	156 136	190 168	296 304	206 195	1,382 1,298
Population (Census, 1926)			10,422	21,791	23,694	55,907	4,873	4,266	24,056	18,293	13,720	19,613	20,573	36,994	26,814	160,063

19	Pneumonia (all forms) ...	{ M. F. }	...	2	2	10	13	25	2	7	5	14	1	23
						5	8	15			3	11	4	18
20	Other respiratory diseases	{ M. F. }	...	1	1	.	2	3	2		.	6	3	9
						3	4	8	1		1	3	1	5
21	Gastric and duodenal ulcer	{ M. F. }	...	4	1	2	1	7	1		1	2	4	7
				1		2	2	5
22	Diarrhoea and enteritis (under 2 years)	{ M. F. }	{ M. F. }	1	.	.	1	2	6	3	.	.	1	1
			
23	Appendicitis ...	{ M. F. }	...	2	.	2	3	7	.		1	2	.	3
				.	.	.	1	1	.		.	2	1	3
24	Cirrhosis of the liver	{ M. F. }	1		.	2	.	2
			
25	Other diseases of liver, etc....	{ M. F. }	1	.	1	1	.		1	.	.	1
				2	.		1	.	1	2
26	Other digestive diseases ...	{ M. F. }	...	1	2	.	4	5	.	4	2	4	2	8
				.	.	5	4	11	.	.	3	5	.	8
27	Acute and chronic nephritis	{ M. F. }	...	1	1	4	12	17	2	3	1	3	2	6
				1	1	3	9	13	.		.	5	2	7
28	Puerperal sepsis ...	F.	...	2	.	.	3	5
29	Other puerperal causes ...	F.	...	1	1	.	6	8	.		.	2	.	2
30	Congenital debility, etc. (Nos. 157-161)	{ M. F. }	{ M. F. }	1	4	4	11	16	4	6	1	10	5	16
				.	.	.	7	11	.		.	5	4	9
31	Senility	{ M. F. }	...	32	28	44	57	133	5		20	55	22	97
				.	.	48	81	157	10		17	79	29	125
32	Suicide ...	{ M. F. }	...	2	1	.	1	3	.		1	.	1	2
				1	.	.	.	1
33	Other violence ...	{ M. F. }	...	1	3	2	5	8	2	4	3	4	4	11
				.	.	1	2	6	.		.	1	1	2
34	Other defined causes	{ M. F. }	...	6	4	16	17	39	7		8	27	11	46
				.	.	4	11	19	6		5	22	6	33
35	Causes ill-defined or unknown	{ M. F. }	...	8	6	7	11	26	2		3	15	3	21
				.	.	12	6	24	.		2	7	4	13
<hr/>														
Deaths under one year of age				3	5	6	22	31	18		1	18	9	28
" 65 years and upwards				67	60	95	130	292	20		52	154	64	270
Uncertified Deaths ...				37	36	62	95	194	6		32	93	37	162
Number of Births ...				124	137	197	336	657	116		72	282	119	473
Population (Census, 1926) ...				18,656		27,152	37,748	83,556	11,437		10,834	33,261	15,856	59,951

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1932, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	CAVAN COUNTY.						TOTAL U.D.'s.	TOTAL R.D.'s.
		Urban Districts.			Rural S.R.D.'s.				
		Bel- turbet (118)	Cavan (118)	Coote- hill (118)	Bailie- borough (116)	Bawn- boy (117)	Cavan (118)		
	ALL CAUSES { M. F.	7 10	20 30	13 14	147 161	86 91	329 311	40 54	562 563
1	Typhoid fever (including paratyphoid) { M. F.	2	.	.
2	Typhus { M. F.
3	Measles { M. F.	1	1	.	1
4	Scarlet fever { M. F.	1 1	.	1 1
5	Whooping-cough { M. F.	.	.	.	1 3	.	1	.	2 3
6	Diphtheria { M. F.	.	1	.	1 1	1	1	1	2 2
7	Dysentery { M. F.
8	Influenza { M. F.	1 1	1 2	1 1	4 4	2 5	17 21	3 4	23 30
9	Encephalitis lethargica { M. F.	1	.	1
10	Cerebro-spinal fever { M. F.
11	Tuberculosis of respiratory system { M. F.	.	1 5	2 1	10 7	4 6	15 16	3 6	29 29
12	Other tuberculous diseases { M. F.	.	1 1	1	2 3	.	2 3	1 2	4 6
13	Cancer { M. F.	.	3 1	1	13 16	8 7	27 15	4 3	48 38
14	Diabetes mellitus { M. F.	.	.	.	3 1	.	5	.	8 1
15	Cerebral hæmorrhage, etc. (No. 82) { M. F.	.	1	1	9 13	3 4	14 19	1 3	26 36
16	Heart disease { M. F.	2 1	5 4	1 3	32 22	14 12	57 37	8 8	103 71

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1932, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

No.	CAUSES OF DEATH, ETC.	DONEGAL COUNTY											TOTAL U.D.'s.	TOTAL R.D.'s.	
		Urban Districts			Rural S.R.D.'s.										
		Bun- crana (123)	Bun- doran (119)	Letter- kenney (124)	Bally- shannon (119)	Done- gal (120)	Dun- fanaghy (121)	Glenties (122)	Inish- owen (123)	Letter- kenney (124)	Mil- ford (125)	Stran- ohar (126)			
	ALL CAUSES	13 10	10 8	11 16	67 67	121 100	103 95	197 205	175 160	102 104	128 109	143 133	1,036 973		
1	Typhoid fever (including para- typhoid).	2 1	2 2	
2	Typhus	
3	Measles	2	1	4 3	2 5	6 11	
4	Scarlet fever	1	.	.	.	1 1	1 3	
5	Whooping-cough	.	.	.	1	.	1 5	5 2	1	2 1	1	.	2 3	11 13	
6	Diphtheria	2 2	1	1	.	.	2	4 5	
7	Dysentery	
8	Influenza	1	.	.	5 7	2 10	3 3	14 26	14 12	5 2	5 3	9 7	1	57 70	
9	Encephalitis lethargica	1 1	.	.	1 1	
10	Cerebro-spinal fever	
11	Tuberculosis of respiratory system.	1	.	.	3 3	5 3	3 3	12 16	7 12	3 7	7 7	14 8	1	54 59	
12	Other tuberculous diseases	2	.	1 1	4 1	3 1	3 1	2 4	1 3	1 5	3	2 3	3 1	19 18	
13	Cancer	1 2	.	3 1	3 3	9 4	13 5	13 9	10 10	10 6	9 15	9 8	4 3	76 60	
14	Diabetes mellitus	.	1	.	.	1	1	1	.	.	2 2	1	1	4 4	
15	Cerebral hæmorrhage, etc. (No. 82)	1	1 1	.	1 6	11 9	3 2	16 22	11 9	6 5	6 8	9 6	1 2	63 67	
16	Heart disease	3 2	.	1	7 7	23 6	5 11	31 17	22 23	15 15	20 14	19 16	3 4	142 109	

ABSTRACT VI.—continued.—CAUSES OF DEATH, &c., during the Year 1932, by Administrative Counties, distinguishing Urban Districts and the rural portions of Superintendent Registrars' Districts, arranged by Provinces.

MONAGHAN COUNTY.													
No.	CAUSES OF DEATH, ETC.	Urban Districts				Rural S.R.D.'s.				TOTAL U.D.'s.	TOTAL R.D.'s.		
		Carrick- macross (127)	Castle- blayney (128)	Clones (129)	Mon- aghan (130)	Carrick- macross (127)	Castle- blayney (128)	Clones (129)	Mon- aghan (130)				
	ALL CAUSES	12 7	12 7	16 11	26 22	75 76	93 110	78 78	189 139	66 47	435 403		
1	Typhoid fever (including paratyphoid) ... { M. F. 1 1	.	.	.
2	Typhus
3	Measles	3 1	.	.	.	2 3	3 1	2 3	.	.
4	Scarlet fever	1	.	.	.	1	.	.
5	Whooping-cough	1	.	1	.	.
6	Diphtheria	1 1	. 1	. 2	.	1 4	.	.
7	Dysentery
8	Influenza	2	2	1	.	3 2	6 8	. 4	10 5	. 5	19 19	.	.
9	Encephalitis lethargica
10	Cerebro-spinal fever
11	Tuberculosis of respiratory system ... { M. F.	. 2	. 1	1 3	3 2	1 2	2 1	5 3	5 7	4 8	13 13	.	.
12	Other tuberculous diseases 1	.	.	1 1	3 4	1 4	5 3	1 1	10 12	.	.
13	Cancer	1 1	1	2 2	5 6	5 5	5 8	11 13	4 3	26 32	.	.
14	Diabetes mellitus 1	2	1	.	3 1	.	.
15	Cerebral hæmorrhage, etc. (No. 82) ... { M. F.	. 1	1	1	3 1	2 5	5 7	4 4	13 21	5 2	24 37	.	.
16	Heart disease	2 1	. 2	2 2	. 3	15 10	14 13	19 16	28 20	4 8	76 59	.	.
17	Other circulatory diseases	1	.	.	.	1	.	4	1	.	6	.	.

19	Pneumonia (all forms) ...	{M. F.}	1	2	1	6	4	6	3	14	4	26
20	Other respiratory diseases	{M. F.}	1	...	1	3	4	2	...	1	1	13
21	Gastric and duodenal ulcer	{M. F.}	1	...	1	1	3	2	9
22	Diarrhoea and enteritis (under 2 years)	{M. F.}	1	1	3	...	3	2	17
23	Appendicitis ...	{M. F.}	1	1	1	1	2	1	4
24	Cirrhosis of the liver ...	{M. F.}	2	...	3	2	7
25	Other diseases of liver etc.	{M. F.}	1	...	2	1	3
26	Other digestive diseases	{M. F.}	1	4	1	2	3	1	7	5	12
27	Acute and chronic nephritis	{M. F.}	1	3	2	1	4	2	19
28	Puerperal sepsis	F.	2	1	1	...	8
29	Other puerperal causes	F.	1	3	1	8
30	Congenital debility, etc. (Nos. 157-161)	{M. F.}	1	4	1	2	1	5	2	12
31	Senility	{M. F.}	3	5	8	15	10	13	31	6	62
32	Suicide	{M. F.}	1	1	59
33	Other violence	{M. F.}	2	...	1	3	6	4	2
34	Other defined causes	{M. F.}	1	1	2	6	6	13	9	15	8	12
35	Causes ill-defined or unknown	{M. F.}	6	3	...	1	6	...	5
<hr/>															
Deaths under one year of age		{M. F.}	3	1	4	7	3	6	3	13	9	29
" 65 years and upwards		{M. F.}	2	8	8	38	44	48	49	105	24	240
Uncertified Deaths ...		{M. F.}	2	10	20	25	15	13	55	4	103
Number of Births ...		{M. F.}	15	28	35	105	81	103	80	181	99	469
Population (Census, 1926)	1,550	2,365	4,636	11,745	12,382	12,382	9,987	20,471	10,546	51,585

INDEX TO SUPERINTENDENT REGISTRARS' DISTRICTS.

[The following Index furnishes a reference to the NUMBER OR NUMBERS of each Superintendent Registrar's District in Abstracts I and VI, in which the numbers run consecutively from 1 to 130. In Abstract VI, the Urban and Rural parts of these areas are distinguished].

A.	14	Clones	129	K.	54	P.	98
Abbeyleix	19	Clonmel	...	83	Kanturk	23	Portumna	...
Ardee ...	30	Cork	...	51, 63	Kells ...	66	R.	...
Athlone	6	Corofin	41	Kilkenney	11	Rathdown	38
Athy	Croom	70	Killadysert	44	Rathdrum	74
B.	116	D.	Killarne	67	Rathkeale	112
Ballieborough	103	Delvin	31	Kilmacthomas	86	Roscommon	78
Ballina ...	90	Dingle	65	Kilmallock	71	Roscrea	...
Ballinasloe	104	Donegal	...	120	Kilrush	45	S.	...
Ballymahon	16	Drogheda	...	20	Kinsale	55	Scariff	46
Ballyshannon	119	Dromore West	...	113	L.	124	Shillelagh	39
Ballyvaghany	40	Dublin	3, 5	Letterkenny	72, 75	Skibbereen	60
Balrothery	2	Dundalk	...	21	Limerick	87	Skull	61
Baltinglass	37	Dunfanaghy	...	121	Lismore	68	Sligo	114
Bandon	47	Dungarvan	...	85	Listowel	18	Stranorlar	126
Bantry	117	Dunmanway	...	52	Longford	95	Swineford	108
Bawnboy	105	Dunshaughlin	...	22	Loughrea	...	T.	...
Belmullet	27	E.	M.	56	Thomastown	12
Borrisokane	76	Edenderry	...	28	Macroon	57	Thurles	79
Boyle ...	110	Ennis	42	Mallow	101	Tipperary	84
C.	64	Enniscorthy	...	33	Manorhamilton	58	Tobereury	115
Caberciveen	9	Ennistymon	...	43	Middleton	59	Tralee	69
Callan ...	1	F.	Millstreet	102	Trim	99
Carlow ...	127	Fermoy	...	53	Mohill	130	Tuam	29
Carriackmacross	100	G.	Monaghan	96	Tullamore	...
Carriack-on-Shannon	80	Galway	...	92	Mount Bellew	15	U.	13
Carriack-on-Suir	81	Glennamaddy	...	93	Mountmellick	32	Urlingford	...
Cashel ...	106	Glenties	...	122	Mullingar	...	W.	...
Castlebar	128	Gorey	34	Naas	8	Waterford	88, 89
Castleblayney	10	Gort	94	Navan	24	Westport	109
Castlecomer	111	Granard	...	17	Nenagh	77	Wexford	36
Castlereagh	49	I.	Newcastle	35	Y.	62
Castletown	118	Inishowen	...	123	New Ross	...	Youghal	...
Cavan ...	7	O.	25		...
Clabridge	107	Oldcastle	97		...
Claremorris	91	Oughterard
Clifden ...	82
Clogheen	50
Clonakilty

APPENDIX I.

ALTERATIONS IN REGISTRARS' DISTRICTS, 1932.

On 1st January, 1932, the Registrar's District of Clonbrock, in Mountbellew Superintendent Registrar's District, was abolished, and the area added to Ahascragh Registrar's District, in Balinasloe S.R.D.

On 1st August, 1932, the Registrar's District of Coolock and Drumcondra, in Dublin Superintendent Registrar's District, was divided into two Registrar's Districts, to be henceforth known as Coolock and Drumcondra No. 1 and Coolock and Drumcondra No. 2, respectively.

APPENDIX II.

Table showing the number of Searches made, number of Certificates issued, and the total amounts received as Fees for same at the General Register Office, Dublin, during the 69 years 1864-1932.

YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.	YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.
1864	15	3	£ 1 10 d.	1899	4,133	3,201	£ 616 13 d.
1865	41	20	4 12 0	1900	4,558	3,481	672 7 6
1866	55	34	7 0 0	1901	4,843	3,733	718 18 0
1867	46	26	5 12 0	1902	4,871	3,719	716 16 6
1868	69	42	9 13 0	1903	4,944	3,796	731 12 6
1869	80	34	8 15 0	1904	5,183	3,958	769 19 7
1870	93	54	11 10 0	1905	5,110	3,954	759 8 5
1871	112	67	14 6 6	1906	5,714	4,409	849 6 0
1872	120	76	15 14 0	1907	5,877	4,544	875 0 2
1873	100	106	21 14 0	1908	5,984	4,670	894 19 7
1874	166	107	22 6 6	1909	6,220	4,761	920 8 0
1875	244	166	33 15 0	1910	6,387	4,903	944 18 4
1876	270	185	36 16 0	1911	6,128	4,778	914 9 11
1877	312	202	42 14 0	1912	6,811	5,160	998 7 2
1878	391	286	55 15 0	1913	6,462	4,972	957 9 0
1879	522	399	78 0 0	1914	7,552	6,140	1,157 10 0
1880	753	596	114 7 0	1915	7,398	5,898	1,118 7 0
1881	743	583	111 8 6	1916	7,729	6,475	1,172 1 2
1882	852	688	129 11 0	1917	8,151	6,475	1,225 13 6
1883	1,036	773	149 1 6	1918	10,702	8,499	1,611 11 6
1884	1,254	966	185 3 0	1919	11,513	8,998	1,712 16 0
1885	1,412	1,116	212 8 0	1920	11,484	8,810	1,688 2 0
1886	1,527	1,173	225 7 4	1921	11,419	8,499	1,646 0 6
1887	1,693	1,307	251 7 0	1922	18,413	7,675	1,892 9 6
1888	1,778	1,404	266 9 0	1923	19,377	8,808	2,076 0 0
1889	1,986	1,561	297 4 6	1924	23,947	14,367	3,003 0 6
1890	2,448	2,042	383 2 9	1925	33,945	45,435	8,940 12 0
1891	2,815	2,297	433 1 6	1926	48,193	77,347	13,493 5 6
1892	3,209	2,534	489 17 0	1927	45,802	72,665	12,391 17 6
1893	3,559	2,733	532 2 2	1928	37,462	56,965	9,804 0 6
1894	3,492	2,678	512 7 0	1929	39,650	61,182	10,412 2 6
1895	3,482	2,618	508 8 0	1930	29,901	41,744	7,384 14 6
1896	4,046	3,103	596 10 6	1931	16,540	14,548	3,162 2 6
1897	3,917	2,960	572 3 0	1932	19,265	12,031	2,951 16 0
1898	4,132	3,207	613 1 2				

Printed under the authority of the Stationery Office by
A. THOM & CO., LTD., Iona Printing Works, Dublin.

B. 6351. Wt. 1331—598. 4, 8. 375, 10. 1933.

N.B.—The above figures do not include a large number of searches made and certificates issued, free of charge, for the use of Government Departments.

